Hewlett-Packard (Schweiz) GmbH

Pricelist – Part 1

November 1, 2008

invent

Status symbols explanation

Product Status	**N**	New
Price Status	**B**	Bundle-Price (Valid only with the purchase of a Golden Offers Desktop or Golden Offers Workstation)
	P	Promotion / Golden Offer
	↘	Price decrease
	↗	Price increase

HP Personal Computing 4
HP Mobile Solutions 4
HP Desktops & Workstations 47
HP Imaging & Printing 91
HP InkJet Printer 91
HP All-in-One 135
HP LaserJet 186
HP Network Peripheral Connectivity 295
HP Large Format Printers 296
HP Scanner 333
HP Digital Sender 336
HP Photosmart Systems 337
HP Photobooks 365
HP ProCurve Networking Business 366
HP ProCurve Switches 366
HP ProCurve Secure Mobility 410
HP ProCurve Router 415
HP ProCurve Management Software 417
HP ProCurve Switch Accessories 419

HP Personal Computing

HP Mobile Solutions

HP Handheld products

HP iPAQ Pocket PCs

HP iPAQ 114 Classic Handheld

iPAQ 114: Slim, light and affordable	
Features	**iPAQ 114**
High performance processor	Marvell PXA310, 624 MHz
Memory RAM	64 MB SDRAM
Memory ROM	256 MB Flash ROM
Screen Type	Transflective type QVGA TFT color; LED backlight with power save mode, portrait and landscape mode, touch screen
Number of Colors	65'536 (64K, 16-bit)
Viewable Image Size (wide x tall)	3.5" (240x320)
Input Method	Handwriting recognition, soft keyboard, character recognition, voice recorder, inking
Ergonomic design features	5-way navigation with press to activate, 4 programmable, voice recorder, power, reset
Wireless Functionality	Wi-Fi (IEEE 802.11b/g), Bluetooth 2.0
Internal Expansion Slot	Integrated Secure Digital high-capacity (SDIO) slot , Mini-USB connector
Audio	Headphone jack: 3.5mm 4 pin support for stereo or VoIP headset Two speakers, one microphone, positioned for VoIP
Battery	Removable/Rechargeable 1200 mAh Lithium-Ion
Power Supply	AC Input: 100~240 Vac, 50/60 Hz AC Input current: 0.5 Aac max Output Voltage: 5.2Vdc (typical), Output Current: 2A (typical)
Operating System	Windows Mobile® 6 Classic Edition *Windows Mobile Office Outlook, Windows Mobile Office, Internet Explorer Mobile, Windows Media Player Mobile, Microsoft ActiveSync, Windows Mobile Device Center, MSN Messenger, Games, Calculator, Audio Recorder*
HP Exclusive Applications	iPAQ Wireless Manager, HP Photosmart Mobile, Certificate enroller, Asset viewer, HP Setup Assistant, Adobe Reader, Windows Media Player 10, Audible.com link, Handango link, Web Registration, Documentation, Accessories links
Dimensions (H x W x D)	116.7 x 68.9 x 13.6 mm
Weight	114.6 g
What's in the box	iPAQ Classic Handheld 114, mini USB sync/charge cable, multi-prong AC charger with appropriate plug adapter for shipping countries, standard battery, stylus, documentation kit, iPAQ Companion CD
Warranty	One year pick up and return

Prod-No.	Description	VAT excl.	VAT incl.		
FA982AA	HP iPAQ 114 Classic Handheld - French, Italian or English	371	399		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP iPAQ 214 Enterprise Handheld

iPAQ 214: High performance and wireless data communication	
Features	**iPAQ 214**
High performance processor	Marvell PXA310, 624 MHz
Memory RAM	128 MB SDRAM
Memory ROM	256 MB Flash ROM
Screen Type	Transflective type VGA TFT color; LED backlight with power save mode, portrait and landscape mode
Number of Colors	65'536 (64K, 16-bit)
Viewable Image Size (wide x tall)	4" (640x480)
Input Method	Handwriting recognition, soft keyboard, character recognition, voice recorder, inking
Ergonomic design features	9-way navigation with press to activate; 4 programmable keys; voice recorder button, power and reset buttons, rechargeable/removable battery, touch-sensitive display for stylus or fingertip, microphone and speaker
Wireless Functionality	Wireless LAN: IEEE 802.11b/g, Bluetooth: v2.0 with EDR
Internal Expansion Slot	Integrated SDIO (high-capacity), CF (Compact Flash)
Audio	Headphone jack: 3.5mm 4 pin support for stereo or VoIP headset Two speakers, one microphone, positioned for VoIP
Notification Systems/Alarms	Solid amber power button – battery charging Solid green power button – battery fully charged Flashing blue LED – WLAN and/or Bluetooth active Sound and visual message on the display
Battery	Removable/Rechargeable 2200 mAh Lithium-Ion Optional extended removable/rechargeable 4000 mAh Lithium-Ion battery available for purchase
Power Supply	AC Input: 100~240 Vac, 50/60 Hz, AC Input current: 0.3 A max Output Voltage: 5.2Vdc (typical), Output Current: 2A (typical
Operating System	Windows Mobile® 6 Classic Edition *Windows Mobile Office Outlook, Windows Mobile Office, Internet Explorer Mobile, Windows Media Player Mobile, Microsoft ActiveSync, Windows Mobile Device Center, MSN Messenger, Games, Calculator, Audio Recorder*
Desktop Device Manager	Microsoft ActiveSync 4.5
HP Exclusive Applications (on device)	Help and Support, iPAQ Wireless Manager, HP Photosmart Mobile, Certificate enroller, Asset viewer, Bluetooth phone connection manager (BVRP), Today Panel Lite, HP Setup Assistant, Adobe Reade, Real Desktop, Audible.com link, Handango link, Web Registration
Dimensions (H x W x D)	126 x 76 x 16 mm
Weight	192 g
What's in the box	iPAQ 214 Enterprise Handheld, Smart connector sync/charge cable, multi-prong AC charger with appropriate plug adapter for shipping countries, battery, stylus, slip case, documentation kit, HP iPAQ Companion CD
Warranty	One year pick up and return

Prod-No.	Description	VAT excl.	VAT incl.		
FB043AA	HP iPAQ 214 Enterprise Handheld - French, Italian or English	557	599		
FB043AT	HP iPAQ 214 Enterprise Handheld - German	557	599		

HP iPAQ 614c Business Navigator

iPAQ 614c: 3G technology high-speed mobile phone and organizer with GPS	
Features	**iPAQ 614c**
High performance processor	Marvell PXA 270, 520MHz
Memory RAM	128 MB SDRAM
Memory ROM	256 MB Flash ROM
Screen Type	Transmissive type QVGA TFT color; LED backlight with power save mode, portrait and landscape mode, touch screen
Number of Colors	65'536 (64K, 16-bit)
Viewable Image Size (wide x tall)	2.8" (240x320)
Ergonomic design features	Numeric keyboard with Smart Touch Wheel, 3-way thumb wheel, 12-key numeric pad, 2 soft key buttons, send/end button, reset button, voice command, volume control, landscape/portrait key
Wireless Functionality	Tri-band HSDPA 7.2 Mbps (850/1900/2100 MHz), Quad-band GSM/GPRS/EDGE (850/900/1800/1900 MHz), Wi-Fi (IEEE 802.11b/g), Bluetooth 2.0, Assisted GPS receiver
Camera	3.0 Megapixels CMOS, 4X digital zoom
Internal Expansion Slot	Integrated Micro-SDIO card slot, Mini-USB connector
Audio	Input: Voice recording, Built-in mono-speaker, Microphone on bottom of unit, Microphone input jack (combined with headphone jack) Output: Mono-speaker designed for voice playback, Built-in speaker on the back of the device, Receiver on the front of unit for handset earpiece audio stereo sound headset (combined with headphone jack)
Battery	Removable/rechargeable 1590 mAh Li-polymer battery Talk time: up to 4 hours Standby time: up to 250 hours (up to 10 days)
Power Supply	AC Input: 100~240 Vac, 50/60 Hz AC Input current: 0.5 Aac max Output Voltage: 5.2Vdc (typical), Output Current: 2A (typical)
Operating System	Windows Mobile® 6 Professional Microsoft Office Outlook Mobile, Microsoft Office Mobile, Internet Explorer Mobile, Windows Media Player, Microsoft ActiveSync, Phone Dialer, Voice Notes, Calculator, Solitaire, Bubble Breaker, Terminal Services Client, Wireless Manager, Microsoft Live Messenger, Microsoft Live Search
HP Exclusive Applications	HP Voice Commander, PDF viewer, HP iPAQ Data Connect, HP iPAQ Mobile Broadband Connect, HP Enterprise Mobility Agent, MMS Composer, Google Maps Mobile, Google Search, Configuration Wizard, HP Help and Support link, Automatic time-out key lock (keyguard), HP Photosmart Mobile, Certificate enroller, HP Shortcuts
Dimensions (H x W x D)	117 x 60.3 x 17.5 mm
Weight	145 g
What's in the box	HP iPAQ 614c Business Navigator, stylus, standard battery, USB synchronization/charge cable, AC adapter, wired stereo headset, HP iPAQ Getting Started CD, documentation kit
Warranty	One year receipt exchange

Prod-No.	Description	VAT excl.	VAT incl.		
FA992AA	HP iPAQ 614c Business Navigator - French, Italian or English	557	599		↘
FA992AT	HP iPAQ 614c Business Navigator - German	557	599		↘
FA988AA	HP iPAQ 614 BUSINESS NAVIGATOR	557	599		↘

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP iPAQ 914c Business Messenger

iPAQ 914c: 3G technology high-speed mobile phone and messenger with GPS	
Features	**iPAQ 914c**
High performance processor	Marvell PXA 270, 416MHz
Memory RAM	128 MB SDRAM
Memory ROM	256 MB Flash ROM
Screen Type	Transmissive type QVGA TFT color; LED backlight with power save mode, portrait and landscape mode, touch screen
Number of Colors	65'536 (64K, 16-bit)
Viewable Image Size (wide x tall)	2.46" (240x320)
Ergonomic design features	Alphanumeric keyboard, scroll wheel, 5-way navigation, 2 soft keys
Wireless Functionality	Tri-band HSDPA 7.2 Mbps (850/1900/2100 MHz), Quad-band GSM/GPRS/EDGE (850/900/1800/1900 MHz), Wi-Fi (IEEE 802.11b/g), Bluetooth 2.0, Assisted GPS receiver
Camera	3.0 Megapixels CMOS, 4X digital zoom
Internal Expansion Slot	Integrated Micro-SDIO card slot, Mini-USB connector
Audio	Input: Voice recording, Built-in mono-speaker, Microphone Output: Mono-speaker designed for voice playback, Built-in speaker on the back of the device, Combined Mini-USB Headphone Jack
Battery	Removable/rechargeable 1940 mAh battery *Talk time: up to 4 hours* *Standby time: up to 250 hours (up to 10 days)*
Power Supply	AC Input: 100~240 Vac, 50/60 Hz AC Input current: 0.5 Aac max Output Voltage: 5.2Vdc (typical), Output Current: 2A (typical)
Operating System	Windows Mobile® 6.1 Professional *Microsoft Office Outlook Mobile, Microsoft Office Mobile, Internet Explorer Mobile, Windows Media Player, Microsoft ActiveSync, Phone Dialer, Voice Notes, Calculator, Solitaire, Bubble Breaker, Terminal Services Client, Wireless Manager, Microsoft Live Messenger, Microsoft Live Search*
HP Exclusive Applications	HP Voice Commander, PDF viewer, HP iPAQ Data Connect, HP iPAQ Mobile Broadband Connect, HP Enterprise Mobility Agent, MMS Composer, Google Maps Mobile, Google Search, Configuration Wizard, HP Help and Support link, Automatic time-out key lock (keyguard), HP Photosmart Mobile, Certificate enroller, HP Shortcuts
Dimensions (H x W x D)	113 x 64 x 16 mm
Weight	154 g
What's in the box	HP iPAQ 914c Business Messenger, stylus, standard battery, USB synchronization/charge cable, AC adapter, Mini-USB wired stereo headset, HP iPAQ Getting Started CD, documentation kit
Warranty	One year pick up and return

Prod-No.	Description	VAT excl.	VAT incl.		
FB052AA	HP iPAQ 914c Business Messenger - German, French, Italian or English	650	699		

HP Handheld iPAQs - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			iPAQ 114	iPAQ 214	hx2000 series	iPAQ 314	rx5000	rw6815	iPAQ 514	hw6500 / hw6900	iPAQ 614c/914c
HP Memory														
FA876AA	HP iPAQ 1GB Micro SD Memory	33	36			X	X	X	X	X	X	X	X	X
FA877AA	HP iPAQ 2GB Micro SD Memory	75	81			X	X	X	X	X	X	X	X	X
HP Cables														
FA260B	Universal USB Cradle (rz1710, rx3715, hx4700, hx2000 series + hw6500, hw6900)	76	82					X					X	
FA766AA	miniUSB Desktop Cradle rw6815, rx5000	46	50							X	X			
FA122A	USB / serial autosync cable	35	38					X					X	
FA801AA	miniUSB Sync Cable	14	15		P	X	X		X	X	X	X		X
FA920AA	Universal Car Cradle	48	52			X	X							X
FA890AA	iPAQ 514 Car Cradle	231	249									X		
FB072AA	HP iPAQ 200 Series Sync/Charge Cable	26	28				X							
HP Power Supply														
FA690B	HP car adapter	34	37					X					X	
HP Batteries														
FA923AA	HP iPAQ 900 Standard Battery	62	67											X
FB036AA	HP iPAQ 2200 mAH Li-Ion STD Battery	81	87				X							
FB037AA	HP iPAQ 200 Series Extended Battery	94	101				X							
FB031AA	Standard Battery iPAQ 314	98	105						X	X				
FA915AA	Standard Battery iPAQ 614c	64	69											X
HP Other Accessories														
FB118AA	Western Europe Maps for iPAQ 614c/914c incl. Navigation Software	111	119		P									X
FA261A	iPAQ Universal Stylus Kit (rz1710, rx3715, hx4700, hx2000 series, hw6500, hw6900)	14	15					X					X	
FB055AA	Traffic Channel TMC Car Charger	81	87						X					
FA763AA	Stylus kit rw6815	39	42								X			
FA999AA	Stylus kit iPAQ 114	24	26			X								
FB020AA	Stylus kit iPAQ 214	31	33				X							
FA931AA	Stylus kit iPAQ 614c	31	33											X
HP Audio and Multimedia														
FB029AA	iPAQ BT Headset (mono)	46	49		P	X	X					X		X
FB033AA	iPAQ wired stereo Headset	47	51			X	X		X					
FA303AA	HP iPAQ Bluetooth Stereo Headphones	114	123			X	X	X	X		X		X	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.			iPAQ 114	iPAQ 214	hx2000 series	iPAQ 314	rx5000	rw6815	iPAQ 514	hw6500 / hw6900	iPAQ 614c/914c
HP Cases														
FA888AA	HP iPAQ Leather Case 514	25	27									X		
FA978AA	iPAQ 514 Skin-fit-case	24	26									X		
FA995AA	iPAQ 114 Leather Belt Case	42	45			X								
FA997AA	iPAQ 114 Skin-fit-case	24	26			X								
FA998AA	iPAQ 114 Screen Protector	26	28			X								
FB005AA	iPAQ 314 Leather Case	47	51						X					
FB007AA	iPAQ 314 Screen Protector	26	28						X					
FB014AA	iPAQ 214 Leather Belt Case	43	46				X							
FB016AA	iPAQ 214 Skin-fit-case	24	26				X							
FB019AA	iPAQ 214 Screen Protector	26	28				X							
FA919AA	iPAQ 614c Leather Belt Case	43	46											X

For information on HP Care Packs please refer to the following webpage:
http://www.hp.com/ch/hpcarepack

HP Business Notebook PCs

2008 Line-up





Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP 2133 Mini-Note PC

Ultra-Light	
	Small Wonder - Big Possibilities
Operating system	Genuine Windows Vista Home Basic 32 Genuine Windows Vista Business 32 Genuine Windows Vista Business downgrade to Genuine Windows XP Genuine Windows XP Home Edition SuSE Linux Enterprise Desktop 10
Processor	VIA C7®-M ULV Processor (1.2 GHz, 128 KB L2 cache, 800 MHz FSB) or VIA C7®-M ULV Processor (1.6 GHz, 128 KB L2 cache, 800 MHz FSB
Chipset	VIA 896
Memory	512 MB, 1024 MB, or 2048 MB 667 MHz DDR2 SDRAM SODIMM; one SODIMM slot; Upgradeable to 2048 MB
Software	With Windows Vista or XP: MS Office Ready 2007, Norton Internet Security, MS Live Messenger, Adobe Flash Player, Roxio Creator Basic, Intervideo WinDVD, PDF Complete SE, HP Webcam, HP Recovery Manager (Vista only) With SuSE Linux Enterprise Desktop 10: OpenOffice Suite, Evolution Email, Evince Document Viewer, OpenOffice Draw, F-Spot Photo Brower, Gnome CD/DVD Creator, Helix Banshee Music Player, Real Player 10 Media Player, Firefox Web Browser, Gaim Instant Messenger, Gnome FTP File Transfer, Liferea Feed Reader, Mutt Mail Client
Hard drive	SATA 120 GB or 160 GB (5400 rpm) with HP 3D DriveGuard (Windows models only)
Optical device	Not available
Display	8.9" WXGA (1280 x 768) or WSVGA (1024 x 600) with Webcam
Graphics	VIA Chrome 9
Dimensions (W x D x H)	255 x 165 x 27 mm (at front)
Weight	Starting at 1.27 kg (Weight varies by configuration and components)
Power	3-cell (28 WHr) Li-Ion battery or 6-cell (55 WHr) Li-Ion battery, External 65W HP Smart AC adapter
Battery life	Up to 2h15m with 3-cell Primary Battery, up to 4h30m with 6-cell Primary Battery
Audio	ADI1984HD High Definition CODEC, 24-bit DAC, Integrated stereo speakers, Stereo headphone/line out, Stereo microphone in
Wireless support	Broadcom 802.11a/b/g Optional Bluetooth 2.0
Communications	Broadcom NetLink Gigabit Ethernet PCI Controller (10/100/1000 NIC)
Expansion slots	ExpressCard/54 slot, Secure Digital slot for HCSD and MMC media cards
I/O ports and connectors	2 USB 2.0, 1 microphone in, 1 headphone/line-out, 1 external VGA monitor, 1 RJ-45, 1 AC power DVI functionality: Not available
Keyboard	92%-sized keyboard
Pointing device	Touchpad with scroll zone and two soft-touch buttons
Security	Configuration Control Hardware, Memory Change Alert, Ownership Tag, Setup Password, Power-On Password, Kensington Lock Slot
Docking solutions	Not available
Warranty	One-year standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Not available
Configure to order (TopConfig)	Not available

Prod-No.	Description	VAT excl.	VAT incl.		
FU340EA	HP 2133, 8.9" WSVGA, 1 x 1024MB DDRII 667 MHz SDRAM, 120GB 5400rpm HDD, 6-cell battery, SuSE Linux Enterprise Desktop 10 G/F/I/E **& SuSE Linux Recovery-Media**	557	599		**P**
FU347EA	HP 2133, 8.9" WXGA, 1 x 1024MB DDRII 667 MHz SDRAM, 120GB 5400rpm HDD, Bluetooth, 6-cell battery, Windows Vista Home Basic G/F/I/E **& Office 2007 Ready**	696	749		**P**
FU342EA	HP 2133, 8.9" WXGA, 1 x 2048MB DDRII 667 MHz SDRAM, 120GB 5400rpm HDD, Bluetooth, 6-cell battery, SuSE Linux Enterprise Desktop 10 G/F/I/E **& SuSE Linux Recovery-Media**	650	699		**P**
FU351EA	HP 2133, 8.9" WXGA, 1 x 2048MB DDRII 667 MHz SDRAM, 120GB 5400rpm HDD, Bluetooth, 6-cell battery, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Windows XP Professional Recovery- and Driver-Media**	789	849		**P**
FU352EA	HP 2133, 8.9" WXGA, 1 x 2048MB DDRII 667 MHz SDRAM, 160GB 5400rpm HDD, Bluetooth, 6-cell battery, Windows XP Professional G/F/I/E **& Office 2007 Ready** **& Windows Vista Business 32 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media**	836	899	**N**	**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP 550 Notebook PC

Balanced Mobility	
	Basic elements
Operating system	Genuine Windows Vista Home Basic 32
Processor	Intel Celeron M Processor 550 (2.0 GHz, 1 MB L2 cache, 533 MHz FSB)
Chipset	Mobile™ Intel® GLE960 Express Chipset
Memory	1024 MB DDR II, 667 MHz; 2 SODIMM slots supporting dual channel memory; Upgradeable to max. 4096 MB
Software	Preloaded software: HP Backup and Recovery Manager, Roxio Creator Basic 9
Hard drive	SATA 160 GB (5400 rpm)
Optical device	DVD+/–RW SuperMulti DL LightScribe
Display	15.4" WXGA BrightView (1280 x 800)
Graphics	Intel® Graphics Media Accelerator X3100; Up to 384 MB shared system memory
Dimensions (W x D x H)	358 x 267 x 32 mm (at front)
Weight	Starting at 2.5 kg
Power	6-cell (47 WHr) Lithium-Ion battery; External 65W AC adapter, HP Fast Charge Technology
Battery life	Up to 4h30m
Audio	High Definition Audio, mono speaker, stereo headphone/line out, stereo microphone in
Wireless support	Intel PRO/Wireless 802.11 a/b/g
Communications	56K modem; Intel Fast Ethernet Integrated Controller (10/100 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Secure Digital (SD) slot
I/O ports and connectors	3 USB 2.0 ports, VGA, stereo microphone in, stereo headphone/line out, power connector, RJ-11, RJ-45 DVI functionality: Not available
Keyboard	Full-sized keyboard
Pointing device	Touchpad with scroll zone
Security	Device Access Manager for HP ProtectTools, Kensington Lock Slot
Docking solutions	Targus Mobile Port Station,
Warranty	One-year standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Not available
Configure to order (TopConfig)	Not available

Prod-No.	Description	VAT excl.	VAT incl.		
FU409EA	HP 550, Celeron M 550 (2.0GHz), 15.4" WXGA BrightView, 1 x 1024MB DDRII 667 MHz, SDRAM, 160GB 5400rpm HDD, DVD+/-RW SM DL, 802.11b/g, Windows Vista Home Basic G/F/I/E **& Office 2007 Ready**	603	649	**N**	**P**

Only limited supply available

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq 6730s

Balanced Mobility	
Business Essential	
Operating system	Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Home Basic 32-bit Genuine Windows Vista® Home Premium 32-bit FreeDOS
Processor	Intel Core 2 Duo Processor T5870 (2.00 GHz, 2 MB L2 cache, 800 MHz FSB) Intel Core 2 Duo Processor T5670 (1.80 GHz, 2 MB L2 cache, 800 MHz FSB) Intel Celeron Processor 575 (2.00 GHz, 1 MB L2 cache, 667 MHz FSB)
Chipset	Mobile Intel PM45 Express Chipset, 1066 MHz front side bus (models with discrete graphics) or Mobile Intel GM45 Express Chipset, 1066 MHz front side bus (models with integrated graphics) or Mobile Intel GL40 Express Chipset, 667 MHz front side bus (Celeron models with integrated graphics)
Memory	DDR2, 800 MHz 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 4096 MB maximum
Software	Optional preloaded software, Microsoft® Office Ready: 60 day trial of Microsoft® Office 2007 Professional easily convertible into Microsoft® Office 2007 Basic, Microsoft® Office 2007 Small Business or Microsoft® Office 2007 Professional edition. McAffee Securty Solution 60 day trial period HP Recovery Assistant, HP Help and Support Center, HP Universal Print Driver, HP ProtectTools Security Manager, HP Wireless Assistant, Roxio Creator 9 (for optional DVD+/-RW drives), Synaptics Touchpad Driver, PDF Complete (Vary by country)
Hard drive	Serial ATA hard drive 120, 160 or 250 GB (5400 rpm), HP 3D DriveGuard
Optical device	DVD+/–RW SuperMulti DL LightScribe
Display	15.4" WXGA (1280 x 800) or 15.4" WXGA BrightView (1280 x 800)
Graphics	Models with integrated graphics: Mobile Intel Graphics Media Accelerator 4500MHD Models with discrete graphics: ATI Mobility Radeon HD 3430 graphics with 256 MB dedicated video memory (512 MB HyperMemory)
Dimensions (W x D x H)	358 x 266 x 32 mm (at front)
Weight	Starting at 2.5 kg
Power	8-cell (63 WHr) Lithium-Ion battery, 6-cell (47 WHr) Lithium-Ion battery; External 65W HP Smart AC adapter, 90W HP Smart AC Adapter, HP Fast Charge Technology
Battery life	Up to 5h (6-cell battery), up to 6h15m (8-cell battery)
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated microphone
Wireless support	Intel 802.11a/b/g/n, Broadcom 802.11b/g, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Marvell Ethernet PCI Controller (10/100 NIC) GL and GM chipset, Marvell Ethernet PCI Controller (10/100/1000 NIC) for PM Chipset only
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, 4-in-1 Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, stereo microphone in, stereo headphone/line out, power connector, RJ-11, RJ-45 DVI functionality: Not available
Keyboard	Full-sized keyboard
Pointing device	Touchpad with scroll zone
Security	HP ProtectTools, HP Security Manager, HP Spare Key, HP File Sanitizer, HP Disk Sanitizer
Docking solutions	Targus Mobile Port Station
Warranty	One-year standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Not available
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
KU435EA	HP Compaq 6730s, Celeron 575 (2.0 GHz), 15.4" WXGA with Webcam, Mobile Intel Graphics Media Accelerator 4500MHD, 1 x 2048MB DDRII 800 MHz SDRAM, 250GB 5400rpm HDD, DVD+/-RW DL LightScribe , 802.11b/g, Bluetooth, 6 cell battery, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	743	799	**N**	**P**
KU354EA	HP Compaq 6730s, T5670 (1.8 GHz), 15.4" WXGA with Webcam, Mobile Intel Graphics Media Accelerator 4500MHD, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 5400rpm HDD, DVD+/-RW DL LightScribe , 802.11a/b/g/n, Bluetooth, 6 cell battery, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	928	999		**P**
KU360EA	HP Compaq 6730s, T5870 (2.0GHz), 15.4" WXGA with Webcam, ATI Mobility Radeon HD 3410, 1 x 2048MB DDRII 800 MHz SDRAM, 250GB 5400rpm HDD, DVD+/-RW DL LightScribe , 802.11a/b/g/n, Bluetooth, 8 cell battery, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	1'021	1'099		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq 6735s

Balanced Mobility	
Financially Smart	
Operating system	Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Home Basic 32-bit Genuine Windows Vista® Home Premium 32-bit FreeDOS
Processor	AMD Turion™ X2 Ultra Dual-Core Mobile Processor ZM-80 (up to 2.4 GHz, 2 MB L2 cache) or AMD Turion™ X2 Dual-Core Mobile Processor RM-70 (up to 2.0 GHz, 1 MB L2 cache) or AMD Athlon™ X2 Dual-Core Processor QL-60 (up to 1.9 GHz, 1 MB L2 cache) or AMD Sempron Processor SI-40 (up to 2.0 GHz, 512 KB L2 cache)
Chipset	AMD M780G Chipset
Memory	DDR2, 800 MHz, 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum (4096 MB with AMD Sempron Processor)
Software	HP Recovery Manager, HP SoftPaq Download Manager, Roxio Creator Business 10, Microsoft® Office 2007 Ready (60 day free trial)
Hard drive	Serial ATA hard drive 120, 160 or 250 GB (5400 rpm), HP 3D DriveGuard
Optical device	DVD+/–RW SuperMulti DL LightScribe Drive
Display	15.4" WXGA (1280 x 800) or 15.4" WXGA BrightView (1280 x 800), VoIP ready - optional integrated VGA webcam with integrated microphone
Graphics	ATI Radeon™ HD 3200
Dimensions (W x D x H)	358 x 267 x 32 mm (at front)
Weight	Starting at 2.5 kg
Power	6-cell (47 WHr) Lithium-Ion battery; External 65W HP Smart AC adapter, HP Fast Charge Technology
Battery life	tbd
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated microphone
Wireless support	Broadcom 802.11 a/b/g/draft-n, Broadcom 802.11 b/g, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Marvell Ethernet PCI Controller (10/100 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, stereo microphone in, stereo headphone/line out, power connector, RJ-11, RJ-45 DVI functionality: Not available
Keyboard	Full-sized keyboard
Pointing device	Touchpad with scroll zone
Security	HP ProtectTools, Enhanced Drive Lock, Enhanced Pre-Boot Security, Drive Encryption for HP ProtectTools, HP Spare Key, HP Disk Sanitizer Kensington Lock, McAfee Security Solution (optional)
Docking solutions	Targus Mobile Port Station
Warranty	One-year standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Not available
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
KU218EA	HP Compaq 6735s, AMD Sempron SI-40 (2.0-GHz), 15.4" WXGA BrightView with Webcam, 1 x 1024MB DDRII 800 MHz SDRAM, 120GB 5400rpm HDD, DVD+/-RW DL LightScribe , 802.11b/g, Bluetooth, Windows Vista Home Basic G/F/I/E **& Office 2007 Ready**	650	699		**P**
FU555EA	HP Compaq 6735s, AMD Turion X2 RM-70 (2.0-GHz), 15.4" WXGA BrightView with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 5400rpm HDD, DVD+/-RW DL LightScribe , 802.11b/g, Bluetooth, Windows Vista Home Premium G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media**	789	849		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq 6830s

Balanced Mobility	
Dream big	
Operating system	Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Home Basic 32-bit Genuine Windows Vista® Home Premium 32-bit FreeDOS
Processor	Intel Core 2 Duo Processor T9400 (2.53 GHz, 6 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor P8600 (2.40 GHz, 3 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor P8400 (2.26 GHz, 3 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor T5870 (2.00 GHz, 2 MB L2 cache, 800 MHz FSB) or Intel Core 2 Duo Processor T5670 (1.80 GHz, 2 MB L2 cache, 800 MHz FSB)
Chipset	Mobile Intel PM45 Express Chipset
Memory	DDR2, 800 MHz, 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	Microsoft® Office Ready: 60 day trial of Microsoft® Office 2007 Professional easily convertible into Microsoft® Office 2007 Basic, Microsoft® Office 2007 Small Business or Microsoft® Office 2007 Professional edition
Hard drive	Serial ATA hard drive 250 GB (5400 rpm), HP 3D DriveGuard
Optical device	Fixed DVD+/–RW SuperMulti DL LightScribe or Blu-ray ROM DVD+/-RW SuperMulti DL
Display	17.0" WXGA+ (1440 x 900) or 17.0" WXGA BrightView (1440 x 900) or 17.0" WSXGA+WVA (1680 x 1050) VoIP ready - optional integrated VGA webcam with integrated microphone
Graphics	ATI Mobility Radeon™ HD 3410; Up to 512MB with Hypermemory when system is configured with 1GB or more of memory
Dimensions (W x D x H)	396 x 285 x 32 mm (at front)
Weight	Starting at 2.95 kg
Power	8-cell (63 WHr) Lithium-Ion battery; External, 90W HP Smart AC Adapter, HP Fast Charge Technology
Battery life	Up to 3h
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated microphone
Wireless support	Intel 802.11a/b/g/draft-n, Broadcom 802.11a/b/g/draft-n, Broadcom 802.11b/g, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Marvell Ethernet PCI Controller (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, stereo microphone in, stereo headphone/line out, power connector, RJ-11, RJ-45 DVI functionality: Not available
Keyboard	Full-sized keyboard with numeric keypad, touchpad with scroll zone
Pointing device	Touchpad with scroll zone
Security	HP ProtectTools, Enhanced Drive Lock, HP Spare Key, HP Disk Sanitizer, Drive Encryption for HP ProtectTools, Credential Manager for HP ProtectTools, File Sanitizer for HP ProtectTools, McAfee Security Solution Kensington Lock
Docking solutions	Targus Mobile Port Station
Warranty	One-year standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Not available
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
KU403EA	HP Compaq 6830s, T5670 (1.8 GHz) 17" WXGA+ BrightView with Webcam, 1 x 1024MB DDRII 800 MHz SDRAM, 250GB 5400rpm HDD, DVD+/-RW DL LightScribe , 802.11a/b/g/n, Bluetooth, Windows Vista Home Basic G/F/I/E **& Office 2007 Ready**	928	999		**P**
KU406EA	HP Compaq 6830s, P8400 (2.26 GHz) 17" WXGA+ with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 250GB 5400rpm HDD, DVD+/-RW DL LightScribe , 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Windows XP Professional Recovery- and Driver-Media**	1'207	1'299		**P**
KU408EA	HP Compaq 6830s, P8600 (2.4 GHz) 17" WSXGA+ WVA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 250GB 5400rpm HDD, Blu-ray-ROM/DVD+/-RW DL LightScribe , 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Windows XP Professional Recovery- and Driver-Media**	1'486	1'599		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq 6530b

Balanced Mobility	
Business Traveler	
Operating system	Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Home Basic Genuine Windows Vista® Business downgrade to Genuine Windows® XP Professional FreeDOS
Processor	Intel Core 2 Duo Processor T9400 (2.53 GHz, 6 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor P8600 (2.40 GHz, 3 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor P8400 (2.26 GHz, 3 MB L2 cache, 1066 MHz FSB)
Chipset	Intel GE45 Express Chipset
Memory	DDR2, 800 MHz, 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	HP Recovery Manager (Vista only), WinDVD 8 (select models), HP QuickLook 2, Roxio Creator Business 10 (select models)
Hard drive	Serial ATA hard drive 120, 160 or 250 GB (5400 rpm) or 120 GB (7200 rpm), HP 3D DriveGuard
Optical device	DVD-ROM or DVD+/–RW SuperMulti DL LightScribe Drive
Display	14.1" WXGA (1280 x 800 resolution), 14.1" WXGA+ (1440 x 900 resolution), optional VGA webcam with dual-microphone array
Graphics	Mobile Intel Graphics Media Accelerator 4500MHD
Dimensions (W x D x H)	335 x 243 x 33 mm (at front)
Weight	Starting at 2.3 kg
Power	6-cell (55 WHr) Lithium-Ion battery, optional HP Extended Life Battery (52 WHr) and optional HP Ultra-Capacity Battery (95 WHr); External 90W HP Smart AC adapter, 90W Smart Combo Adapter, HP Fast Charge
Battery life	Up to 5h45m (up to 11h30m with HP Extended Life Battery, up to 15h00m with HP Ultra Capacity battery)
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated microphone (integrated dual-microphone array with webcam)
Wireless support	HP Mobile Broadband Wireless (optional, requires mobile network operator service) Intel 802.11a/b/g/draft-n, Broadcom 802.11a/b/g/draft-n, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Broadcom NetLink Gigabit Ethernet PCI Controller (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, S-video TV out, stereo microphone in, stereo headphone/line out, Firewire (1394a), power connector, RJ-11, RJ-45 DVI functionality: with docking station only
Keyboard	Full-sized keyboard
Pointing device	Touchpad with scroll zone
Security	HP ProtectTools, TPM Embedded Security Chip 1.2, optional integrated HP Fingerprint Sensor, HP Disk Sanitizer, optional Smart Card Reader (replaces ExpressCard) McAfee Security Solution, Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP Docking Station, HP Advanced Docking Station, HP Monitor Stand, HP Adjustable Notebook Stand, HP Mobile Port Replicator (all sold separately)
Warranty	One-year standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Selected models are available worldwide. Please check with your HP Preferred Partner or directly with HP
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
GB974EA	HP Compaq 6530b, P8400 (2.26GHz), 14.1" WXGA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 5400rpm HDD, DVD+/-RW DL LightScribe , 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	1'207	1'299		**P**
GB979EA	HP Compaq 6530b, P8400 (2.26GHz), 14.1" WXGA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 5400rpm HDD, DVD+/-RW DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media** **& HP Broadband Wireless Card/HSDPA integrated**	1'300	1'399		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq 6730b

Balanced Mobility	
Tailored for Business	
Operating system	Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Home Basic Genuine Windows Vista® Business downgrade to Genuine Windows® XP Professional FreeDOS
Processor	Intel Core 2 Duo Processor T9400 (2.53 GHz, 6 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor P8600 (2.40 GHz, 3 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor P8400 (2.26 GHz, 3 MB L2 cache, 1066 MHz FSB)
Chipset	Intel GE45 Express Chipset
Memory	DDR2, 800 MHz, 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	HP Recovery Manager (Vista only), WinDVD 8 (select models), HP QuickLook 2, Roxio Creator Business 10 (select models
Hard drive	Serial ATA hard drive 120, 160 or 250 GB (5400 rpm) or 120 GB (7200 rpm), HP 3D DriveGuard
Optical device	DVD-ROM or DVD+/–RW SuperMulti DL LightScribe Drive
Display	15.4" WXGA (1280 x 800) or 15.4" WXGA BrightView (1280 x 800) or 15.4" WSXGA+WVA (1680 x 1050)
Graphics	Mobile Intel Graphics Media Accelerator 4500MHD
Dimensions (W x D x H)	356 x 266 x 34 mm (at front)
Weight	Starting at 2.6 kg
Power	6-cell (55 WHr) Lithium-Ion battery, optional HP (52 WHr) Extended Life Battery, optional HP (95 WHr) Ultra-Capacity Battery; 90W HP Smart AC Adapter, 90W Smart Combo Adapter, HP Fast Charge
Battery life	Up to 6h (up to 12h with HP Extended Life Battery, up to 15h30m with HP Ultra Capacity battery)
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated microphone (integrated dual-microphone array with optional integrated VGA webcam, VoIP ready)
Wireless support	Intel 802.11a/b/g/draft-n, Broadcom 802.11a/b/g/draft-n, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Broadcom NetLink Gigabit Ethernet PCI Controller (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, S-video TV out, stereo microphone in, stereo headphone/line out, Firewire (1394a), power connector, RJ-11, RJ-45, serial port DVI functionality: with docking Station only
Keyboard	Full-sized keyboard
Pointing device	Touchpad with scroll zone
Security	HP ProtectTools, TPM Embedded Security Chip 1.2, optional integrated HP Fingerprint Sensor, optional integrated Smart Card Reader replaces ExpressCard) McAfee Security Solution, Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP Docking Station, HP Advanced Docking Station, HP Monitor Stand, HP Adjustable Notebook Stand, HP Mobile Port replicator (all sold separately)
Warranty	One-year standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Selected models are available worldwide. Please check with your HP Preferred Partner or directly with HP
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
GB987ET	HP Compaq 6730b, P8400 (2.26GHz), 15.4" WXGA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 5400rpm HDD, DVD+/-RW DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	1'207	1'299		**P**
KU216ET	HP Compaq 6730b, P8600 (2.4GHz), 15.4" WSXGA+ WVA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 250GB 5400rpm HDD, DVD+/-RW DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	1'393	1'499		**P**
GB992EA	HP Compaq 6730b, P8400 (2.26GHz), 15.4" WXGA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 5400rpm HDD, DVD+/-RW DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media** **& HP Broadband Wireless Card/HSDPA integrated**	1'300	1'399		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq 6735b

Balanced Mobility

Challenge the Status Quo	
Operating system	Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Home Basic Genuine Windows Vista® Business downgrade to Genuine Windows® XP Professional FreeDOS
Processor	AMD Turion™ X2 Ultra Dual-Core Mobile Processor ZM-80 / ZM-82 (up to 2.4 GHz, 2 MB L2 cache) or AMD Turion™ X2 Dual-Core Mobile Processor RM-70 (up to 2.0 GHz, 1 MB L2 cache) or AMD Athlon™ X2 Dual-Core Processor QL-60 (up to 1.9 GHz, 1 MB L2 cache) or AMD Sempron Processor SI-40 (up to 2.0 GHz, 512 KB L2 cache)
Chipset	AMD M780G Chipset
Memory	DDR2, 800 MHz, 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	HP Recovery Manager (Vista Only), HP Quicklook 2, Roxio Creator Business 10 and Microsoft Office 2007 Ready (60 day free trial)
Hard drive	Serial ATA hard drive 120, 160 or 250 GB (5400 rpm) or 120 GB (7200 rpm), HP 3D DriveGuard
Optical device	DVD+/–RW SuperMulti DL LightScribe Drive
Display	15.4" WXGA (1280 x 800), 15.4" WXGA BrightView (1280 x 800) or 15.4" WSXGA+ (1680 x 1050) wide-viewing angle, VoIP ready - optional integrated VGA webcam with integrated microphone
Graphics	ATI Radeon™ HD 3200
Dimensions (W x D x H)	356 x 265 x 33 mm (at front)
Weight	Starting at 2.6 kg
Power	6-cell (55 WHr) Lithium-Ion battery, optional HP Extended Life Battery, optional HP Ultra-Capacity Battery; External 90W HP Smart AC adapter, 90W Smart Combo Adapter, HP Fast Charge Technology
Battery life	Up to 4h15m (up to 8h45m with HP Extended Life Battery, up to 11h45m with HP Ultra Capacity battery)
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated microphone (integrated dual-microphone array with webcam)
Wireless support	HP 3G Broadband Wireless (requires mobile network operator service) Broadcom 802.11 a/b/g/draft-n and Broadcom 802.11b/g, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Broadcom NetLink Gigabit Ethernet PCI Controller (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, stereo microphone in, stereo headphone/line out, Firewire (1394a), power connector, RJ-11, RJ-45, S-video TV out, serial port DVI functionality: with docking Station only
Keyboard	Full-sized keyboard
Pointing device	Touchpad with scroll zone
Security	HP ProtectTools, HP File Sanitizer for HP Protect Tools, Privacy Manager for HP Protect Tools, HP SpareKey, optional HP Fingerprint Sensor Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP Basic Docking Station, HP Advanced Docking Station, HP Monitor Stand, HP Adjustable Notebook Stand, HP Mobile Port Replicator (all sold separately)
Warranty	One-year standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Not available
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
KU211EA	HP Compaq 6735b, AMD Turion X2 RM-70 (2.0-GHz), 15.4" WXGA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 5400rpm HDD, DVD+/-RW DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	928	999		**P**
KU214EA	HP Compaq 6735b, AMD Turion X2 ZM-82 (2.2-GHz), 15.4" WSXGA+ WVA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 250GB 5400rpm HDD, DVD+/-RW DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	1'114	1'199		**P**
KU215EA	HP Compaq 6735b, AMD Turion X2 ZM-82 (2.2-GHz), 15.4" WXGA with Webcam, 1 x 2048MB DDRII 800 MHz SDRAM, 250GB 5400rpm HDD, DVD+/-RW DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media** **& HP Broadband Wireless Card/HSDPA integrated**	1'114	1'199		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP EliteBook 2530p

Ultra-Light	
	Lighten your Workload
Operating system	Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Home Basic Genuine Windows Vista® Business with downgrade to Windows XP Professional custom installed FreeDOS (May vary by country)
Processor	Intel® Core™2 Duo Ultra Low Voltage Processor SU9300 (up to 1.20 GHz, 800 MHz FSB, 3 MB L2 cache) or Intel® Core™2 Duo Low Voltage Processor SL9400 (1.86 GHz, 1066 MHz FSB, 6MB L2 cache)
Chipset	Mobile™ Intel® GS45 Express Chipset
Memory	DDR2, 800 MHz, 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	HP Recovery Manager, HP Client Manager Software, HP Client Configuration Management Agent
Hard drive	Serial ATA hard drive 120 GB (5400 rpm) when combined with DVD drive or 160 GB (7200 rpm), HP 3D DriveGuard
Optical device	DVD-ROM or DVD+/-RW SuperMulti DL LightScribe
Display	12.1" Illumi-Lite WXGA (1280 x 800 resolution)
Graphics	Mobile Intel® Graphics Media Accelerator X4500 HD; Up to 384 MB shared system memory
Dimensions (W x D x H)	282 x 214 x 25 mm (at front
Weight	Starting at 1.36 kg (weight will vary by configuration)
Power	3-cell (31 WHr), 6-cell (55 WHr) or 9-cell (83 WHr) Lithium-Ion battery; External 65W HP Smart AC adapter, HP Fast Charge Technology
Battery life	Up to 3h45m with 3-cell battery, up to 7h15m with 6-cell battery, up to 11h with 9-cell battery (LV-processors)
Audio	High Definition Audio, integrated mono speaker, stereo headphone/line out, stereo microphone in, integrated dual-microphone array, optional 2 MP Webcam with Business Card Reader Software
Wireless support	HP Mobile Broadband Wireless (optional, requires mobile network operator service), Intel 802.11a/b/g/draft-n, Broadcom 802.11b/g, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Intel Gigabit Network Connection (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Secure Digital slot
I/O ports and connectors	2 USB 2.0 ports (3 USB 2.0 ports when configured without integrated optical drive), VGA, stereo microphone in, stereo headphone/line out, Firewire (1394a), power connector, RJ-11, RJ-45 DVI functionality: No
Keyboard	Full-sized keyboard
Pointing device	Enhanced dual pointing devices (touchpad and pointstick) with scroll zone
Security	HP ProtectTools, TPM Embedded Security Chip 1.2, HP Fingerprint Sensor, HP Disk Sanitizer, optional Smart Card Reader McAfee Security Solution, Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP 2400/2500 Ultra-Light Docking Station, External MultiBay II, HP Monitor Stand, HP Adjustable Notebook Stand (all sold separately)
Warranty	Three-years standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Selected models are available worldwide. Please check with your HP Preferred Partner or directly with HP
Configure to order (TopConfig)	Not applicable

Prod-No.	Description	VAT excl.	VAT incl.		
FU431EA	HP EliteBook 2350p, LV SL9400 (1.86GHz), 12.1" WXGA LED with Webcam, 1 x 2048MB DDR II Memory, 120GB 5400rpm HDD, DVD+/-RW SM DL ,802.11a/b/g/n, Bluetooth, 6 Cell Li-Ion Battery, Windows Vista Business 32 G/F/I/E **& Office 2007 Ready** **& Windows XP Professional Recovery- and Driver-Media**	2'137	2'299		**P**
FU432EA	HP EliteBook 2530p, LV SL9400 (1.86GHz), 12.1" WXGA LED with Webcam, 1 x 2048MB DDR II Memory, 120GB 5400rpm HDD, DVD+/-RW SM DL, 802.11a/b/g/n, Bluetooth, 6 Cell Li-Ion Battery, Windows Vista Business 32 G/F/I/E **& Office 2007 Ready** **& HP Privacy Filter** **& HP Broadband Wireless Card/HSDPA integrated** **& Windows XP Professional Recovery- and Driver-Media**	2'322	2'499		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP EliteBook 2730p

Ultra-Light	

	Productivity with a twist
Operating system	Genuine Windows Vista® Business 32-bit
Processor	Intel® Core™2 Duo Low Voltage Processor SL9400 (1.86 GHz, 1066 MHz FSB, 6MB L2 cache)
Chipset	Mobile™ Intel® GS45 Express Chipset
Memory	DDR2, 800 MHz, 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	HP Recovery Manager (Vista Only), HP Client Manager Software, HP Client Configuration Management Agent
Hard drive	Serial ATA hard drive 80 or 120 GB (5400 rpm), HP 3D DriveGuard
Optical device	DVD+/-RW SuperMulti DL (available in optional HP 2700 Ultra Slim Expansion Base)
Display	12.1" Illumi-Lite WXGA (1280 x 800 resolution), UWVA, with Digitizer or 12.1" Illumi-Lite WXGA (1280 x 800 resolution), UWVA, with Digitizer and Outdoor View (optional)
Graphics	Mobile Intel® Graphics Media Accelerator X4500 HD; Up to 384 MB shared system memory
Dimensions (W x D x H)	290 x 212 x 28 mm (at front)
Weight	Starting at 1.70 kg (weight will vary by configuration)
Power	6-cell (44 WHr) Lithium-Ion battery, optional HP 2700 Ultra-Slim Battery; External 65W HP Smart AC adapter, HP Fast Charge Technology
Battery life	Up to 6h15m with Standard Battery, up to 14h with Ultra-Slim Battery (LV-processors)
Audio	High Definition Audio, integrated mono speaker, stereo headphone/line out, stereo microphone in, integrated dual-microphone array, optional 2 MP Webcam with Business Card Reader Software
Wireless support	HP Mobile Broadband Wireless (optional, requires mobile network operator service); Intel 802.11a/b/g/draft-n, Broadcom 802.11a/b/g/draft-n, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Intel Gigabit Network Connection (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Secure Digital slot
I/O ports and connectors	2 USB 2.0 ports, VGA, stereo microphone in, stereo headphone/line out, Firewire (1394a), power connector, RJ-11, RJ-45 DVI functionality: No
Keyboard	Full-sized keyboard
Pointing device	Enhanced dual pointing devices (touchpad and pointstick) with scroll zone, digital eraser pen and a new jog dial for tablet PC usage
Security	HP ProtectTools, TPM Embedded Security Chip 1.2, HP Fingerprint Sensor, HP Disk Sanitizer, optional Smart Card Reader McAfee Security Solution, Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP 2700 Ultra-Slim Expansion Base, HP External MultiBay II
Warranty	Three-years standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Selected models are available worldwide. Please check with your HP Preferred Partner or directly with HP
Configure to order (TopConfig)	Not applicable

Prod-No.	Description	VAT excl.	VAT incl.		
FU442EA	HP EliteBook 2730p, LV SL9400 (1.86GHz), 12.1" WXGA LED with Webcam, 1 x 2048MB DDR II Memory, 120GB 5400rpm HDD, 802.11a/b/g/n, Bluetooth, 6 Cell Li-Ion Battery, Windows Vista Business 32 G/F/I/E **& Office 2007 Ready** **& HP Broadband Wireless Card/HSDPA integrated** **& Windows XP Professional Tablet-PC Recovery- and Driver-Media**	2'787	2'999		P

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP EliteBook 6930p

Balanced Mobility	
Corporate Elite	
Operating system	Genuine Windows Vista® Business 32-bit, Genuine Windows Vista® Business downgrade to Genuine Windows® XP Professional, FreeDOS
Processor	Intel Core 2 Duo Processor T9400 (2.53 GHz, 6 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor P8600 (2.40 GHz, 3 MB L2 cache, 1066 MHz FSB) or Intel Core 2 Duo Processor P8400 (2.26 GHz, 3 MB L2 cache, 1066 MHz FSB)
Chipset	Mobile Intel PM45 Express Chipset (models with discrete graphics) or Mobile Intel GM45 Express Chipset (models with integrated graphics)
Memory	DDR2, 800 MHz, 1024, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	Preinstalled software with Windows Vista or Windows XP HP Recovery Manager (Vista only), HP Help and Support Center, HP QuickLook 2, HP Universal Print Driver, HP ProtectTools Security Manager, BIOS Configuration for HP ProtectTools, Credential Manager for HP ProtectTools, Device Access Manager for HP ProtectTools, Drive Encryption for HP ProtectTools, Embedded Security for HP ProtectTools, HP Quick Launch Buttons, HP Wireless Assistant, Microsoft Office Ready with 60-day Office Professional 2007 Trial Edition (select models), PDF Complete Special Edition, Intervideo WinDVD – DVD Player, Roxio Creator Business (for optional DVD+/-RW and DVD/CD-RW drives), McAfee Total Protection (60 days trial period), Synaptics Touchpad Driver, Microsoft Windows Live Messenger (select models), HP Webcam Software (select models)
Hard drive	Serial ATA hard drive 120, 160 or 250 GB (5400 rpm) or 160 GB (7200 rpm), HP 3D DriveGuard
Optical device	Upgrade Bay: DVD-ROM or DVD+/–RW SuperMulti DL LightScribe
Display	14.1" WXGA (1280 x 800) or 14.1" Illumi-Lite LED WXGA (1280 x 800) or 14.1" WXGA+ (1440 x 900) optional 2 MP Webcam with Business Card Reader Software
Graphics	Discrete graphics: ATI Mobility Radeon HD 3450 with 128 MB or 256 MB dedicated video memory Integrated graphics: Mobile Intel Graphics Media Accelerator 4500MHD
Dimensions (W x D x H)	331 x 243 x 31 mm (at front)
Weight	Starting at 2.2 kg
Power	6-cell (55 WHr) Lithium-Ion battery, 4-cell (37 WHr) Lithium-Ion battery (Intel graphics only), optional HP (52 WHr) Extended Life Battery, optional HP (95 WHr) Ultra-Capacity Battery; 90W HP Smart AC Adapter, 90W Smart Combo Adapter, HP Fast Charge
Battery life	Integrated graphics: Up to 6h15m (up to 13h with the HP Extended Life Battery and up to 17h30m with the HP Ultra-Capacity battery) / Discrete graphics: Up to 4h30m (up to 9h15m with the HP Extended Life Battery and up to 12h15m with the HP Ultra-Capacity battery
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated dual-microphone array
Wireless support	HP Mobile Broadband Wireless (optional; requires mobile network operator service); Intel 802.11a/b/g/draft-n, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Intel Gigabit Network Connection (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Secure Digital slot
I/O ports and connectors	3 USB 2.0 ports, VGA, stereo microphone in, stereo headphone/line out, Firewire (1394a), power connector, RJ-11, RJ-45. DVI functionality: with Docking Station only
Keyboard	Full-sized keyboard
Pointing device	Enhanced dual pointing devices (touchpad and pointstick) with scroll zone
Security	HP ProtectTools, TPM Embedded Security Chip 1.2, HP Fingerprint Sensor, integrated Smart Card Reader McAfee Security Solution, Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP Docking Station, HP Advanced Docking Station, HP Monitor Stand, HP Adjustable Notebook Stand (all sold separately)
Warranty	Three-years standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Selected models are available worldwide. Please check with your HP Preferred Partner or directly with HP
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
GB997EA	HP EliteBook 6930p, P8600 (2.4GHz), 14.1" WXGA with Webcam, Mobile Intel Graphics Media Accelerator 4500MHD, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 7200rpm HDD, DVD+/-RW SM DL LightScribe, 802.11a/b/g/n, Bluetooth, 90W AC-Adapter, Windows Vista Business 32 G/F/I/E, **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media** **& HP Broadband Wireless Card/HSDPA integrated**	1'672	1'799		**P**
FL494AW	HP EliteBook 6930p, T9400 (2.53GHz), 14.1" WXGA+ with Webcam, ATI Mobility Radeon HD 3450 with 256 MB, 1 x 2048MB DDRII 800 MHz SDRAM, 160GB 7200rpm HDD, DVD+/-RW SM DL LightScribe, 802.11a/b/g/n, Bluetooth, 90W AC-Adapter, Windows Vista Business 32 G/F/I/E, **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows XP Professional Recovery- and Driver-Media**	1'765	1'899		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP EliteBook 8530p

High Performance	
	Power plus portability
Operating system	Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Home Basic Genuine Windows Vista® Business with downgrade to Windows XP Professional custom installed FreeDOS
Processor	Intel® Core™2 Duo Processors P8400 / P8600 (2.26 to 2.4 GHz, 1066 MHz FSB, 3 MB L2 cache) or Intel® Core™2 Duo Processor T9400 (2.53 GHz, 1066 MHz FSB, 6 MB L2 Cache)
Chipset	Mobile™ Intel® PM45 Express Chipset
Memory	DDR2, 800 MHz, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	HP Recovery Manager (Vista Only), HP Client Manager Software, HP Client Configuration Management Agent, HP OpenView PC Configuration Management Solutions
Hard drive	Serial ATA hard drive 160 or 250 GB (5400 rpm), 160 or 250 GB (7200 rpm), 80 GB Solid State Drive, HP 3D DriveGuard
Optical device	Upgrade Bay: DVD-ROM, DVD+/-RW SuperMulti DL LightScribe or Blue-ray Disc DVD+/-RW SuperMulti DL or 250 GB (5400 rpm) or 250 GB (7200 rpm)
Display	15.4" WXGA (1280 x 800 resolution) or 15.4" WSXGA+ (1680 x 1050 resolution), optional 2 MP Webcam with Business Card Reader Software
Graphics	ATI Mobility Radeon™ HD 3650 with 256 MB of dedicated video memory
Dimensions (W x D x H)	355 x 263 x 28 mm (at front)
Weight	Starting at 2.86 kg
Power	8-cell (73 WHr) Lithium-Ion battery, optional HP (52 WHr) Extended Life Battery, optional HP (95 WHr) Ultra-Capacity Battery; External 120W HP Smart AC adapter, HP Fast Charge Technology
Battery life	Up to 5 hours (up to 9h with HP Extended Life Battery, up to 11h45min with HP Ultra-Capacity battery)
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated dual-microphone array
Wireless support	HP Mobile Broadband Wireless (optional, requires mobile network operator service), Intel 802.11a/b/g/draft-n, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Intel Gigabit Network Connection (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, eSATA, stereo microphone in, stereo headphone/line out, Firewire (1394a), HDMI 1.3, power connector, docking connector, secondary battery connector, RJ-11, RJ-45 DVI functionality: with Docking Station only
Keyboard	Full-sized keyboard
Pointing device	Enhanced dual pointing devices (touchpad and pointstick) with scroll zone
Security	HP ProtectTools, TPM Embedded Security Chip 1.2, HP Fingerprint Sensor, HP Disk Sanitizer, integrated Smart Card Reader McAfee Security Solution, Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP Docking Station, HP Advanced Docking Station, HP Monitor Stand, HP Adjustable Notebook Stand (all sold separately)
Warranty	Three-years standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Selected models are available worldwide. Please check with your HP Preferred Partner or directly with HP
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
FU455EA	HP EliteBook 8530p, P8600 (2.4GHz), 15.4" WXGA with Webcam, 1 x 2048MB DDRII Memory, 250GB 5400rpm HDD, DVD+/-RW SM DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business 32 G/F/I/E, **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows Vista Business 32/64 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media**	1'765	1'899		**P**
FU456EA	HP EliteBook 8530p, T9400 (2.53GHz), 15.4" WSXGA+ WVA with Webcam, 1 x 2048MB DDRII Memory, 250GB 5400rpm HDD, DVD+/-RW SM DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business 32 G/F/I/E, **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows Vista Business 32/64 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media**	1'951	2'099		**P**
FU457EA	HP EliteBook 8530p, T9400 (2.53GHz), 15.4" WSXGA+ WVA with Webcam, 1 x 2048MB DDRII Memory, 250GB 5400rpm HDD, DVD+/-RW SM DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business 32 G/F/I/E, **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows Vista Business 32/64 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media** **& HP Broadband Wireless Card/HSDPA integrated**	2'044	2'199		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP EliteBook 8530w

High Performance	
	Portable Powerhouse
Operating system	Genuine Windows Vista® Business 32-bit, Genuine Windows Vista® Business 64-bit, Genuine Windows Vista® Home Basic, Genuine Windows Vista® Business with downgrade to Windows XP Professional custom installed, FreeDOS
Processor	Intel® Core™2 Duo Processor P8600 (2.4 GHz, 1066 MHz FSB, 3 MB L2 cache) or Intel® Core™2 Duo Processors T9400 / T9600 (2.53 to 2.8 GHz, 1066 MHz FSB, 6 MB L2 Cache)
Chipset	Mobile™ Intel® PM45 Express Chipset
Memory	DDR2, 800 MHz, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	HP Recovery Manager (Vista Only), HP Client Manager Software, HP Client Configuration Management Agent, HP OpenView PC Configuration Management Solutions, HP Performance Tuning Framework
ISV certifications	MCAD: AutoDesk (AutoCAD, Inventor, Revit, Alias Studio, Map 3D, Civil 3D), Bentley (In Roads XM, MicroStation, Navigator), CEI, CoCreate OneSpace, Dassault CATIA V5, ICEM Surf, Intelligent Light, MSC Software (MSC.Patran, SimXpert), PTC Pro/ENGINEER Wildfire, Sensable, Siemans PLMS (NX, NX I-deas, Solid Edge, TeamCenter Visualisation, Solidworks. DCC: Adobe (Premiere, After effects, Encore, Photoshop), AutoDesk (3DS MAX/Combustion, Maya), Avid (Xpress Pro, Media Composer), SoftImage XSI. GIS: ESRI ArcGIS Oil and Gas: Landmark R5000, Paradigm EPOS, GoCAD, Schlumberger (GeoFrame, Petrel), SeismicMicro Technology
Hard drive	Serial ATA hard drive 250 GB (5400 rpm), 250 or 320 GB (7200 rpm), 80 GB Solid State Drive, HP 3D DriveGuard
Optical device	Upgrade Bay: DVD-ROM, DVD+/-RW SuperMulti DL LightScribe or Blu-ray Disc DVD+/-RW SuperMulti
Display	15.4" WSXGA+ (1680 x 1050 resolution) or 15.4" WUXGA+ (1920 x 1200 resolution), optional 2 MP Webcam with Business Card Reader Software
Graphics	NVIDIA Quadro FX 770M with 512 MB of dedicated video memory or ATI Mobility FireGL V5700 with 256 MB of dedicated video memory
Dimensions (W x D x H)	355 x 263 x 28 mm (at front)
Weight	Starting at 2.8 kg
Power	8-cell (73 WHr) Lithium-Ion battery, optional HP (52 WHr) Extended Life Battery, optional HP (95 WHr) Ultra-Capacity Battery; External 120W HP Smart AC adapter, HP Fast Charge Technology
Battery life	Up to 5 hours (up to 9h with HP Extended Life Battery, up to 11h45min with HP Ultra-Capacity battery)
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated dual-microphone array
Wireless support	HP Mobile Broadband Wireless (optional, requires mobile network operator service), Intel 802.11a/b/g/draft-n, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Intel Gigabit Network Connection (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, eSATA, stereo microphone in, stereo headphone/line out, Firewire (1394a), HDMI, power connector, docking connector, secondary battery connector, RJ-11, RJ-45 DVI functionality: with Docking Station only
Keyboard	Full-sized keyboard
Pointing device	Enhanced dual pointing devices (touchpad and pointstick) with scroll zone
Security	HP ProtectTools, TPM Embedded Security Chip 1.2, HP Fingerprint Sensor, HP Disk Sanitizer, integrated Smart Card Reader McAfee Security Solution, Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP Docking Station, HP Advanced Docking Station, HP Monitor Stand, HP Adjustable Notebook Stand (all sold separately)
Warranty	Three-years standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Selected models are available worldwide. Please check with your HP Preferred Partner or directly with HP
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
FY595AW	HP EliteBook 8530w, T9400 (2.53GHz), 15.4" WSXGA+ WVA with Webcam, NVIDIA Quadro FX 770M, 1 x 2048MB DDRII Memory, 250GB 7200rpm HDD, DVD+/-RW SM DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows Vista Business 32 G/F/I/E, **& Office 2007 Ready & Windows Vista Business 64 Recovery- and Driver-Media & Windows XP Professional Recovery- and Driver-Media**	2'322	2'499		**P**
FU462EA	HP EliteBook 8530w, T9600 (2.80GHz), 15.4" WUXGA WVA with Webcam, NVIDIA Quadro FX 770M, 1 x 2048MB DDRII Memory, 320GB 7200rpm HDD, DVD+/-RW SM DL LightScribe, 802.11a/b/g/n, Bluetooth, Windows XP Professional G/F/I/E, **& Office 2007 Ready & Office 2007 Ready Restore Media & Windows Vista Business 32/64 Recovery- and Driver-Media & Windows XP Professional Recovery- and Driver-Media**	2'787	2'999		**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP EliteBook 8730w

High Performance	
	Power to perform
Operating system	Genuine Windows Vista® Business 32-bit, Genuine Windows Vista® Business 64-bit, Genuine Windows Vista® Home Basic, Genuine Windows Vista® Business with downgrade to Windows XP Professional custom installed, FreeDOS
Processor	Intel® Core™2 Duo Processors P8400 / P8600 (2.23GHz to 2.4 GHz, 1066 MHz FSB, 3 MB L2 cache) or Intel® Core™2 Duo Processors T9400 / T9600 (2.53 to 2.8 GHz, 1066 MHz FSB, 6 MB L2 cache) or Intel® Core™2 Extreme Processor X9100 (3.06 GHz, 1066 MHz FSB, 6 MB L2 cache) or Intel® Core™2 Quad-Core Processor QX9300 (2.53 GHz, 1066 MHz, 12 MB L2 cache)
Chipset	Mobile™ Intel® PM45 Express Chipset
Memory	DDR2, 800 MHz, 2048 or 4096 MB; 2 SODIMM slots supporting dual channel memory; Upgradeable to 8192 MB maximum
Software	HP Recovery Manager (Vista Only), HP Client Manager Software, HP Client Configuration Management Agent, HP OpenView PC Configuration Management Solutions, HP Performance Tuning Framework
ISV certifications	MCAD: AutoDesk (AutoCAD, Inventor, Revit, Alias Studio, Map 3D, Civil 3D), Bentley (In Roads XM, MicroStation, Navigator), CEI, CoCreate OneSpace, Dassault CATIA V5, ICEM Surf, Intelligent Light, MSC Software (MSC.Patran, SimXpert), PTC Pro/ENGINEER Wildfire, Sensable, Siemans PLMS (NX, NX I-deas, Solid Edge, TeamCenter Visualisation, Solidworks. DCC: Adobe (Premiere, After effects, Encore, Photoshop), AutoDesk (3DS MAX/Combustion, Maya), Avid (Xpress Pro, Media Composer), SoftImage XSI. GIS: ESRI ArcGIS Oil and Gas: Landmark R5000, Paradigm EPOS, GoCAD, Schlumberger (GeoFrame, Petrel), SeismicMicro Technology
Hard drive	Serial ATA hard drive 250 GB (5400 rpm), 250 or 320 GB (7200 rpm), 80 GB Solid State Drive
Optical device	Upgrade Bay: DVD-ROM, DVD+/-RW SuperMulti DL LightScribe, Blu-ray Disc DVD+/-RW SuperMulti
Display	17.0" WXGA+ (1440 x 900 resolution) or 17.0" WSXGA+WVA (1680 x 1050 resolution) or 17.0" WUXGA WVA (1920 x 1200 resolution) or 17.0" WUXGA RGB LED WVA (1920 x 1200 resolution) (LED panel is DreamColor Panel available only with NVIDIA graphics), optional 2 MP Webcam with Business Card Reader SW
Graphics	ATI Mobility FireGL V5725 with 256 MB of dedicated video memory or NVIDIA Quadro FX 2700M with 512 MB of dedicated video memory or NVIDIA Quadro FX 3700M with 1024 MB of dedicated video memory
Dimensions (W x D x H)	393 x 282 x 32 mm
Weight	Starting at 3.5 kg
Power	8-cell (73 WHr) Lithium-Ion battery, optional HP (52 WHr) Extended Life Battery, optional HP (95 WHr) Ultra-Capacity Battery; External 120W or 150W HP Smart AC adapter, HP Fast Charge Technology
Battery life	Up to 4 hours (up to 7h with HP Extended Life Battery, up to 9h45min with HP Ultra-Capacity battery)
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in, integrated dual-microphone array
Wireless support	Intel 802.11a/b/g/draft-n, Bluetooth® 2.0, HP Wireless Assistant
Communications	56K modem; Intel Gigabit Network Connection (10/100/1000 NIC)
Expansion slots	Slots available for additional devices: 1 ExpressCard/54 slot, Media Card Reader
I/O ports and connectors	4 USB 2.0 ports, VGA, eSATA, stereo microphone in, stereo headphone/line out, Firewire (1394a), HDMI, power connector, docking connector, secondary battery connector, RJ-11, RJ-45. DVI functionality: with Docking Station only
Keyboard	Full-sized keyboard
Pointing device	Enhanced dual pointing devices (touchpad and pointstick) with scroll zone
Security	HP ProtectTools, TPM Embedded Security Chip 1.2, HP Fingerprint Sensor, HP Disk Sanitizer, integrated Smart Card Reader McAfee Security Solution, Kensington Lock slot, HP Privacy Filter (optional)
Docking solutions	HP Docking Station, HP Advanced Docking Station, HP Monitor Stand, HP Adjustable Notebook Stand (all sold separately)
Warranty	Three-years standard parts and labour warranty, Pickup and return (upgrades available, sold separately), One-year limited warranty on primary battery
Global Series	Not applicable
Configure to order (TopConfig)	Yes

Prod-No.	Description	VAT excl.	VAT incl.		
FU467EA	HP EliteBook 8730w, P8600 (2.40GHz), 17.0" WXGA+ with Webcam, ATI Mobility FireGL V5725, 1 x 2048MB DDRII Memory, 250GB 5400rpm HDD, DVD+/-RW SM DL, 802.11a/b/g/n, Bluetooth, 120W AC-Adapter, Windows XP Professional G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows Vista Business 32/64 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media**	2'044	2'199		P
FU468EA	HP EliteBook 8730w, T9400 (2.53GHz), 17.0" WSXGA+ WVA with Webcam, ATI Mobility FireGL V5725, 1 x 2048MB DDRII Memory, 250GB 7200rpm HDD, DVD+/-RW SM DL, 802.11a/b/g/n, Bluetooth, 120W AC-Adapter, Windows XP Professional G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows Vista Business 32/64 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media**	2'322	2'499		P
FU469EA	HP EliteBook 8730w, T9400 (2.53GHz), 17.0" WSXGA+ WVA with Webcam, NVIDIA Quadro FX 2700M, 1 x 2048MB DDRII Memory, 320GB 7200rpm HDD, DVD+/-RW SM DL, 802.11a/b/g/n, Bluetooth, 150W AC-Adapter, Windows XP Professional G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows Vista Business 32/64 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media**	3'066	3'299		P
FU470EA	HP EliteBook 8730w, T9600 (2.80GHz), 17.0" WUXGA WVA with Webcam, NVIDIA Quadro FX 2700M, 1 x 2048MB DDRII Memory, 320GB 7200rpm HDD, DVD+/-RW SM DL, 802.11a/b/g/n, Bluetooth, 150W AC-Adapter, Windows XP Professional G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows Vista Business 32/64 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media**	3'531	3'799		P
FU472EA	HP EliteBook 8730w, X9100 (3.06GHz), 17.0" WUXGA WVA (DreamColor) with Webcam, NVIDIA Quadro FX 3700M, 1 x 4096MB DDRII Memory, 320GB 7200rpm HDD, Blu-ray/DVD+/-RW SM DL, 802.11a/b/g/n, Bluetooth, 150W AC-Adapter, Windows XP Professional G/F/I/E **& Office 2007 Ready** **& Office 2007 Ready Restore Media** **& Windows Vista Business 32/64 Recovery- and Driver-Media** **& Windows XP Professional Recovery- and Driver-Media**	6'040	6'499	**N**	P

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq 6720t Mobile Thin Client

Mobile Thin Client	
	Go mobile. Go thin.
Operating system	Genuine Windows XP Embedded
Processor	Intel® Celeron® Processor M 423 (1.06 GHz, 533 MHz FSB, 1 MB L2 cache)
Chipset	Mobile Intel 945GM Express Chipset
Memory	DDR2 SDRAM, 667 MHz, one SODIMM slot, 1024 MB upgradeable to 2048 MB
Software	Enhanced Write Filter, Altiris Deployment Client, HP ThinState Tools, HP Session Allocation Manager, MS RDP, Citrix ICA
Internal Storage	Flash Module: 1 GB
Optical device	12.7-mm optical drive: DVD-ROM
Display	15.4-inch diagonal WXGA anti-glare (1280 x 800 resolution)
Graphics	Intel Graphics Media Accelerator 950, up to 224-MB shared system memory2
Dimensions (W x D x H)	357 x 260 x 33 mm
Weight	starting at 2.5 kg
Power	6-cell (47WHr) Lithium-Ion battery, HP 8-cell (52WHr) Extended Life Battery (optional), 65W HP Smart AC Adapter, HP Fast Charge Technology
Battery life	Up to 5h (up to 10h15m with HP Extended Life Battery, up to 14h30m with HP Ultra-Capacity Battery)
Audio	High Definition Audio, stereo speakers, stereo headphone/line out, stereo microphone in
Wireless support	Broadcom 4311BG 802.11a/b/g WiFi Adapter
Communications	Broadcom 10/100 Ethernet PCI Controller, 56K v.92 modem
Expansion slots	1 Type I/II PC Card slot supports 32-bit CardBus and 16-bit cards
I/O ports and connectors	3 USB 2.0, VGA, audio in/out, power connector, RJ-11, RJ-45, accessory battery connector, docking connector
Input device	Full-sized keyboard; Touchpad with scroll zone, two pick buttons
Security	Kensington lock slot
Docking solutions	HP Basic Docking Station, HP Advanced Docking Station, HP Adjustable Notebook Stand, HP Monitor Stand, (all sold separately)
Warranty	One-year standard parts and labour warranty (upgrades available, sold separately), one-year limited warranty on primary battery
Global Series	Not applicable
Configure to order (TopConfig)	Not applicable

Prod-No.	Description	VAT excl.	VAT incl.		
KL145AA	HP Compaq 6720t, technical specs according to information on previous page - no optical drive	972	1'046		
KL147AA	HP Compaq 6720t, technical specs according to information on previous page - DVD-ROM drive	1'053	1'133		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Accessories & Options - 2008 Line-Up

Prod-No.	Description	VAT excl.	VAT incl.			2133	2530p	2730p	6735s / 67/6830s	6530b / 6730/35b	6930p	8530p / 8530w	8730w
HP Memory													
EM994AA	1GB DDR II Memory Module, 667 MHz	42	45			X							
EM995AA	2GB DDR II Memory Module, 667 MHz	83	89		↘	X							
KT292AA	1GB 800MHz2-6400 DDR2 SODIMM	42	45		↘		X	X	X	X	X	X	X
KT293AA	2GB 800MHz2-6400 DDR2 SODIMM	83	89		↘		X	X	X	X	X	X	X
KT294AA	4GB 800MHz2-6400 DDR2 SODIMM	667	718				X	X	X	X	X	X	X
HP Media Modules													
PA509A	External USB 2.0 MultiBay II Cradle	144	155			X	X	X	X	X	X	X	X
PA851A	Multibay 9.5mm DVD+/-RW Drive	233	251			X	X4	X4	X4	X4	X4	X4	X4
DC361B	USB driverless Floppy Disk Drive, external	103	111				X		X	X	X	X	X
HP Hard Disk Drives													
AK072AA	250GB 5400rpm Primary Hard Drive, SATA	317	341						X	X	X	X	X
AH920AA	120GB 7200rpm Primary Hard Drive, SATA	292	314							X	X	X	X
AK868AA	Upgrade Bay 250GB 5400rpm, SATA	371	399							X	X		
FE477AA	Pocket Media drive 250GB 5400rpm, SATA	259	279			X	X	X	X	X	X	X	X
HP Batteries													
AJ359AA	Extended Life Battery (ca. 3-5h add. Battery Power)	185	199		P					X	X	X	X
EJ092AA	Ultra Capacity Battery, 12 Cell (ca. 5-8h add. Battery Power)	278	299							X	X	X	X
KU528AA	6 Cell Primary Battery	144	155			X							
KU531AA	6 Cell Primary Battery	107	115		↗					X	X		
KU532AA	8 Cell Primary Battery	125	135						X				
KU533AA	8 Cell Primary Battery	125	135									X	X
RW556AA	3 Cell Primary Battery	153	165				X						
EH767AA	6 Cell Primary Battery	185	199				X						
EH768AA	9 Cell Primary Battery	266	286				X						
AH547AA	6 Cell Primary Battery	223	240					X					
RX932AA	Ultra-Slim Secondary Battery Slice	268	288					X					
HP Power Supply													
AJ652AA	90W Smart AC Auto/Air Adapter	157	169				X	X	X	X	X	X	X
ED494AA	65W Smart AC Adapter	55	59		P		X	X					
ED495AA	90W Smart AC Adapter	64	69		P		X	X	X	X	X	X	
ED519AA	135W Smart AC Adapter	109	117									X	
AK875AA	180W Smart AC Adapter	111	119									X	X
DC851B	AC Power Cord, 3m	27	29				X	X	X	X	X	X	X
HP Docking													
KP080AA	Basic Docking Station, 120W	278	299		P					X	X		
KP081AA	Advanced Docking Station, 150W	324	349		P					X	X		
KQ751AA	Workstation Basic Docking Station, 150W	296	319		P							X	X

Prod-No.	Description	VAT excl.	VAT incl.			2133	2530p	2730p	6735s / 67/6830s	6530b / 6730/35b	6930p	8530p / 8530w	8730w
KQ752AA	Workstation Advanced Docking Station, 180W	343	369		P							X	X
AK155AA	Mobile Port Replicator (2 x USB, 1 x serial, 1 x parallel, 1 x PS/2 mouse, 1 x PS/2 keyboard, 1 x Kensington)	96	103							X	X	X	X
EQ773AA	Ultra-Light Docking Station	185	199		P		X						
PA507A	Monitor Stand	120	129				X1			X	X2	X2	X2
PA508A	Adjustable Notebook Stand	106	114		↘		X1			X	X2	X2	X2
GD229AA	Ultra-Slim Expansion Base	453	487					X					
PX971A	Targus Mobile Port Station	157	169						X				
HP Cases													
AM847AA	SlipCase	27	29			X							
RR314AA	Value Nylon Case	59	68		P		X	X	X	X	X	X	
RR315AA	Universal Nylon Case	73	79		P		X	X	X	X	X	X	X
RR316AA	Executive Leather Case	120	129		P		X	X	X	X	X	X	X
RR317AA	Deluxe Nylon Backpack	64	69		P		X	X	X	X	X	X	X
PR277AA	Signature Ladies Leather Bag - Black	144	155				X	X	X	X	X	X	
PT186AA	Signature Ladies Leather Bag - Red	144	155				X	X	X	X	X	X	
AL539AA	Ultra-Light Executive Case	92	99				X	X					
HP Mouse and Keyboard													
DC369A	USB/PS2 Optical Mouse	33	35		P		X	X	X	X	X	X	
DT528A	USB Standard Keyboad	27	29		P		X	X	X	X	X	X	
RH304AA	USB Optical Travel Mouse	27	29		P		X	X	X	X	X	X	
PL800A	Tablet-PC Pen with Tether	70	75					X					
HP Security													
FN556AA	WWAN UNDP HSDPA/EVDO Minicard	148	159	N	P		X	X			X	X	
AJ356AA	Display Privacy Filter, 12.1"	92	99				X						
AJ357AA	Display Privacy Filter, 14.1"	92	99							X	X		
AJ358AA	Display Privacy Filter, 15.4"	92	99							X		X	
PC766A	Kensington Security Lock	73	79				X		X	X	X	X	
EL347AA	HP Protect Tools Java Card Reader with 1 Java Card	125	135				X		X	X	X	X	
EL348AA	HP Protect Tools Java Card - 10 Units	422	454				X		X	X	X	X	
HP Software													
RZ362A	Microsoft Office Basic Edition 2007 (MLK only)	204	220		P	X	X	X	X	X	X	X	
RZ366A	Microsoft Office Small Business 2007 (MLK only)	270	290		P	X	X	X	X	X	X	X	
RZ364A	Microsoft Office Professional Edition 2007 (MLK only)	335	360		P	X	X	X	X	X	X	X	
HP Care Pack													
UK707E	HP Care Pack 3years Pickup and Return NB only - notebook s/5xx/2133-platform with 1/1/0 base warranty	148	159		P	X			X				
U4395E	HP Care Pack 3years Pickup and Return NB only - notebook b-platform with 1/1/0 base warranty	185	199		P					X			
UK704E	HP Care Pack 3years next bus day onsite – notebook s/5xx/2133-platform with 1/1/0 base warranty	204	219		P	X			X				

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.			2133	2530p	2730p	6735s / 67/6830s	6530b / 6730/35b	6930p	8530p / 8530w	8730w
U4386E	HP Care Pack 3years next bus day onsite - notebook b-platform with 1/1/0 base warranty	306	329		P					X			
U7874E	HP Care Pack 4years next bus day onsite - notebook b-platform with 1/1/0 base warranty	427	459		P				X	X			
U4415E	HP Care Pack 3years next bus day onsite - notebook p/w-platform with 3/3/0 base warranty	120	129		P		X	X			X	X	X
U7859E	HP Care Pack 4years next bus day onsite - notebook p/w-platform with 3/3/0 base warranty	259	279		P		X	X			X	X	X

X1 : pre-requisite is EQ773AA - Docking Station for nc2400/2510p/2530p
X2 : pre-requisite is EN488AA/PA286A/KP080AA - Basic Docking Station or EN489AA/PA287A/KP081AA - Advanced Docking Station
X4 : pre-requisite is PA509A - USB External MultiBay Cradle

For more information on HP Care Packs please refer to the following webpage:
http://www.hp.com/ch/hpcarepack

Accessories & Options - 2007 Line-Up

Prod-No.	Description	VAT excl.	VAT incl.			2510p	2710p	6715s / 67/6820s	6510b / 6710/15b	6910p	8510p / 8510w	8710p / 8710w
HP Memory												
EM994AA	1GB DDR II Memory Module, 667 MHz	42	45					X	X	X	X	X
EM995AA	2GB DDR II Memory Module, 667 MHz	83	89		↘	X	X	X	X	X	X	X
HP Media Modules												
PA509A	External USB 2.0 MultiBay II Cradle	144	155			X	X	X	X	X	X	X
PA851A	Multibay 9.5mm DVD+/-RW Drive	233	251			X4		X4	X4	X	X4	X4
DC361B	USB driverless Floppy Disk Drive, external	103	111			X		X	X	X	X	X
HP Hard Disk Drives												
AK072AA	250GB 5400rpm Primary Hard Drive, SATA	317	341					X6	X6	X	X	X
AH920AA	120GB 7200rpm Primary Hard Drive, SATA	292	314						X	X	X	X
HP Batteries												
RW635AA	1-Bay Battery Charging Station	284	306					X5	X	X	X	X
AJ359AA	Extended Life Battery (ca. 3-5h add. Battery Power)	185	199		P			X5	X	X	X	X
EJ092AA	Ultra Capacity Battery, 12 Cell (ca. 5-8h add. Battery Power)	278	299					X5	X	X	X	X
PB994A	6 Cell Primary Battery	241	259					X5	X	X		
PB992A	8 Cell Primary Battery	241	259								X	X
GJ655AA	6 Cell Primary Battery for 6720s & 6820s only	130	140					X				
RW556AA	3 Cell Primary Battery	153	165			X						
EH767AA	6 Cell Primary Battery	185	199			X						
EH768AA	9 Cell Primary Battery	266	286			X						
AH547AA	6 Cell Primary Battery	223	240				X					
RX932AA	Ultra-Slim Secondary Battery Slice	268	288				X					
HP Power Supply												
AJ652AA	90W Smart AC Auto/Air Adapter	157	169			X	X	X	X	X	X	X
ED494AA	65W Smart AC Adapter	55	59		P	X	X					
ED495AA	90W Smart AC Adapter	64	69		P	X	X	X	X	X	X	
ED519AA	135W Smart AC Adapter	109	117								X	X
AK875AA	180W Smart AC Adapter	111	119								X	X
DC851B	AC Power Cord, 3m	27	29			X	X	X	X	X	X	X
HP Docking												
KP080AA	Basic Docking Station, 120W	278	299		P				X	X	X	X
KP081AA	Advanced Docking Station, 150W	324	349		P				X	X	X	X
AK155AA	Mobile Port Replicator (2 x USB, 1 x serial, 1 x parallel, 1 x PS/2 mouse, 1 x PS/2 keyboard, 1 x Kensington)	96	103						X	X	X	X
EQ773AA	Ultra-Light Docking Station	185	199		P	X						
PA507A	Monitor Stand	120	129			X1			X	X2	X2	X2
PA508A	Adjustable Notebook Stand	106	114		↘	X1			X	X2	X2	X2
GD229AA	Ultra-Slim Expansion Base	453	487				X					
PX971A	Targus Mobile Port Station	157	169					X				
HP Cases												
RR314AA	Value Nylon Case	55	59		P	X	X	X	X	X	X	
RR315AA	Universal Nylon Case	73	79		P	X	X	X	X	X	X	X
RR316AA	Executive Leather Case	120	129		P	X	X	X	X	X	X	X
RR317AA	Deluxe Nylon Backpack	64	69		P	X	X	X	X	X	X	X
PR277AA	Signature Ladies Leather Bag - Black	144	155			X	X	X	X	X	X	
PT186AA	Signature Ladies Leather Bag - Red	144	155			X	X	X	X	X	X	
AL539AA	Ultra-Light Executive Case	92	99			X	X					

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.			2510p	2710p	6715s / 67/6820s	6510b / 6710/15b	6910p	8510p / 8510w	8710p / 8710w
HP Mouse and Keyboard												
DC369A	USB/PS2 Optical Mouse	33	35		P	X	X	X	X	X	X	X
DT528A	USB Standard Keyboard	27	29		P	X	X	X	X	X	X	X
RH304AA	USB Optical Travel Mouse	27	29		P	X	X	X	X	X	X	X
PL800A	Tablet-PC Pen with Tether	70	75				X					
HP Wireless												
GG590AA	HP 2300 Broadband Wireless Card (supporting 3.6 Mbps) ** Windows XP Professional and Windows Vista supported only	231	249		P	X	X			X		
HP Security												
AJ356AA	Display Privacy Filter, 12.1"	92	99			X						
AJ357AA	Display Privacy Filter, 14.1"	92	99						X	X		
AJ358AA	Display Privacy Filter, 15.4"	92	99						X		X	
PC766A	Kensington Security Lock	73	79			X		X	X	X	X	X
EL347AA	HP Protect Tools Java Card Reader with 1 Java Card	125	135			X		X	X	X	X	X
EL348AA	HP Protect Tools Java Card - 10 Units	422	454			X		X	X	X	X	X
HP Software												
RZ362A	Microsoft Office Basic Edition 2007 (MLK only)	204	220		P			X	X			
RZ366A	Microsoft Office Small Business 2007 (MLK only)	270	290		P			X	X			
RZ364A	Microsoft Office Professional Edition 2007 (MLK only)	335	360		P			X	X			
HP Care Pack												
UK707E	HP Care Pack 3years Pickup and Return NB only - notebook s/5xx/2133-platform with 1/1/0 base warranty	148	159		P			X				
U4395E	HP Care Pack 3years Pickup and Return NB only - notebook b-platform with 1/1/0 base warranty	185	199		P				X			
UK704E	HP Care Pack 3years next bus day onsite - notebook s/5xx/2133-platform with 1/1/0 base warranty	204	219		P			X				
U4386E	HP Care Pack 3years next bus day onsite - notebook b-platform with 1/1/0 base warranty	306	329		P				X			
U7874E	HP Care Pack 4years next bus day onsite - notebook b-platform with 1/1/0 base warranty	427	459		P			X	X			
U4415E	HP Care Pack 3years next bus day onsite - notebook p/w-platform with 3/3/0 base warranty	120	129		P	X	X			X	X	X
U7859E	HP Care Pack 4years next bus day onsite - notebook p/w-platform with 3/3/0 base warranty	259	279		P	X	X			X	X	X

X1 : pre-requisite is EQ773AA - Docking Station for nc2400/2510p
X2 : pre-requisite is EN488AA/PA286A - Basic Docking Station or EN489AA/PA287A - Advanced Docking Station
X4 : pre-requisite is PA509A - USB External MultiBay Cradle or EN489AA/PA287A - Advanced Docking Station
X5 : not available for 6720s/6820s
X6 : not available for 6715s/6715b

For information on HP Care Packs please refer to the following webpage:
http://www.hp.com/ch/hpcarepack

Carrying Cases

Picture	Partnumber	Description
	AM847AA	SlipCase, 9”
	AL539AA	Ultra-Light Executive Case
	RR314AA	Value Nylon Case
	RR315AA	Universal Nylon Case
	RR316AA	Executive Leather Case
	RR317AA	Deluxe Nylon Backpack
	PR277AA	Signature Ladies Leather Bag - Black
	PT186AA	Signature Ladies Leather Bag - Red

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Desktops & Workstations

HP Compaq Business Desktop dc5800

hp compaq business desktop dc5800		
Form factor	Microtower	Small Form Factor
Operating System	Preinstalled: Genuine Windows Vista Business 32 Genuine Windows Vista Business 64 Genuine Windows Vista Home Basic32 Genuine Windows Vista Ultimate 32 Vista Business Edition with downgrade to XP Professional pre-installed FreeDOS	
Chipset	Intel® Q33 Express chipset	
Processor	Intel Core™ 2 Duo Processors1,2, Intel Core 2 Quad Processors1,2, Intel Pentium™ Dual-Core Processors1,2, Intel Celeron™ D Processors	
Memory	PC2-6400 (DDR2-800 MHz) Non-ECC DIMM Memory NOTE: Dual channel memory configurations supported for enhanced performance (requires both slots populated with same type and size memory).	
Hard drive(s)	80-,160-, 250-, 500–GB SATA NCQ Smart IV 3.0GB/s hard drive (7200 rpm); 3.5" Removable 80-,160-, 250-GB SATA NCQ Smart IV 3.0GB/s hard drive (7200 rpm); 80-, 160-GB SATA NCQ Smart III 3.0-GB/s hard drive (10,000 rpm)	
Removable media	SATA DVD-ROM Drive or SATA SuperMulti LightScribe DVD Writer Drive, HP 16-in-1 Media Card Reader (USB connection on the motherboard), 1-GB Flash Module for Vista ReadyBoost	
Expansion bays	2 internal 3.5" bays,2 external 5.25" bays, and 1 external 3.5" bay	1 internal 3.5" bay, 1 external 5.25" bays, and 1 external 3.5" bay
Expansion slots	Full-height: 1 PCI ,2 PCIe x1, and 1 PCIe x16	Low-profile: 1 PCI ,2 PCIe x1, and 1 PCIe x16
Memory slots	4 DIMMs	4 DIMMs
Graphics	Integrated Intel Graphics Media Accelerator 3100	
Audio	Integrated High Definition 4-channel audio	
Communications	Integrated Intel Gigabit Ethernet NIC	
I/O ports and connectors	Ten (10) USB 2.0 ports (two front, six rear, two internal USB header) one VGA port, DVI output (available via optional ADD2 card), one serial with second optional, two PS/2 ports (mouse and keyboard), front headphone and microphone jacks, RJ-45 port, parallel port optional	
Input device	Standard keyboard and 2-button optical scroll mouse available as USB or PS/2, or USB 2-button laser mouse	
Power	300-watt passive PFC Power Supply (user selectable 115V/230V); Optional 80% High Efficiency 300W Active PFC	240-watt active PFC Power Supply (user selectable 115V/230V); Optional 80% High Efficiency 240W Active PFC
Security	Integrated TPM 1.2 (standard); HP Desktop Security lock kit (lock and cable); Security cable with Kensington lock Protect Tools Software (optional)	
Dimensions (h x w x d)	37.72 x 17.65 x 42.8 cm	10.03 x 33.78 x 37.846 cm.
Weight	10.63 kg	8.10 kg
Warranty	1 year Parts, Labor, Onsite; other HP Care Pack Services available see http://www.hp.com/go/lookuptool	

Small Form Factor

Prod-No.	Description	VAT excl.	VAT incl.		
AM530AW	HP dc5800 SFF E8300 160G 2.0G 16 PC Intel Core2 Duo E8300, 160GB HDD 7200rpm SATA, Floppy, DVD-ROM, 2.0GB PC2-6400 (dl ch), 3-3-3 Wty, Win Vista Dwngrd To XP Pro	958	1'031		
AM532AW	HP dc5800 SFF E8300 160G 1.0G 16 PC Intel Core2 Duo E8300, 160GB HDD 7200rpm SATA, Floppy, DVD-ROM, 2.0GB PC2-6400 (dl ch), 3-3-3 Wty, Win Vista Dwngrd To XP Pro	942	1'014		
AK818AW	"HP dc5800 SFF E8400 160G 2.0G 16 PC, Intel Core2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD+/-RW, 2.0GB PC2-6400 DDR2 (dl chnl), Vista dwngrde to XP Pro, 3-3-3 Warranty"	1'004	1'080		
AK820AW	"HP dc5800 SFF E8400 160G 1.0G 16 PC, Intel Core2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD-ROM, 1.0GB PC2-6400 DDR2 (sngl chnl), Vista dwngrde to XP Pro, 3-3-3 Warranty"	958	1'031		

Microtower

Prod-No.	Description	VAT excl.	VAT incl.		
AM531AW	HP dc5800 MT E8300 160G 2.0G 16 PC Intel Core2 Duo E8300, 160GB HDD 7200rpm SATA, Floppy, DVD-ROM, 2.0GB PC2-6400 (dl ch), 3-3-3 Wty, Win Vista Dwngrd To XP Pro	973	1'047		
AK819AW	"HP dc5800 MT E8400 160G 2.0G 16 PC, Intel Core2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD+/-RW, 2.0GB PC2-6400 DDR2 (dl chnl), Vista dwngrde to XP Pro, 3-3-3 Warranty"	1'020	1'098		
KV512ET	HP Compaq dc5800uT E8500, 500GB SATA NCQ SMART IV, 2GB PC2-6400 DDR2, SuperMulti DVD+/-RW, 16in1 Media Card Reader, MS Vista Business (XP Rec-Kit in the Box), Office Ready-PC G/F/E/I	928	999	**N**	**P**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq Business Desktop dc5850

hp compaq business desktop dc5850		
Form factor	Microtower	Small Form Factor
Operating System	Preinstalled: Genuine Windows Vista Business 32 Genuine Windows Vista Business 64 Genuine Windows Vista Home Basic32 Genuine Windows Vista Ultimate 32 Genuine Windows XP Professional SP2 FreeDOS	
Chipset	AMD RS780	
Processor	AMD Sempron™ Processors with HyperTransport Technology up to 2.3 GHz AMD Athlon™ 64 Processors with HyperTransport Technoloty up to 2.7 GHz AMD Athlon™ 64 X2 Dual-Core Processors with HyperTransport Technology up to 2.8 GHz AMD Phenom™ Triple-Core Processors with HyperTransport Technology up to 2.3 GHz AMD Phenom™ Quad-Core Processors with HyperTransport Technology up to 2.3 GHz	
Memory	PC2-5300 and PC2-6400 (DDR2-800 MHz) Non-ECC DIMM Memory NOTE: Dual channel memory configurations supported for enhanced performance (requires both slots populated with same type and size memory).	
Hard drive(s)	80-, 160-, 250-, 500-GB SATA NCQ Smart IV 3.0-GB/s hard drive (7200 rpm); 80-, 160-GB SATA NCQ Smart III 3.0-GB/s hard drive (10,000 rpm); optional dual drive RAID	
Removable hard drive(s)	80-,160-, 250-GB (7200 rpm) HP 3.5" Removable SATA hard drive (NOTE: Replaces optical drive in bay 1)	
Removable media	SATA DVD-ROM Drive or SATA SuperMulti LightScribe DVD Writer Drive, HP 16-in-1 Media Card Reader (USB connection on the motherboard)	
Expansion bays	2 internal 3.5" bays,2 external 5.25" bays, and 1 external 3.5" bay	1 internal 3.5" bay, 1 external 5.25" bays, and 1 external 3.5" bay
Expansion slots	Full-height: 1 PCI ,2 PCIe x1, and 1 PCIe x16	Low-profile: 1 PCI ,2 PCIe x1, and 1 PCIe x16
Memory slots	4 DIMMs	4 DIMMs
Graphics	Integrated AMD DX10 Graphics	
Audio	Integrated High Definition 4-channel audio	
Communications	Integrated Broadcom 5755 Gigabit Ethernet	
I/O ports and connectors	Ten (10) USB 2.0 ports (two front, six rear, two internal USB header) one VGA port, one DVI-D port, one serial with second optional, two PS/2 ports (mouse and keyboard), front headphone and microphone jacks, RJ-45 port, parallel port optional	
Input device	Standard keyboard and 2-button optical scroll mouse available as USB or PS/2, or USB 2-button laser mouse	
Power	300-watt passive PFC Power Supply (user selectable 115V/230V); Optional 80% High Efficiency 300W Active PFC	240-watt active PFC Power Supply (user selectable 115V/230V); Optional 80% High Efficiency 240W Active PFC
Security	Integrated TPM 1.2 (standard); HP Desktop Security lock kit (lock and cable); Security cable with Kensington lock	
Dimensions (h x w x d)	37.72 x 17.65 x 42.8 cm	10.03 x 33.78 x 37.846 cm.
Weight	10.63 kg	8.10 kg
Warranty	1 year Parts, Labor, Onsite; other HP Care Pack Services available see http://www.hp.com/go/lookuptool	

HP Small Form Factor

Prod-No.	Description	VAT excl.	VAT incl.		
AL194AW	HP dc5850 SFF A-4450 160G 1.0G 16 PC AMD Athlon 4450B, 160GB HDD 7200rpm SATA, No Floppy, DVD-ROM, 1.0GB PC2-6400 DDR2 (dl chnl), Vista Dwngrd to XP Pro, 3-3-3 Wty	695	748		
AL196AW	HP dc5850 SFF A-52 160G 1.0G 16 PC AMD Athlon 5200B, 160GB HDD 7200rpm SATA, No Floppy, DVD+/-RW, 1.0GB PC2-6400 DDR2 (sngl chnl), Vista Dwngrd to XP Pro, 3-3-3 Wty	741	797		
AL195AW	HP dc5850 SFF AP-86 160G 2.0G 16 PC AMD Phenom 8600, 160GB HDD 7200rpm SATA, No Floppy, DVD+/-RW, 2.0GB PC2-6400 DDR2 (dl chnl), Vista Dwngrd to XP Pro, 3-3-3 Wty	896	964		
AK818AW	"HP dc5800 SFF E8400 160G 2.0G 16 PC, Intel Core2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD+/-RW, 2.0GB PC2-6400 DDR2 (dl chnl), Vista dwngrde to XP Pro, 3-3-3 Warranty"	1'004	1'080		
AK820AW	"HP dc5800 SFF E8400 160G 1.0G 16 PC, Intel Core2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD-ROM, 1.0GB PC2-6400 DDR2 (sngl chnl), Vista dwngrde to XP Pro, 3-3-3 Warranty"	958	1'031		

HP Microtower

Prod-No.	Description	VAT excl.	VAT incl.		
AL198AW	HP dc5850 MT A-52 160G 1.0G 16 PC AMD Athlon 5200B, 160GB HDD 7200rpm SATA, No Floppy, DVD+/-RW, 1.0GB PC2-6400 DDR2 (sngl chnl), Vista Dwngrd to XP Pro, 3-3-3 Wty	757	815		
AL197AW	HP dc5850 MT AP-86 160G 2.0G 16 PC AMD Phenom 8600, 160GB HDD 7200rpm SATA, No Floppy, DVD+/-RW, 2.0GB PC2-6400 DDR2 (dl chnl), Vista Dwngrd to XP Pro, 3-3-3 Wty	911	980		
KV558ET	HP Compaq dc5850uT 9600B, 500GB SATA NCQ SMART IV, 2GB PC2-6400 DDR2, SuperMulti DVD+/-RW, 16in1 Media Card Reader, MS Vista Business (XP Rec-Kit in the Box), Office Ready-PC G/F/E/I	882	949		P
AK819AW	"HP dc5800 MT E8400 160G 2.0G 16 PC, Intel Core2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD+/-RW, 2.0GB PC2-6400 DDR2 (dl chnl), Vista dwngrde to XP Pro, 3-3-3 Warranty"	1'020	1'098		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq Business Desktop dc7800

hp compaq business desktop dc7800			
Form factor	Ultra-slim Desktop	Small Form Factor	Convertible Minitower
Operating system	Genuine Windows Vista® Business (32-bit) Genuine Windows Vista® Business (64-bit) Genuine Windows Vista® Home Basic (32-bit) FreeDOS		
Chipset	Intel® Q35 Express		
Processor	Intel® Core™ 2 Duo processor E6550/E6750/E6850 (2.00 to 3.00 GHz, 2 to 4 MB L2 cache, 800 to 1066 MHz FSB)	Intel® Core™ 2 Duo processor E6550/E6750/E6850 (2.00 to 3.00 GHz, 2 to 4 MB L2 cache, 800 to 1066 MHz FSB) or Intel® Core™ 2 Quad processor Q6600 (2.40 to 2.66 GHz, 8 MB L2 cache, 1066 MHz FSB)	
Memory	From 512 MB to 4 GB DDR2-Synch DRAM PC2-5300 non-ECC (single or dual channel configurations)	From 512 MB to 8 GB DDR2-Synch DRAM PC2-5300 or from 512 MB to 4 GB DDR2-Synch DRAM PC2-6400 non-ECC (single or dual channel configurations)	
Hard drive(s)	5400 rpm: 80 GB Serial ATA 1.5 Gb/s 7200 rpm: 80 GB and 160 GB Serial ATA 1.5 Gb/s	80GB, 160GB and 250GB 3.0GB/s 7200rpm. Optional dual drive RAID and NCQ	
Removable media	PATA DVD-ROM Slim Drive, PATA CD-RW/DVD-ROM Combo Slim Drive, PATA DVD+/-RW (DL/DF) LightScribe Slim Drive	SATA DVD-ROM Drive, SATA SuperMulti LightScribe DVD Writer Drive	
Expansion bays	1 Slimline Drive Bay, 1 internal 3.5 inch	1 external 5.25 inch, 1 external 3.5 inch, 1 internal 3.5 inch	3 external 5.25 inch, 1 external 3.5 inch, 2 internal 3.5 inch
Expansion slots		1 low-profile PCI, 2 full-height PCI, 1 low-profile PCI Express x16, 2 low-profile PCI Express x1	3 full-height PCI, 1 full-height PCI Express x16, 2 full-height PCI Express x1
Memory slots	2 SODIMM	4 DIMM	
Graphics	Intel® Graphics Media Accelerator 3100		
Audio	Integrated High Definition audio with ADI1884 codec, 3D audio compliant with AC'97 Rev. 2.3, internal PC speaker		
Communications	Integrated Intel® 82566DM Gigabit Network Connection	Optional Agere 56K PCI Modem; Integrated Intel® 82566DM Gigabit Network Connection	
I/O ports and connectors	Rear: 6 USB 2.0, 1 DVI-D graphics port, 2 PS/2, 1 RJ-45, 1 VGA, audio in/out Front: 2 USB 2.0, audio ports	Rear: 6 USB 2.0, 1 serial port, 1 optional serial port, 1 parallel port, 2 PS/2, 1 RJ-45, 1 VGA, audio in/out Front: 2 USB 2.0, audio ports	
Input devices	HP Standard Keyboard (PS/2 or USB) or HP USB Smartcard Keyboard HP PS/2 2-Button Optical Scroll Mouse or HP USB 2-Button Optical Scroll Mouse		
Dimensions (h x w x d)	25.1 x 25.4 x 6.6 cm	33.7 x 37.8 x 10.0 cm	17.7 x 45.2 x 44.7 cm
Power	135W External 80% High Efficiency Active PFC standard	80% High Efficiency 240W Active PFC	80% High Efficiency 365W Active PFC
Warranty	Protected by HP Services, including a 3-3-3 standard warranty delivering 3 years of parts and 3 year of both labour and on-site repair. Response time is next business-day and includes free telephone support 24 x 7. Terms and conditions vary by country. Certain restrictions and exclusions apply.		

HP Compaq dc7800 Convertible Minitower (CMT) Intel Core 2 Duo E6550

Prod-No.	Description	VAT excl.	VAT incl.		
GQ640AW	HP dc7800 CMT E-6550 80G 1.0G 7 PC Intel Core 2 Duo E6550, 80GB SATA (3.0Gb/s) HDD, No Floppy, DVD-ROM, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'114	1'199		
GQ641AW	HP dc7800 CMT E-6550 80G 1.0G 7 PC Intel Core2Duo E6550, 80GB SATA(3.0Gb/s) HDD, No Floppy, SuperMulti, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'129	1'215		
GV636AW	HP dc7800 CMT E-6550 80G 2.0G 7 PC Intel Core2Duo E6550, 80GB SATA NCQ Smart IV HDD, No Floppy, DVD-ROM, 2.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, MS Ofc Ready, E-Star Label	1'144	1'231		

HP Compaq dc7800 Convertible Minitower (CMT) Intel Core 2 Duo E6750 & E8500

Prod-No.	Description	VAT excl.	VAT incl.		
GQ642AW	HP dc7800 CMT E-6750 80G 1.0G 7 PC Intel Core 2 Duo E6750, 80GB SATA (3.0Gb/s) HDD, No Floppy, DVD-ROM, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'159	1'247		
GQ643AW	HP dc7800 CMT E-6750 160G 1.0G 7 PC Intel Core2Duo E6750,160GB SATA(3.0Gb/s) HDD, No Floppy, SuperMulti, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'174	1'263		
GQ644AW	HP dc7800 CMT E6750 160G 2.0G 7 PC Intel Core2Duo E6750,160GB SATA(3.0Gb/s) HDD, No Floppy, SuperMulti, 2.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'205	1'297		
KV456ET	HP Compaq dc7800 CMT E8500, 250GB SATA NCQ SMAR IV, 2GB DDR2 PC2-6400, SuperMulti DVD-RW, Win Vista Business downgraded to Windows XP Pro, Office Ready-PC G/F/E/I	1'021	1'099		**P**

HP Compaq dc7800 Convertible Minitower (CMT) Intel Core 2 Duo E6850

Prod-No.	Description	VAT excl.	VAT incl.		
GQ645AW	HP dc7800 CMT E-6850 160G 2.0G 7 PC Intel Core2Duo E6850,160GB SATA(3.0Gb/s) HDD, No Floppy, SuperMulti, 2.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'355	1'458		

HP Compaq dc7800 Convertible Minitower (CMT) Intel Core 2 Quad Q9300

Prod-No.	Description	VAT excl.	VAT incl.		
KK255ET	HP dc7800 CMT Q9300 250G 4.0G 7 PC Intel Core2 Quad Q9300,Two-250GB HDD 7200rpm SATA, no Floppy, DVD+/-RW,4.0GB PC2-6400 DDR2(dl ch),NVS 290MB DH PCIe, Vista Bus32, Off Rdy, 3-3-3Wty, McAfeeAV	1'207	1'299		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq dc7800 Small Form (SFF) Intel Core 2 Duo E6550

Prod-No.	Description	VAT excl.	VAT incl.		
GQ646AW	HP dc7800 SFF E-6550 80G 1.0G 7 PC Intel Core2Duo E6550, 80GB SATA NCQ HDD, No Floppy, DVD-ROM, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Bus32, vPro AMT	1'099	1'183		
GQ647AW	HP dc7800 SFF E6550 80G 1.0G 7 PC Intel Core 2 Duo E6550, 80GB SATA (3.0Gb/s) HDD, No Floppy, Supermulti, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'114	1'199		
GV635AW	HP dc7800 SFF E-6550 80G 2.0G 7 PC Intel Core2Duo E6550, 80GB SATA (3.0Gb/s) HDD, No Floppy, DVD-ROM, 2.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, MS Ofc Ready, E-Star Label	1'129	1'215		

HP Compaq dc7800 Small Form (SFF) Intel Core 2 Duo E6750 & E8500

Prod-No.	Description	VAT excl.	VAT incl.		
GQ648AW	HP dc7800 SFF E-6750 80G 1.0G 7 PC Intel Core 2 Duo E6750, 80GB SATA (3.0Gb/s) HDD, No Floppy, DVD-ROM, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'144	1'231		
GQ649AW	HP dc7800 SFF E-6750 80G 1.0G 7 PC Intel Core2Duo E6750, 80GB SATA(3.0Gb/s) HDD, No Floppy, SuperMulti, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'159	1'247		
GQ650AW	HP dc7800 SFF E-6750 160G 2.0G 7 PC Intel Core2Duo E6750,160GB SATA(3.0Gb/s) HDD, SuperMulti 16x LightScribe, 2.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'190	1'280		
KV462ET	HP Compaq dc7800 SFF E8500, 250GB SATA NCQ SMART IV, 2GB DDR2 PC2-6400, SuperMulti DVD-RW, Win Vista Business downgraded to Windows XP Pro, Office Ready-PC G/F/E/I	1'021	1'099		**P**

HP Compaq dc7800 Small Form (SFF) Intel Core 2 Duo E6850

Prod-No.	Description	VAT excl.	VAT incl.		
GQ651AW	HP dc7800 SFF E-6850 160G 2.0G 7 PC Intel Core2Duo E6850,160GB SATA(3.0Gb/s) HDD, SuperMulti 16x LightScribe, 2.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'340	1'442		

HP Compaq dc7800 Ultra-slim Desktop (USDT) Intel Core 2 Duo E6550 & E8400

Prod-No.	Description	VAT excl.	VAT incl.		
GQ652AW	HP dc7800 USDT E-6550 80G 1.0G 7 PC Intel Core 2 Duo E6550, 80GB 7200rpm SATA HDD, No Floppy, DVD-ROM, 1.0GB PC2-5300 (dl chnl), Win Vista Business 32, 80+ Power Supply, 3-3-3 Warranty	1'144	1'231		
GQ653AW	HP dc7800 USDT E-6550 80G 1.0G 7 PC Intel Core 2 Duo E6550, 80GB SATA (1.50Gb/s) HDD, No Floppy, DVD/CD-RW, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'144	1'231		
KK247ET	HP dc7800 USDT E8400 160G 2.0G 16 PC, Intel Core2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-5300 DDR2 (dl chnl),VistaDwngrdtoXP Pro,MSOfcReady,3-3-3Wty,vPro,McAfe	882	949		P

HP Compaq dc7800 Ultra-slim Desktop (USDT) Intel Core 2 Duo E6750

Prod-No.	Description	VAT excl.	VAT incl.		
GQ654AW	HP dc7800 USDT E-6750 80G 1.0G 7 PC Intel Core 2 Duo E6750, 80GB SATA (1.5Gb/s) HDD, No Floppy, DVD/CD-RW, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'190	1'280		
GQ655AW	HP dc7800 USDT E-6750 80G 1.0G 7 PC Intel Core 2 Duo E6750, 80GB SATA (1.5Gb/s) HDD, No Floppy, Supermulti, 1.0GB PC2-5300 (dl chnl), 3-3-3 Wty, Win Vista Business 32, 80+ Power Supply	1'205	1'297		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq Business Desktop dc7900

HP Compaq dc7900 Business Desktops

Form factor	Ultra-slim Desktop	Small Form Factor	Convertible Minitower
Operating system	Genuine Windows® Vista Business 32 Genuine Windows Vista™ Business 64 Genuine Windows Vista Home Basic 32 Genuine Windows Vista Business 32 downgrade to Genuine Windows XP Professional 32 + Genuine Windows XP Professional SP2 FreeDOS		
Chipset	Intel® Q45 Express Chipset		
Processor	Intel® Core™ 2 Quad processors; Intel Core™ 2 Duo processor; Intel Pentium® dual-core processors; Intel Celeron® processors Note: Intel Quad Core processors not available on USDT.		
Memory	DDR2 Synch DRAM PC2-6400 (800MHz) Non ECC		
Memory slots	(2) SODIMM	(4) DIMM	(4) DIMM
Hard drive(s)	1.5GB/s 7200rpm	3.0GB/s 7200rpm; optional dual drive RAID	
Removable media	PATA DVD-ROM Slim Drive, PATA Slim SuperMulti LightScribe DVD Writer	1.44-MB Diskette Drive, SATA DVD-ROM, SATA DVD+/-RW (DL/DF) SuperMulti LightScribe Drive, 19-in-1 Media Card Reader (3.5" and 5.25" versions	
Drive bays	Internal: (1) 2.5" External: (1) Slimline	Internal: (1) 3.5" External: (1) 5.25" and (1) 3.5"	Internal: (2) 3.5" External: (3) 5.25"and (1) 3.5"
Expansion slots	(1) mini PCIe	(1) LP PCI, (1) LP PCI Express x1, (2) PCI Express x16 (standard), (2) FH PCI slots (available via optional riser card)	(3) FH PCI, (1) FH PCI Express x1, (2) FH PCI Express x16
Graphics	Intel GMA X4500HD integrated graphics		
Communications	Intel 82567LM Gigabit Network Connection (integrated on system board)		
Rear I/O ports and connectors	(6) USB 2.0, (2) PS/2, (1) RJ-45, (1) VGA and (1) Display Port, audio in/out	(6) USB 2.0, (1) standard serial port, (1) optional serial port, (1) optional parallel port, (2) PS/2, (1) RJ-45, (1) VGA, (1) Display Port, audio in/out	(6) USB 2.0, (1) standard serial port, (1) optional serial port, (1) optional parallel port, (2) PS/2, (1) RJ-45, (1) VGA, (1) Display Port, audio in/out
Front I/O ports and connectors	2 USB 2.0, headphone and microphone		
Dimensions (h x w x d)	66.0 x 251.5 x 254 mm	100.3 x 337.8 x 378.5 mm	447.8 x 177.8 x 452.12 mm
Input devices	PS/2 or USB Standard keyboard, USB Smartcard Keyboard, PS/2 or USB 2-button optical scroll mouse		
Power	135W External 87% High Efficiency Active PFC standard	240W Active PFC or Optional 85% High Efficiency 240W Active PFC	365W External 85% High Efficiency Active PFC standard
Warranty	3 years of Parts Labor Onsite; other HP Care Pack Services available see http://www.hp.com/go/lookuptool		

HP Convertible Mictotower

Prod-No.	Description	VAT excl.	VAT incl.		
FS483AW	HP dc7900 CMT E8400 160G 2.0G 7 PC, Intel Core 2 Duo E8400, 160GB HDD, 7200rpm SATA, No Floppy, SuperMulti, 2.0GBPC2-6400 DDR2(dl ch),Vista Busi 32,3-3-3 Warranty	1'278	1'375		
FS484AW	HP dc7900 CMT E8400 160G 2.0G 7 PC, Intel Core 2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD-ROM, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32, 3-3-3 Warranty	1'262	1'358		
FS485AW	HP dc7900 CMT E8500 250G 2.0G 7 PC, Intel Core 2 Duo E8500, 250GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32, 3-3-3 Warranty	1'324	1'425		
FU032ET	HP dc7900 CMT E8500 250G 4.0G 16 PC Intel Core2Duo E8500, 250GB SATA NCQ HDD, No Floppy, SuperMulti, 4.0GB PC2-6400 (dl chnl), 3-3-3 Wty, Vista Custom Dwngrd toXP Pro, MS Ofc Ready	1'300	1'399	**N**	**P**
FS492AW	HP dc7900 CMT Q9400 250G 2.0G 7 PC, Intel Core 2 Quad Q9400, 250GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32,3-3-3 Warranty	1'478	1'590		
FS493AW	HP dc7900 SFF Q9400 250G 2.0G 7 PC, Intel Core 2 Quad Q9400, 250GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32,3-3-3 Warranty	1'463	1'574		
FU034ET	HP dc7900 CMT Q9400 250G 4.0G 16 PC Intel Core2Quad Q9400, 250GB SATA NCQ HDD, SuperMulti, 4.0GB PC2-6400 (dl chnl),3-3-3 Wty,Vista CustomDwngrd toXP Pro,MS Ofc Ready,ATI Radeon HD 3650 PCIe	1'393	1'499	**N**	**P**

HP Small Form Factor

Prod-No.	Description	VAT excl.	VAT incl.		
FS486AW	HP dc7900 SFF E8400 160G 2.0G 7 PC Intel Core 2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32, 3-3-3 Warranty	1'262	1'358		
FS487AW	HP dc7900 SFF E8400 160G 2.0G 7 PC Intel Core 2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD-ROM, 2.0GB PC2-6400 DDR2 (dl ch),Vista Busi 32, 3-3-3 Warranty	1'247	1'342		
FS488AW	HP dc7900 SFF E8500 250G 2.0G 7 PC, Intel Core 2 Duo E8500, 250GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32, 3-3-3 Warranty	1'309	1'408		
FU037ET	HP dc7900 SFF E8500 250G 4.0G 16 PC Intel Core2 Duo8500,250GB HDD NCQ Smart IV,DVD+/-RW (SM),4GB PC2-6400 DDR2 ch (sng),Vista Dwngrd to XP Pro,Off Rdy,3-3-3 Wty	1'300	1'399	**N**	**P**
FS493AW	HP dc7900 SFF Q9400 250G 2.0G 7 PC, Intel Core 2 Quad Q9400, 250GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32,3-3-3 Warranty	1'463	1'574		

HP Ultra Slim Desktop

Prod-No.	Description	VAT excl.	VAT incl.		
FS489AW	HP dc7900 USDT E8400 160G 2.0G 7 PC, Intel Core 2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32, 3-3-3 Warranty	1'278	1'375		
FS490AW	HP dc7900 USDT E8400 160G 2.0G 7 PC, Intel Core 2 Duo E8400, 160GB HDD 7200rpm SATA, No Floppy, DVD-ROM, 2.0GB PC2-6400 DDR2 (dl ch),Vista Busi 32, 3-3-3 Warranty	1'262	1'358		
FU039ET	HP dc7900 USDT E8400 160G 2.0G 16 PC Intel Core2Duo E8400, 160GB 7200rpm SATA HDD, SuperMulti, 2.0GB PC2-6400 (sngl chnl), 3-3-3 Wty, Win Vista Custom Dwngrd toXP Pro, MS Ofc Ready	1'114	1'199	**N**	**P**
FS491AW	HP dc7900 USDT E8500 160G 2.0G 7 PC Intel Core 2 Duo E8500, 160GB HDD 7200rpm SATA, No Floppy, SuperMulti, 2.0GB PC2-6400 DDR2 (dl ch), Vista Busi 32, 3-3-3 Warranty	1'309	1'408		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP rp5700

hp rp5700 Point of Sale System	
Operating System	Genuine Windows XP Professional Genuine Windows Vista® Business Genuine Windows Embedded for Point of Service (WEPOS) FreeDOS
Processor	Intel® Core™2 Duo Processors E6400 (2.13 GHz, 2 MB L2 cache, 1066 MHz FSB) or Intel® Pentium™ Dual Core Processors E2160 (1.8 GHz, 1 MB L2 cache, 800 MHz FSB)
Chipset	Intel® Q963 Express Chipset
Memory	From 512 MB to 4 GB DDR2 Synch DRAM PC2-5300 non-ECC (667 MHz); 4 DIMM; Expandable to 4 GB through four industry-standard DIMM slots
Maximum memory	Expandable to 4 GB through four industry-standard DIMM slots
Hard drive	80, 160 or 250 GB SATA 3.0 GB/s
CD-ROM/DVD	16x/48x DVD-ROM or SATA SuperMulti DVD+/-RW (DL/DF) LightScribe
Flexible Disk Drive	No Floppy Disk Drive
Drive Bays	1 external 5.25 inch optical drive bay; 2 internal 3.5 inch ATA Hard Drive
Expansion slots	2 full-height PCI, 1 low-profile PCI Express x1 and 1 SDVO/ADD2 connector
Memory slots	4 DIMM
Graphics	Integrated® Intel Graphics Media Accelerator 3000; Graphics memory is shared with system memory. Graphics memory usage can vary from 8 to 256 MB depending on the amount of system memory installed and system load
Audio	Integrated High Definition audio with Realtek 2 channel ALC262 codec with internal speaker
Communications	Integrated Broadcom NetXtreme Gigabit Ethernet NIC
I/O ports	Rear: 4 USB 2.0, 2 standard serial port, 1 parallel port, 2 PS/2, 1 RJ-45, 1VGA, audio in/out, on some models: 4 powered USB optional ports, 2 optional powered serial port, Front: 2 USB 2.0
Keyboard description	(Optional) HP Standard Keyboard (PS/2 or USB) or HP USB BG1650 Keyboard or HP USB Smartcard Keyboard
Mouse/pointing device description	(Optional) HP PS/2 2-Button Optical Scroll Mouse or HP USB 2-Button Optical Scroll Mouse
Software	HP Client Management Solutions, HP Backup and Recovery Manager, Symantec AntiVirus with 60 day Live Update, PDF complete, Microsoft® Internet Explorer, Altiris Deployment Solution Agent (Preloaded), HP Open View Radia Management Agent, Intel(R) Matrix Storage Manager(with RAID) Optional preloaded software, only for certain configurations: Microsoft® Office 2007 Basic, Microsoft® Office 2007 Professional, Microsoft® Office 2007 Small Business
Security	Kensington Cable Lock, Smart Card Manager (sold separately), HP Desktop Security Lock Kit (lock and cable) (sold separately), Wall Mount/Security Sleeve (sold separately)
Dimensions (h x w x d)	34.0 x 38.0 x 10.0 cm
Power	240 watts maximum
Warranty	Protected by HP Services, including a 3-3-3 standard warranty delivering 3 years of on-site and 3 years of next business-day service for parts and labour. Terms and conditions vary by country

Prod-No.	Description	VAT excl.	VAT incl.		
GK855AA	HP rp5700 POS E2160 80G 512M 8 POS Intel Core 2 Duo E2160, 80GB SATA (3.0Gb/s) HDD, Super Multi, 512MB PC2-5300 (sngl chnl), FreeDOS, Plus 2 serial port, 4 USB+POWER, 3-3-3	1'327	1'428		
GK856AA	HP rp5700 POS E2160 80G 1.0GG 1 POS Intel Core 2 Duo E2160, 80GB SATA (3.0Gb/s) HDD, Super Multi, 1.0GB PC2-5300 (dl chnl), WEPOS, Plus 2 serial port, 4 USB+POWER, 3-3-3	1'420	1'528		
GK857AA	HP rp5700 SFF E2160 80G 512M 8 POS Intel Core 2 Duo E2160, 80GB SATA (3.0Gb/s) HDD, Super Multi, 512MB PC2-5300 (sngl chnl), FreeDOS, 3-3-3	1'355	1'458		
KY332AW	HP rp5700 SFF E6400e 160G 2.0G 16 PC Intel Core2 Duo E6400e, 160GB 7200rpm SATA, No Floppy, DVD-ROM, 2.0GB PC2-5300 DDR2 (dl chnl), Vista Dwngrd to XP Pro, 3-3-3 Warranty	1'321	1'421		
GK858AA	HP rp5700s SFF E2160 160G 1.0G 7 POS Intel Core 2 Duo E2160, 160GB SATA (3.0Gb/s) HDD, Super Multi 1.0GB PC2-5300 (dl chnl), Vista Business 32, 3-3-3, MS Ofc Ready	1'567	1'686		
KY333AW	HP rp5700 SFF E6400e 160G 2.0G 7 PC Intel Core2 Duo E6400e, 160GB 7200rpm SATA, No Floppy, DVD-ROM, 2.0GB PC2-5300 DDR2 (dl chnl), Vista Busi 32, 3-3-3 Warranty	1'321	1'421		
KY334AW	HP rp5700 SFF E2160 160G 2.0G 16 PC Intel Pentium Dual Core E2160, 160GB 7200rpm SATA, No Floppy, Supermulti, 2.0GB PC2-5300 DDR2 (dl chnl), Vista Dwngrd to XP Pro, 3-3-3 Warranty	1'060	1'141		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Business Desktops - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			dc5700 Series	dc5750 Series	dc5800 Series	dc5850 Series	dc7800 Series	dc7900 Series	rp5700 Series	
HP Memory													
GM254AA	1GB PC2-6400 (DDR2-800) SODIMM Memory	36	39		P					X Usdt	X Usdt		
GV576AA	2GB PC2-6400 (DDR2-800) SODIMM Memory	73	79		P					X Usdt	X Usdt		
FH978AA	4GB PC2-6400 (DDR2-800) SODIMM Memory	513	522							X Usdt	X Usdt		
AH058AA	1GB PC2-6400 DDR2-800 DIMM Memory	36	39		P		X	X	X	X CMT X SFF	X CMT X SFF		
AH060AA	2GB PC2-6400 DDR2-800 DIMM Memory	73	79		P		X	X	X	X CMT X SFF	X CMT X SFF		
FH977AA	4GB PC2-6400 DDR2-800 DIMM Memory	522	561					X	X	X CMT X SFF	X CMT X SFF		
HP Hard Disk Drives													
PY277AA	HP 160GB SATA 3.0Gb/s Hard Drive	136	146			X	X	X	X	X CMT X SFF	X CMT X SFF	X	
PY278AA	HP 250GB SATA 3.0Gb/s Hard Drive	83	89		P	X	X	X	X	X CMT X SFF	X CMT X SFF	X	
KW347AA	HP 500GB SATA 3.0Gb/s Hard Drive	191	206					X	X	X CMT X SFF	X CMT X SFF		
HP Optical Drives													
AH047AA	HP 16X SATA DVD-ROM Drive	71	76			X	X	X	X	X CMT X SFF	X CMT X SFF	X	
GF343AA	HP 16X SATA SuperMulti LightScribe Drive	98	105			X	X	X	X	X CMT X SFF	X CMT X SFF	X	
AH043AA	HP Slim 8X SuperMulti LightScribe Drive	133	143							X Usdt	X Usdt		
KV843AA	HP Slim 8X SATA SuperMulti LightScribe Drive	110	118							X Usdt	X Usdt		
HP Floppy Drives and Multi-Card reader													
AG295AA	HP Internal CMT/MT Floppy Drive	31	33										
AH053AA	HP 1.44-MB Internal Floppy Drive	30	32			X	X	X	X	X CMT X SFF	X CMT X SFF		
EM718AA	HP 16-In-1 Media Card Rdr with PCI Card	61	66			X	X	X	X	X CMT X SFF			
FX273AA	22-in-1 Media Card Reader	54	58					X	X		X CMT X SFF		
HP Graphics – Single head solutions													
DY674A	HP ADD2 SDVO DVI-D Adapter	46	50			X		X		X CMT X SFF		X	
GJ119AA	nVidia GeForce 8400 GS 256MB SH PCIe x16 Card (*use the PCIe riser card for usdt: EU054AA)	118	127				X	X	X	X CMT X SFF			
FH972AA	ATI Radeon HD 3470 (256MB SH) PCIe x16 Graphics Card	126	136					X	X	X CMT X SFF	X CMT X SFF		
HP Graphics – Dual head solutions													
KD060AA	ATI Radeon HD 2400 XT (256MB DH) PCIe x16 Graphics Card	158	170				X	X		X CMT X SFF	X CMT X SFF		
KS505AA	ATI Radeon HD 3650 (512MB DH) PCIe x16 Graphics Card	189	203				X		X	X CMT	X CMT		

Prod-No.	Description	VAT excl.	VAT incl.			dc5700 Series	dc5750 Series	dc5800 Series	dc5850 Series	dc7800 Series	dc7900 Series	rp5700 Series	
GJ120AA	nVidia GeForce 8400 GS 256MB DH PCIe x1 Card (*use the PCIe riser card for dc7700 usdt: EU054AA)	126	136			X		X	X	XCMT XSFF		X	
KG748AA	NVIDIA Quadro NVS 290 256MB PCIex16 Card	137	147					X		XCMT XSFF	XCMT XSFF		
KN586AA	NVIDIA Quadro NVS 290 256MB PCIex1 Card	137	147			X		X		XCMT XSFF			
DC198A	HP DVI Cable Kit	30	32			X	X	X	X	X	X	X	
DL139A	DMS-59 to Dual DVI Cable Kit,accessory Splitter cables to provide digital display connection to 2 displays	45	48		↘	X	X	X	X	XCMT XSFF	XCMT XSFF		
FH973AA	HP DisplayPort To DVI-D Adapter	32	34					XuT	XuT	XCMT	XCMT		
HP Communications													
PZ928AA	HP Wireless A+G PCI Adapter	112	121			X	X	X	X	XCMT XSFF		X	
FH971AA	HP Wireless 802.11b/g/n PCIe x1 Card	46	49					X	X	XCMT XSFF	XCMT XSFF	X	
EA833AA	Broadcom NetXtreme Gigabit PCIe NIC	75	81			X	X	X	X	XCMT XSFF	XCMT XSFF	X	
FS215AA	NIC - Broadcom NetXtreme Gigabit Ethernet Plus PCIe NIC Card	67	72					X	X		XCMT XSFF		
EH352AA	Intel Pro 1000PT Gigabit RoHS PCIeNIC Cd	80	86			X	X	X	X	XCMT XSFF			
HP Mouse and Keyboard													
EY703AA	HP PS/2 2-Button Optical Scroll Mouse	24	26			X	X	X	X	X	X	X	
DC172B	HP USB 2-button optical scroll mouse (carbon/silver)	30	32			X	X	X	X	X	X	X	
GW405AA	HP USB 2-Button Laser Mouse	46	50					X	X	X	X	X	
ED707AA	HP USB Smartcard Keyboard, no hotkeys	60	65			X	X	X	X	X	X	X	
DT527A	HP PS/2 Standard Keyboard	30	32			X	X	X	X	X	X	X	
DT528A	USB Standard Keyboad	30	32			X	X	X	X	X	X	X	
HP Security													
GJ116AA	HP (dc7800)Solenoid Lock Hood Sensor Kit	33	36							XSFF			
PC766A	Kensington Security Lock	73	79			X	X	X	X	X	X	X	
GJ121AA	HP (dc7800 USDT) Rear Port Control Cover	20	22							XUsdt			
EM717AA	USB Biometric Fingerprint Reader	56	60			X	X	X	X	X			
FH974AA	HP ProtectTools Version 4.0 (1 User)	14	15					X	X	X	X	X	
PV606AA	HP Business security lock kit (Clamp lock with cable and master key)	60	65			X	X	X	X	XCMT XUsdt	X	X	
MS Office 2007 MLK													
RZ362A	Microsoft Office Basic Edition 2007 (MLK only)	223	240		P	X1	X1	X1	X1	X1	X1	X1	
RZ364A	Microsoft Office Professional Edition 2007 (MLK only)	362	390		P	X	X1	X1	X1	X1	X1	X1	
RZ366A	Microsoft Office Small Business 2007 (MLK only)	297	320		P	X	X1	X1	X1	X1	X1	X1	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.			dc5700 Series	dc5750 Series	dc5800 Series	dc5850 Series	dc7800 Series	dc7900 Series	rp5700 Series	
HP Other Accessories													
GF344AA	HP 2008 SFF Wall Mount/Security Sleeve	96	103					XSFF	XSFF	XSFF	XSFF	X	
GJ117AA	HP Tower Stand	15	16							XUsdt	XUsdt		
GJ118AA	HP 2007 SFF Tower stand	17	18					XSFF	XSFF	XSFF	XSFF		
GN783AA	HP Integrated Work Center (IWC)	120	129							XUsdt	XUsdt		
EM449AA	HP USB to Serial Adapter	47	51			X	X	X	X	X	X	X	
PA716A	2nd Serial Port Adapter	30	32			X	X	X	X	XCMT XSFF	XCMT XSFF		
KD061AA	HP Parallel Port Adapter	24	26					X	X		XCMT XSFF		
GJ115A	HP PCI Riser Card	40	43							XSFF	XSFF		
KH887AA	HP 2-Port Powered Serial Card	81	87									X	
KH888AA	HP 4-Po45 Powered USB Card	97	104									X	
PA997A	HP IEEE 1394 PCI Card	46	50			X	X	X	X	XCMT XSFF	XCMT XSFF		
HP Display Accessories													
EE418AA	HP Flat Panel Speaker Bar	23	25		P								
KK912AA	HP Thin USB Speakers	45	48										
EM870AA	HP Quick Release Kit	48	52										
HP Care Packs													
U7896E	HP 4y NextBusDay Onsite Desktop HW Supp - dc7xxx	83	89		P					X	X		
U6578E	HP 3y NextBusDay Onsite DT Only - dc5700, dc5750, dx5150, dx21xxx (1y std warr)	92	99		P	X	X	X	X				

X1 : for Office Ready PCs only

For information on HP Care Packs please refer to the following webpage:
http://www.hp.com/ch/hpcarepack

The complete accessory portfolio is also available on:
http://h10071.www1.hp.com/gms/ch/de/sz4/printer-computer-accessories.html

HP Compaq Thin Clients

HP Compaq Thin Client t5000 Series Simple, dependable, manageable and more secure solutions for your business environment		
Model	**t5135 Thin Client**	**t5530 Thin Client**
Operating System	HP ThinConnect - stateless	Microsoft® Windows® CE 5.0
Browser		
Processor	VIA Eden 400 MHz	VIA Eden 800 MHz
Memory	64 MB Flash, 128 MB DDR SDRAM (16 MB of system RAM are reserved for video graphics usage)	64 MB Flash, 128 MB DDR SDRAM (16 MB of system RAM is reserved for video graphics usage)
Video	16 MB UMA graphics memory	
Expansion slots		
I/O and peripheral support	Enhanced USB with Windows keys (104 keys) included, VGA-type video output (DB-15), local and/or network printer support	Enhanced USB with Windows keys (104 keys) included, VGA-type video output (DB-15), local and/or network printer support
Connectivity	8 USB 2.0 Ports (2 front, 4 rear, 2 in secure top compartment to prevent theft), 1 serial, 1 parallel, 2 PS/2	8 USB 2.0 ports (2 in front, 4 in back, 2 in secure top compartment to prevent theft), 1 serial, 1 parallel, 2 PS/2
Emulations	1600 x 1200, 24 bit @ 60 Hz	1600x1200, 32 bit @ 60 Hz
Management	DHCP support	
Deployment	HP ThinState USB easy deployment Tools, Altiris Deployment Solution, FTP & DHCP image update	Altiris Deployment Solution, HP ThinState USB easy deployment Tools, integrated and licensed for HP OpenView Client Configuration Manager, FTP & DHCP image update
Dimensions (W x D x H	20.5 x 19.5 x 5.5 cm without stand, 10.0 x 19.5 x 23.0 cm with stand	18.57 x 5.24 x 20.47 cm with stand
Weight	1.3 kg with stand, shipping weight: 3.8 kg	1.6 kg with stand
Power	Worldwide auto-sensing 100-240 VAC, 50-60 Hz energy-saving automatic power-down, surge-tolerant power supply	
Warranty	Three-year pick-up and return warranty. Certain restrictions apply. Visit the HP Customer Support Center for details	

t5135

Prod-No.	Description	VAT excl.	VAT incl.		
RK271AA	HP t5135 LNX 400MHZ 64F/128R TC HP Compaq t5135 Thin Client: The simple solution at our best price. ICA, rDesktop support to meet your essential thin client computing needs	322	346		↘

t5530

Prod-No.	Description	VAT excl.	VAT incl.		
RK270AA	HP t5530 CE 800MHZ 64F/128R TC HP Compaq t5530 Thin Client with Windows CE: Enhanced features for mainstream business use. Includes ICA, RDP, Browser, Media player, and Altiris	398	428		↘

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq Thin Client t5000 Series
Simple, dependable, manageable and more secure solutions for your business environment

Model	**t5540 Thin Client**	**t5545 Thin Client**	**t5630 Thin Client**
Operating system	Microsoft Windows CE 6.0 R2	HP ThinPro	Genuine Windows XP Embedded
Browser	Microsoft® Internet Explorer 6.0	Firefox	Microsoft® Internet Explorer 7.0
Processor	VIA Eden 1 GHz		
System memory	128 MB Flash, 512 MB DDR2 SODIMM (64 MB of system RAM is reserved for video graphics usage)	512 MB Flash, 512 MB DDR2 SODIMM (64 MB of system RAM is reserved for video graphics usage)	1 GB Flash, 1 GB DDR2 SODIMM (64 MB of system RAM is reserved for video graphics usage)
Video	VIAChrome9 HC3 Integrated Graphics with support for high-resolution monitors up to 1920 x 1440 or up to 32-bit color depth, 64 MB of graphicsmemory	VIAChrome9 HC3 Integrated Graphics with support for high-resolution monitors up to 2048 x 1536 or up to 32-bit color depth, 64 MB of graphicsmemory	VIAChrome9 HC3 Integrated Graphics with support for high-resolution monitors up to 1920 x 1200 or up to 32-bit color depth, 64 MB of graphicsmemory
Ports and jacks	USB or PS/2, VGA-type video output, local and/or network printer support		
I/O and peripheral support	6 USB 2.0 ports (two in front, two in rear, two in secure USB compartment), 1 VGA, 1 DVI-D, 2 PS/2, 1 serial, 1 parallel, 1 RJ-45		
Connectivity	10/100/1000 Ethernet, twisted pair (RJ-45), TCP/IP with DNS and DHCP, DHCP with FTP option for automatic updates, Point-to-Point Protocol (PPP), Point-to-Point over Ethernet (PPPoE), VPN connection via MS Point-to-Point Tunneling Protocol (PPTP), Layer-2 Tunneling Protocol (L2TP), Direct Connection through RS-232, Wake on LAN (WOL), PXE		10/100/1000 Ethernet, twisted pair (RJ-45), TCP/IP with DNS and DHCP, Point-to-Point Protocol (PPP), Point-to-Point over Ethernet (PPPoE), Point-to-Point Tunneling Protocol (PPTP), Layer-2 Tunneling Protocol (L2TP), Server Network Time Protocol (SNTP), Simple Network Management Protocol (SNMP), Wake on LAN (WOL), PXE
Emulations	Built in dual monitor support (VGA and DVI-D native) - supporting a broad range of HP monitors		
Networking / communication	Altiris Deployment Solution (full client license), HP Device Manager, HP ThinState for image capture and redeploy, Support for HP Client Automation		
Software included	Altiris Deployment Solution (full client license), HP ThinState for image capture and redeploy, HP ThinConnect Connection Manager, Citrix ICA 10.x and Microsoft RDP 6.0, HP Device Manager Agent, VNC for remote control, TeemTalk Terminal Emulation Suite, ThinPrint print TCP client (available as add-on)	Altiris Deployment Solution (full client license), HP ThinState for image capture and redeploy, Citrix ICA 10.x and RDesktop 1.6, HP Device Manager Agent, VNC for remote control, Sun JRE 1.6, X.org 7.x, TeemTalk Terminal Emulation Suite, ePDFView (PDF viewer), ThinPrint print TCP client (available as add-on)	Altiris Deployment Solution (full client license), HP ThinState for image capture and redeploy, Citrix ICA 10.x and Microsoft RDP 6.0, HP DeviceManager Agent, TeemTalk Terminal Emulation Suite, Windows Media Player 11, Symantec Endpoint Protection Agent, ThinPrint print TCP client (available as add-on)
Server OS compatibility / support	Windows 2000/2003 Server families, Windows 2000/2003 Server Terminal Services, Windows 2008 Server, Windows 2000 Advanced Server, Windows 2000 Advance Server Terminal Services, Citrix Presentation Server (up to 4.5), VMware Virtual Desktop Infrastructure using RDP		
Dimensions (W x D x H)	5.20 x 21.59 x 21.97 cm with stand		
Weight	1.54 kg with stand		
Power	Worldwide auto-sensing 100-240 VAC, 50-60 Hz energy-saving automatic power-down, surge-tolerant 50 W power supply		
Warranty	3 years pick-up and return service (Certain restrictions apply)		

t5540

Prod-No.	Description	VAT excl.	VAT incl.		
FQ799AA	HP t5540 CE 1GHZ 128F/512R TC	475	511	**N**	
FU247EA	HP t5540 CE 128F/512R TC	475	511	**N**	

t5545

Prod-No.	Description	VAT excl.	VAT incl.		
FQ798AA	HP t5545 Linux 1GHZ 512F/512R TC	475	511	**N**	
FU252EA	HP t5545 LNX 1GHz 512F/512R VESA TC	475	511	**N**	

t5630

Prod-No.	Description	VAT excl.	VAT incl.		
FU247EA	HP t5540 CE 128F/512R TC	475	511	**N**	
FU257EA	HP t5630 LNX 1GHz 512F/512R(VESA) TC	634	682	**N**	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Compaq Thin Client t5000 Series
Simple, dependable, manageable and more secure solutions for your business environment

Model	**t5730 Thin Client**	**t5735 Thin Client**
Processor	AMD Sempron 2100+, 1 GHz	AMD Sempron 2100+, 1 GHz
System memory	512 or 1 GB (32 MB reserved for video)	512 MB (32 MB reserved for video)
Flash memory	1 GB	1 GB
Video	ATI Radeon X1250 graphics. Maximum video resolution is 2048x1536, standard screen, 1920x1200, wide screen	
Ports	Base unit: USB 2.0: eight (2 front/4 rear/2 in secure USB compartment); Serial: one; PS/2: two Optional Expansion Module: Serial: one; Parallel: one	
Audio	Mic in/headphone out Internal amplified speaker, 1/8-inch mini output, full 16-bit stereo, 44 KHz sample rate	
Networking	TCP/IP with DNS and DHCP support 10/100/1000 Gigabit Ethernet, twisted pair (RJ-45) Point-to-Point Protocol (PPP), Direct Connection through RS-232, Point-to-Point over Ethernet (PPPoE) VPN Connection through MS Point-to-Point Tunneling Protocol (PPTP) Layer 2 Tunneling Protocol (L2TP) Wake on LAN PXE Simple Network Management Protocol (SNMP)	TCP/IP with DNS and DHCP support 10/100/1000 Gigabit Ethernet, twisted pair (RJ-45) Point-to-Point Protocol (PPP), Direct Connection through RS-232 Wake on LAN PXE
Dimensions	Without stand: 254.5 x 45.7 x 215.14 mm; with stand: 266.7 x 45.7 x 215.14 mm	
Local operating system	Microsoft Windows XP Embedded with SP 2	Debian Linux 4.0 (Linux Kernel 2.6)
Client software	Citrix ICA 10.x Program Neighborhood Microsoft RDP 6.0 Microsoft Internet Explorer 7.0 HP Neoware TeemTalk Terminal Emulator Altiris manageability agent (full client license	Citrix ICA 10.x Program Neighborhood rdesktop client 1.5 (for RDP) HP Connection Administrator Debian Iceweasel (Firefox) browser HP Neoware TeemTalk Terminal Emulator Altiris manageability agent (full client license)
Session Allocation managers/Session Brokers	HP PC Session Allocation Manager Software5 for the Consolidated Client Infrastructure Citrix Desktop Broker for Virtual Desktop Infrastructure	Citrix Desktop Broker for Virtual Desktop Infrastructure
Security features	Configurable local storage, locked down user accounts, administrator and user passwords Remote BIOS configurability to lock down ports HP Sygate Security Agent with an application-centric firewall, application control, intrusion prevention, and policy enforcement Enhanced Write Filter helps prevent unauthorized application installations and virus writing to disk Secure USB compartment protects USB assets	Configurable local storage, locked-down user accounts, administrator and user passwords Remote BIOS configurability to lock down ports Secure USB compartment protects USB assets
Manageability and deployment	Image and BIOS manageable via Altiris Deployment Solution DHCP and FTP settings update feature HP ThinState Tools for rapid deployment of image and settings to target thin clients HP OpenView Client Configuration Manager (Basic Edition)	Image and BIOS management with Altiris Deployment Solution HP ThinState provides local "master image capture" to a USB flash drive or thin client itself and allows image to be deployed to similar HP thin clients using the bootable flash drive or directly through network
Server OS compatibility/support	Citrix Presentation Server (up to 4.5) Citrix Metaframe Presentation Server 3.0 Citrix Metaframe XP Presentation Server Citrix Metaframe 1.x Microsoft® Windows® NT 4.0 Server Windows NT 4.0 Terminal Server Edition Windows 2000/2003 Server families Windows 2000/2003 Server Terminal Services Windows 2000 Advanced Server Windows 2000 Advance Server Terminal Services VMware Virtual Desktop Infrastructure using RDP	Citrix Presentation Server (up to 4.5) Citrix Metaframe Presentation Server 3.0, Citrix Metaframe XP Presentation Server Citrix Metaframe 1.x Microsoft® Windows® NT 4.0 Server Windows NT 4.0 Terminal Server Edition Windows 2000/2003 Server families Windows 2000/2003 Server Terminal Services Windows 2000 Advanced Server Windows 2000 Advance Server Terminal Services VMware Virtual Desktop Infrastructure using RDP
Warranty	Limited three-year hardware warranty	

t5730

Prod-No.	Description	VAT excl.	VAT incl.		
KD219AA	HP t5730 S2100 1GF/512R Thin Client	760	818		
GY229AA	HP t5730 XPE S2100 1GF/512R WIFI ROW TC	840	904		
GY227AA	HP Compaq t5730 S2100 1GF/1GR TC	855	920		
NB793AA	HP t5730 S2100 1GF/1GR WIFI ALL TC	768	826		↗

t5735

Prod-No.	Description	VAT excl.	VAT incl.		
GY231AA	HP t5735 LNX S2100 1GF/512R TC	639	688		

HP Compaq Thin Clients - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			t5135	t5530	t5720	t5725	t5730	t5735
HP Accessories											
GZ286AA	HP t5730/t5735 Expansion Module	64	69							X	X
EM870AA	HP Quick Release Kit	48	52			X	X	X	X	X	X
PC766A	Kensington Security Lock	73	79			X	X	X	X	X	X
ED707AA	HP USB Smartcard Keyboard, no hotkeys	60	65			X	X	X	X	X	X
EK694AA	2006 Agere PCI high-speed international soft modem	45	48			X	X	X	X	X	X

For information on HP Care Packs please refer to the following webpage:
http://www.hp.com/ch/hpcarepack

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Monitors

HP Essential Line TFT

HP Essential Line TFT			
	HP 1710	**HP L1908w**	**L2208W**
Panel type	Active Matrix TFT (thin film transistor); Anti-glare and anti-static coatings	19-inch diagonal Wide-Aspect Active Matrix TFT (thin film transistor)	22-inch diagonal Wide-Aspect Active Matrix TFT (thin film transistor)
Viewable image area	17 inches diagonal	19 inches diagonal widescreen (WXGA+)	22 inches diagonal widescreen (WXGA+)
Viewing angle	160° horizontal, 160° vertical	Up to 160° horizontal/160° vertical (10:1 minimum contrast ratio)	
Brightness	300 nits		
Contrast ratio	800:1	1000:1	
Response rate	5 ms	≤5 ms (on/off)	5 ms (on/off)
Pixel pitch	0.264 mm		
Frequency	Horizontal frequency: 24-83 kHz, Vertical frequency: 50-77 Hz		24 to 83 kHz (VGA input); 50 to 76 Hz (VGA input)
Resolution	1280 x 1024 @ 60 Hz (native), all VESA modes up to 1280 x 1024 @ 75 Hz	1440 x 900 @ 60 Hz (native)	1440 x 900 @ 60 Hz; 1280 x 1024 @ 60 Hz and 75 Hz; 1024 x 768 @ 60 Hz and 75 Hz; 800 x 600 @ 60 Hz and 75 Hz; 640 x 480 @ 60 Hz and 75 Hz; 720 x 400 @ 70 Hz; 1152 x 870 @ 75 Hz and 832 x 624 @ 75 Hz; 1152 x 900 @ 66 Hz
Input signal	15-pin D-sub mini connector detached	15-pin D-sub (Analog VGA)	
Video cable	15-pin mini D-sub analog VGA connector	Detachable 15-pin D-sub mini connector	
User controls (on-screen display)	Image control (auto, horizontal, vertical), color temperature (6500k, 9300k, custom, sRGB), brightness, contrast, clock, clock phase, monitor management (power saver, sleep, power on recall, power on status, DDC/CI support, bezel power LED), factory reset	Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), individual color control, serial number, display, clock, clock phase, monitor management, factory reset, zoom	
Base features	Tilt range: -5° to + 25° vertical tilt, no swivel range, no height adjust, detachable base		Tilt range: -5° to + 25° vertical
Power consumption	30 watts maximum		50 watts maximum
Power supply	Universal/auto-sensing, 100 to 240 VAC, 50 to 60 Hz		
Power consumption, Standby	2 watts		
Dimensions (W x D X H)	37.7 x 5.7 x 31.6 cm	With stand: 37.0 x 44.6 x 18.7 cm without stand (head only): 30.1 x 44.6 x 5.9 cm	With stand: 41.46 x 51.48 x 19.2 cm without stand (head only): 34.52 x 51.48 x 6.0 cm
Weight	4.7 kg	5.63 kg	5.41 kg

Certification and compliance	ISO 13406-2 pixel defect guidelines, MPR-II, CISPR, VCCI, CSA(Canada), ACA (Australia), TUV and GS Mark (German ergonomic), BSMI (Taiwan), CCC (China), MIC (South Korea), NOM (Mexico), Eastern European approvals, CE Marking, FCC approval, ENERGY STAR® qualified, TCO '03 (emissions, ergonomics, environment), Microsoft® Windows® certified (Microsoft® Windows® 2000, Microsoft Windows XP, and Windows Vista®), UL listed, GOST (Russia), SASO (Saudi Arabia), Restrictions of Hazardous Substances (RoHS) Directive, 2002/95/EC, Waste Electrical and Electronic Equipment (WEEE) Directive, 2002/96/EC	TCO'03, ISO 13406-2 VDT Guidelines Approval, MPR-II Compliant, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, ENERGY STAR® Qualified, PC-2001 Certified, Microsoft® Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, Microsoft Windows XP, and Windows Vista®)
Warranty	Limited 3 years parts, labour and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. For details, contact HP Customer Support or Service	

Prod-No.	Description	VAT excl.	VAT incl.		
GS917AA	HP L1710 LCD Monitor	306	329		
GP536AA	HP L1908w Wide LCD Monitor	301	324		
GP537AA	HP L1908wi Wide LCD Monitor with Integrated Work Center	351	378		
GX007AA	HP L2208w Wide LCD Monitor	368	396		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Advantage line TFT

HP Advantage Line TFT				
	HP L1950g	**HP L1945wv**	**L2245wg**	**L2445w**
Panel type	19-inch Active Matrix TFT (thin film transistor)	Wide-Aspect Active Matrix TFT (thin film transistor); Anti-glare and anti-static coatings	22-inch Wide-Aspect Active Matrix TFT (thin film transistor)	24-inch Wide-Aspect Active Matrix TFT (thin film transistor)
Viewable image area (diagonal)	19 in/48.25 cm	19 inches diagonal	22 in (55.9 cm) widescreen; diagonally measured (WSXGA+)	24 in (61 cm) widescreen; diagonally measured
Viewing angle	160° horizontal/160° vertical (10:1 minimum contrast ratio)	160° horizontal, 160° vertical	Up to 160° horizontal/160° vertical (10:1 minimum contrast ratio)	
Brightness	300 nits			400 nits (cd/m2)
Contrast ratio	800:1	1000:1	1000:1	1000:1
Response rate	5 ms (rise + fall)	5 ms	5 ms (on/off)	5 ms (on/off)
Pixel pitch	0.294 mm	0.282 mm		
Frequency	24 to 83 kHz horizontal; 50 to 77 Hz vertical	Horizontal frequency: 24-83 kHz, Vertical frequency: 50-76 Hz	Horizontal: 24 to 83 kHz (VGA input); 24 to 83 KHz (DVI input for modes with pixel clock less than 165 MHz) Vertical: 50 to 76 Hz (VGA input); 50 to 76 Hz (DVI input for modes with pixel clock less than 165 MHz)	
Resolutions supported	1280 x 1024 @ 60 Hz (analog and digital)	1440 x 900 @ 60 Hz (native), all VESA modes up to 1440 x 900 @ 60 Hz	All VESA standard video modes up to 1680 x 1050 @ 60 Hz; Also supports some Mac (1152 x 870 @ 75 Hz and832 x 624 @ 75 Hz) and Sun (1152 x 900 @ 76 Hz) models	All VESA standard video modes up to 1920 x 1200 @ 60 Hz (WUXGA), 16.7 million pixels; Also supports some Mac (1152 x 870 @ 75 Hz and 832 x 624 @ 75 Hz) and Sun (1152 x 900 @ 76 Hz) models
Input signal	Two connectors: one 15-pin mini D-sub analog VGA and one DVI-D (VGA analog or digital)	15-pin D-sub VGA	Two connectors: one 15-pin mini D-sub analog VGA and one DVI-D (VGA analog or digital)	VGA and DVI-D, HDCP support
Video cable	15-pin D-sub mini connector; detached			15 pin D-sub VGA
User controls (on-screen display)	Size and positioning, contrast, brightness, clock, clock phase, selectable colour temperature, serial number, mode displayed, sleep timer, input selection, factory reset, individual colour contrast, full-screen resolution	Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), serial number, display, clock, clock phase, monitor management, factory reset	Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), individual color control, serial number, display, clock, clock phase, monitor management, factory reset, zoom	
Base features	Tilt: -5° to + 35° vertical; Swivel: -45° to + 45°; Height adjustment: 5.12 in (13.0 cm) range, Pivot rotation: 90°			
Self powered USB 2.0 hub		USB 2.0 Hub: self-powered, two ports (cable included)	One upstream, two downstream ports (cable included)	One upstream, four downstream ports (cable included)
Built-in power supply	Auto-ranging, 90 to 265 VAC; internal power supply	Auto-Sensing, 100 to 240 VAC, 50 +/-3 Hz to 60 +/-3 Hz	Yes	

Power consumption	Average: 30 watts; Power-saving mode: < 2 watts; Off mode: < 1 watt	65 watts maximum, 2 watts standby	60 watts (USB ports fully loaded) typical; < 65 watts maximum; < 2 watts power saving	Maximum: < 120 watts; Typical: 85 watts (without speaker/with 25% USB); Power saving: 2 watts standby; Off: 1 watt
Dimensions (h × w × d)	Packaged: 56.5 x 42.0 x 22.6 cm; Unpacked w/stand: 37.8 x 41.4 x 30.1 cm (lowered); 50.8 x 41.4 x 30.1 cm (raised); Unpacked w/o stand (head only): 41.4 x 34.7 x 5.8 cm	44.6 x 5.9 x 30.1 cm	Unpacked with stand:; 50.09 x 51.48 x 30.12 cm; Without stand: 34.52 x 51.48 x 6.0 cm; Packaged: 41.7 x 61.2 x 22.7 cm	Unpacked with stand:; 39.66 to 52.68 x 56.55 x 30.1 cm; Without stand: 37.11 x 56.55 x 8.3 cm; Packaged: 46.5 x 66.5 x 28.5 cm
Weight	Unpacked: 6.5 kg packaged: 8.8 kg	6.8 kg	Unpacked: 7.728 kg; packaged: 9.27 kg	Head only: 6.3 kg; Unpacked: 9.88 kg; Packaged: 12.8 kg
Warranty	Limited three years parts, labour, and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply.			

Prod-No.	Description	VAT excl.	VAT incl.		
KR145AT	HP L1950g 19" LCD Monitor	278	299		**B**
KH128AA	HP L1945wv LCD Monitor 22 Inch Wide	336	362		
GX008AT	HP L2245w LCD Monitor 22 Inch Wide	343	369		**B**
FL472AT	HP L2245wg LCD Monitor 22 Inch Wide	343	369	**N**	**B**
KT931AT	HP L2445w LCD Monitor	492	529	**N**	**B**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Professional line TFT

HP Professional Line TFT			
	HP LP1965	**HP LP2275w**	**HP LP2475w**
Panel type	Active matrix TFT (thin film transistor). Anti-glare and anti-static coatings	PVA; Anti-glare and anti-static coatings, 22 inches widescreen	S-IPS; Anti-glare and anti-static coatings
Viewable image area (diagonal)	19 inches diagonal	22 inches diagonal	24 inches diagonal
Viewing angle	178° horizontal, 178° vertical	178° horizontal, 178° vertical	178° horizontal, 178° vertical
Brightness	300 nits	300 nits	400 nits
Contrast ratio	1000:1	1000:1	1000:1
Response rate	6 ms (typical gray to gray), 20 ms (rise and fall)	6 ms (gray to gray); 16 ms (on/off)	6 ms (gray to gray); 12 ms (on/off)
Pixel pitch	0.294 mm	0.282 mm	0.270 mm
Colour depth support	16.7 million colors		
Frequency	Horizontal frequency: 24-83 kHz, Vertical frequency: 48-76 Hz	Horizontal frequency: 30-93 kHz, Vertical frequency: 48-85 Hz	Horizontal frequency: 30-94 kHz, Vertical frequency: 48-85 Hz
Resolutions supported	1280 x 1024 @ 60 Hz (native), all VESA modes up to 1280 x 1024 @ 75 MHz	1680 x 1050 @ 60 Hz (native), all VESA modes up to 1600 x 1000 @ 60 Hz, 66 Hz, 75 Hz and 85 Hz	1920 x 1200 @ 60 Hz (native), all VESA modes up to 1920 x 1200 @ 60 Hz, 66 Hz, 75 Hz and 85 Hz
Input signal	Two connectors, dual DVI-I (VGA analog and digital)	VGA, DVI-I, DisplayPort connectors, HDCP support	DVI-I (2), HDMI, DisplayPort, Component Video, S-Video and Composite Video
Video cable	VGA to DVI-I, DVI-D to DVI-D, cables included	DVI to DVI-D, DVI-I to VGA, DisplayPort, USB, cables included	DVI-I to VGA, DVI-D, DisplayPort, HDMI, USB, cables included
User controls (on-screen display)	Size and positioning, contrast, brightness, clock, clock phase, selectable color temperature, serial number, mode displayed, sleep timer, input selection, factory reset, individual color contrast, full-screen resolution	Brightness, contrast, OSD control, color temperature (6500k, 9300k, custom, sRGB), individual color control, information, video input control, clock, clock phase, monitor management, factory reset	Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), individual color control, serial number, display, clock, clock phase, monitor management, factory reset
Built-in power supply	Auto-ranging, 90 to 265 VAC, Internal power supply, 50 to 60 Hz	100 to 240 VAC, 50 to 60 Hz	100 to 240 VAC, 50 to 60 Hz
Power consumption	55 watts maximum, 35 watts typical, 2 watts standby	95 watts maximum, 56 watts typical, 2 watts standby	120 watts maximum, 75 watts typical, 2 watts standby
Dimensions	Without stand: 40.39 x 6.1 x 32.91 cm, with stand: 40.39 x 22.29 x 37.72 (minimum) to 47.72 (maximum) cm	50.6 x 8.2 x 32.8 cm	55.6 x 8.3 x 36.2 cm
Weight	Without stand: 4.19 kg, with stand: 7.06 kg	8.5 kg	9.1 kg
Base features	–4° to 30° vertical tilt, ±45° swivel, 90° pivot/landscape rotation, 10 cm height adjust, detachable "quick release"	Tilt range: -5° to + 30° vertical tilt, swivel range: -45° to +45°, height adjust: 100 mm, pivot rotation	Tilt range: -5° to + 30° vertical tilt, swivel range: -45° to +45°, height adjust: 100 mm, pivot rotation
Self powered USB 2.0 hub		USB 2.0 Hub: self-powered, four ports (cable included)	USB 2.0 Hub: self-powered, six ports (cable included)

Certification and compliance	Australian ACA Approval, Canadian Requirements/CSA, CE Marking, China CCIB/CCEE Approval, CISPR Requirements, Eastern European Approvals, Energy Star Compliant, FCC Approval, German Ergonomic (TUV and GS Mark), ISO 9241-3,7,8 VDT Guidelines, ISO 13406-2 Pixel Defect Guidelines, Mexican NOM Approval, MIC Requirements (New Zealand), MPR-II Compliant, Nordic Approvals (Nemko, Fimko, Demko, Semko), PC2001 Compliant, PC99 Certified, S. Korean MIC Approval, Taiwan BSMI Approval, TCO 03 (emissions, ergonomics, environment), TUV-Ergo, UL Listed, VCCI Approvals, Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, and Microsoft Windows XP)	TCO'03, ISO 13406-2 VDT Guidelines Approval, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, ENERGY STAR® qualified, Microsoft® Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, Microsoft Windows XP, and Windows Vista® Premium), EPEAT™ Silver	TCO'99, ISO 13406-2 VDT Guidelines Approval, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, Microsoft® Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, Microsoft Windows XP, and Windows Vista® Premium), EPEAT™ Silver
Warranty	Limited three years parts, labour and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. Contact HP Customer Services for details.		

Prod-No.	Description	VAT excl.	VAT incl.		
RA374AT	HP LP1965 LCD Monitor	417	449		B
EF227A4	HP LP2065 20" TCO03 LCD Monitor	464	499		B
KE289AT	HP LP2275w 22 inch LCD Monitor	492	529		B
KD911AT	HP LP2475w 24" LCD Monitor	743	799		B

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Professional Line TFT

Screen image courtesy of DreamWorks Animation SKG.

	HP Dreamcolor LP2480ZX Professional LCD Display
Part number	GV546A4
Panel type	IPS 24-in (60.96-cm) wide-aspect screen
Viewable image area	24 in (60.96 cm) wide-aspect screen
Viewing angle	178 degrees (to CR of 10:1 min.)
Maximum white luminance	250 cd/m^2 (typ.)
Minimum white luminance	50 cd/m^2 (typ.)
Black luminance	0.05 cd/m2 (typ. black level at minimum white level)
Contrast ratio	1000:1
Response rate	12 ms (rise+fall, full black-to-white-to-black); 6 ms (gray to gray)
Pixel pitch	0.270 mm
Gamma/tone response	Programmable from "gamma" value of 1.0 to 3.0.
Color gamut	Native gamut approx. 133% NTSC (in CIE1976 u'v' space)
Adobe RGB coverage	100%
sRGB coverage	100%
Display colors	Over 1 billion colors in native mode
Lookup table	12 bits per entry, 1024 entries per table.
Internal processing	Min. 10 bits/color throughout video processing pipeline.
OSD functions	Color Space, Brightness, Color Temp, Reset to Factory Cal., Reset to Last, Black Level, Overdrive, Custom Scaling, Crop (L-C-R), PIP Control, Auto Adjust, H Position, V Position, Clock, Clock Phase, Hue, Saturation, Language, Intuitive OSD supporting key features of monitor
Native resolution	1920 x 1200 pixels
Preset graphic modes	Up to 2048 x 1200 @ 60 Hz
SDTV/HDTV timing modes (per CEA standards unless otherwise noted)	Up to 1920 x 1080 @ 60 Hz (progressive)
Color space presets	7 color space presets; One userprogrammable plus six factory programmed: sRGB, Rec. 709, SMPTE-C, Adobe™ RGB, DCI-P3 (emulation), full
Video inputs	DVI-I (2), DisplayPort 1.1, HDMI 1.3, Component (YPbPr), S-Video, Composite
Self-powered USB 2.0 hub	1 upstream, 4 downstream USB 2.0 ports.
Power consumption	Typical: 42 W (no USB devices connected, and sRGB Color Space preset); Maximum: 90 W; Power Saving: 10 W in "sleep" mode; 3W in "off" mode
Frequency	50/60 Hz
Dimensions (h x w x d)	Unpacked 42.5 to 52.5 x 56.5 x 25.4 cm Unpacked w/o stand (head only: 37.5 x 56.5 x 9.8 cm Packaged: 46.8 x 68.2 x 37.1 cm
Weight	Unpacked 12.5 kg; Unpacked w/o stand (head only): 8.5 kg; Packaged: 15 kg
Base features	Tilt Range -5 to +35 degrees; Swivel Range: 45 to +45 degrees; Height Adjustable: 3.94 in (10.0 cm) range; Pivot Rotation: 90 degrees
Certification and compliance	TCO'99, ISO 13406-2 VDT Guidelines Approval, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, Microsoft® Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, Microsoft Windows XP, and Windows Vista® Premium)
Warranty	Three years parts, labor, and on-site service. 24-hour, 90-day, toll-free technical support. Replacement options may include second business day on-site service, or next business day direct replacement, at HP's sole discretion. With direct replacement, HP will ship a replacement display product directly to you. Using the prepaid shipping labels provided, return your failed display to HP in the same packaging as the replacement. Certain restrictions and exclusions apply. For details see your product warranty or contact HP Customer Support.

Prod-No.	Description	VAT excl.	VAT incl.		
GV546A4	HP LP2480zx 24" LCD Monitor	3'723	4'006		

HP Professional Line TFT	
	HP LP3065
Type	Active Matrix TFT (thin film transistor); Anti-glare and anti-static coatings
Viewable image area	30.0 inches diagonal
Viewing angle	178° horizontal, 178° vertical
Brightness	300 nits
Contrast ratio	1000:1
Response rate	6 ms (typical gray to gray), 12 ms (rise and fall)
Dot/Pixel pitch	0.250 mm
Colour depth support	16.7 million colors
Frequency	Horizontal frequency: 100 kHz, Vertical frequency: 60 Hz
Resolution	2560 x 1600 @ 60 Hz (native)
Input signal	Three dual-link DVI-D inputs (Windows PC and graphics card that supports DVI ports with dual-link digital bandwidth and VESA DDC standard for plug-and-play setup requires a DVI-D dual-link graphic card that supports WQXGA (2560 x 1600) resolution.)
Video cable	Two dual-link DVI cables
User controls (on-screen display)	Brightness, input selection
Base features	Tilt range: -5° to + 30° vertical tilt, swivel range: -45° to +45°, height adjust: 100mm, detachable base.
Power consumption	176 watts maximum, 118 watts typical, 2 watts Standby
Power supply	Auto-Sensing, 100 to 240 VAC, 50 +/-3 Hz to 60 +/-3 Hz)
Dimensions	Packaged: 79.0 x 37.8 x 56.8 cm, unpacked w/stand: 69.2 x 24.0 x 49.0(min) to 59.0(max) cm, unpacked w/o stand: 69.2 x 8.4 x 45.5 cm
Weight	13.4 kg
Certification and compliance	Australian ACA Approval, Canadian Requirements/CSA, CE Marking, China CCIB/CCEE Approval, CISPR Requirements, Eastern European Approvals, Energy Star Compliant, FCC Approval, German Ergonomic (TUV and GS Mark), ISO 9241-3,7,8 VDT Guidelines, ISO 13406-2 Pixel Defect Guidelines, Mexican NOM Approval, MIC Requirements (New Zealand), MPR-II Compliant, Nordic Approvals (Nemko, Fimko, Demko, Semko), S. Korean MIC Approval, Taiwan BSMI Approval, TCO 99 (emissions, ergonomics, environment), TUV-Ergo, UL Listed, VCCI Approvals, Microsoft® Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, and Microsoft Windows XP)
Warranty	Limited 3 years parts, labour and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. For details, contact HP Customer Support or Service.

Prod-No.	Description	VAT excl.	VAT incl.		
EZ320A4	HP LP3065 30 Inch LCD Monitor	1'486	1'599		P

For information on HP Care Packs please refer to the following webpage:
http://www.hp.com/ch/hpcarepack

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Workstation xw4550

	HP Workstation xw4550	
Form factor	Rackable Convertible Minitower	
Chipset	AMD 690G with ATI Radeon X1250	
Front Side Bus		
Processor Second-Generation AMD Opteron™ 1000 Series processors with HyperTransport	AMD Opteron 1212 2.00 GHz 1MB Cache per Core/ Dual-Core AMD Opteron 1214 2.20 GHz 1MB Cache per Core/ Dual-Core AMD Opteron 1216 2.40 GHz 1MB Cache per Core/ Dual-Core AMD Opteron 1218 2.60 GHz 1MB Cache per Core/ Dual-Core AMD Opteron 1220 2.80 GHz 1MB Cache per Core/ Dual-Core AMD Opteron 1222 3.00 GHz 1MB Cache per Core/ Dual-Core AMD Opteron 1356 2.30 GHz Quad-Core	
Bays	3 external 5.25" bays, 1 external 3.5" bay (for optional floppy drive), 2 internal 3.5" bays (3rd external 5.25" is not full depth)	
Slots	1 PCI Express x16 Graphics slot 1 PCI Express x4 slot (x1 electrical) 2 legacy PCI slots	
Interfaces	Front: 2 USB 2.0, 1 optional IEEE 1394, 1 headphone, 1 microphone Back: 6 USB 2.0, 1 standard serial port, 1 RJ-45, 1 audio line in, 1 audio line out Internal: 2 USB 2.0	
Memory Slots Max.	PC2-5300 DDR2-667 MHz ECC; PC2-5300 DDR2-667 MHz non-ECC 4 (always configure memory in pairs) 4.0 GB	
Graphics (PCI-E)	Integrated: ATI FireGL X1250 Professional 2D: NVIDIA Quadro NVS 290 Entry 3D: NVIDIA Quadro FX 370, NVIDIA Quadro FX 570 Mid-range 3D: NVIDIA Quadro FX 1700, ATI FireGL V5600	
Drive controllers	Integrated 4 channel SATA 3.0 GB/s controller with RAID capability and NCQ	
Hard drive(s)	Up to 2 Serial ATA (SATA) drives 80GB SATA 3Gb/s 7200 rpm HDD 160GB SATA 3Gb/s NCQ 7200 rpm HDD 250GB SATA 3Gb/s NCQ 7200 rpm HDD 500GB SATA 3Gb/s NCQ 7200 rpm HDD	
Network	Integrated Broadcom 5755 10/100/1000 LAN with PCI Express interface	
Optical Drive (optional)	16x DVD-ROM SATA, 16X DVD+/-RW SuperMulti SATA, Floppy Disk	
Audio	Integrated HD Audio (Realtek ALC262); optional PCI Sound Blaster X-Fi XtremeGamer	
Keyboard / mouse	USB Standard keyboard 2-button scroll mouse (optical) 2-button scroll mouse (laser) 3-button mouse (optical) USB SpacePilot, HP SpaceExplorer USB	
Choice of Preinstalled software	Microsoft Windows Vista Business 32-bit Microsoft Windows Vista Business 64-bit Microsoft Windows Vista 32-bit downgrade to Microsoft Windows XP Professional 32-bit HP Installer Kit for Linux	
Dimensions (h x w x d)	45.0 cm x 17.0 cm x 45.7 cm	
Security	Chassis lock, optional remotely lockable solonoid hood lock	
Environmental	80 PLUS efficient; ENERGY STAR 4.0 qualified optional	
Power Supply	300 Watt peak	
Warranty		

AMD Opteron 1214 2.2 1MB Dual-Core

Prod-No.	Description	VAT excl.	VAT incl.		
PW428EA	HP xw4550,Vista32w/Dwngd,2.2GHz,1GB WS Opteron 1214 2.2 1MB CPU,1GB(2x512MB) DDR2-667 ECC,Quadro NVS 285,160GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse, keyboard,floppy,Vista32 w/dwngrd	1'306	1'405		↘

AMD Opteron 1216 2.4 1MB Dual-Core

Prod-No.	Description	VAT excl.	VAT incl.		
PW431EA	HP xw4550 80+,Vista32w/Dwngd,2.4GHz WS Opteron 1216 2.4 1MB CPU,1GB(2x512MB) DDR2-667 ECC,Radeon X1250,250GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse, keyboard,Vista32 w/dwngrd	1'352	1'455		↘
KK960AW	HP xw4550 80+,Vista32 w/dngrd,2.4GHz WS Opteron 1216 2.4 1MB PU,2GB(2x1GB) DDR2-667 ECC,Quadro FX570,250GB SATA 3Gb/s NCQ,DVD+/-RW,keyboard,opt scroll mouse,Vista32 w/dwngrd	1'537	1'654		↘

AMD Opteron 1220 2.8 1MB Dual-Core

Prod-No.	Description	VAT excl.	VAT incl.		
PW447EA	HP xw4550 80+,Vista32 w/Dwngd,2.8GHz WS Opteron 1220 2.8 1MB CPU,1GB(2x512MB) DDR2-667 ECC,Radeon X1250,250GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse, keyboard,Vista32 with dwngrd	1'475	1'587		↘

AMD Opteron 1356 2.3 2MB Quad-core

Prod-No.	Description	VAT excl.	VAT incl.		
KK501EA	HP xw4550 80+,Vista32w/Dwngd,2.3GHz WS Opteron 1356 2.3 2MB QC CPU,2GB(2x1GB) DDR2-667 ECC,Radeon 1250,250GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, kybrd,3-3-3 War,Vista Bus 32 w/dwngrd	1'614	1'737		↘

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Workstation xw4600

	HP Workstation xw4600	
Form factor	Rackable Minitower	
Chipset	Intel X38 Express chipset	
Front Side Bus	1066/1333 MHz	
Processor	Intel® Pentium® Dual-Core Processor Intel Core 2 Duo E2180 / 2.00GHz, 1MB L2, 800 MHz FSB DC Intel® Core™2 Duo Processor Intel Core 2 Duo E6550 / 2.33GHz, 4MB L2, 1333 MHz FSB DC Intel Core 2 Duo E6850 / 3.00GHz, 4MB L2, 1333 MHz FSB DC Intel Core 2 Duo E7200 / 2.53GHz, 3MB L2, 1066 MHz FSB DC Intel Core 2 Duo E8300 / 2.83GHz, 6MB L2, 1333 MHz FSB DC Intel Core 2 Duo E8400 / 3.00GHz, 6MB L2, 1333 MHz FSB DC Intel Core 2 Duo E8500 / 3.16GHz, 6MB L2, 1333 MHz FSB DC Intel Core 2 Duo E8600 / 3.33GHz, 6MB L2, 1333 MHz FSB DC Intel Core 2 Quad Q6600/2.40GHz, 8MB L2, 1066MHz FSB QC Intel Core 2 Quad Q6700/2.66GHz, 8MB L2, 1066MHz FSB QC Intel Core 2 Quad Q9300/2.50GHz, 6MB L2, 1333MHz FSB QC Intel Core 2 Quad Q9550/2.83GHz,12MB L2,1333MHz FSB QC Intel Core 2 Quad Q9650/3.00GHz,12MB L2,1333MHz FSB QC Intel® Core™2 Extreme Processor Intel Core 2 Extreme QX6850/3.00GHz, 8MB L2, 1333MHz FSB QC	
Bays	3 external 5.25" bays 2 internal 3.5" bays 1 external 3.5" bay with optional floppy	
Slots	2 PCI Express x16 Graphics slot 1 PCI Express x8 (x4 electrical) slot 2 PCI Express x1 slot 3 legacy PCI slots	
Interfaces	Front: 2 USB 2.0, 1 optional IEEE-1394, headphone, microphone Back: 7 USB 2.0, 1 standard serial port (optional 2nd), 1 parallel port, 2 PS/2, 1 RJ-45, 1 audio line in, 1 audio line out, microphone, 1 external SATA 1.5GB/s Internal: 3 USB 2.0	
Memory Slots Max.	DDR2-667 ECC, DDR2-800 ECC 4 (always configure memory in pairs) 8.0 GB	
Graphics (PCI-E)	Professional 2D: NVIDIA Quadro NVS 290*, NVIDIA Quadro NVS 440, NVIDIA Quadro NVS 450 Entry 3D: NVIDIA Quadro FX 370*, NVIDIA Quadro FX 570* Mid-range 3D: NVIDIA Quadro FX 1700*, ATI FireGL V5600*, ATI FireGL V7700 High-end 3D: NVIDIA Quadro FX 3700, NVIDIA Quadro FX 4600 * 2 cards supported	
Drive controller	Integrated SATA 3.0Gb/s Controller, RAID level 0, 1, 5, and 10 capability Optional LSI 3041E 4-port SAS/SATA RAID Card	
Hard drive(s) (The third HDD would occupy an external 5.25" bay and require a bracket)	Up to 3 Serial ATA (SATA) drives 80GB SATA 3Gb/s 7200 rpm HDD 80GB SATA 3GB/s WD Raptor NCQ 10K rpm HDD 160GB SATA 3Gb/s NCQ 7200 rpm HDD 160GB SATA 3Gb/s WD Raptor NCQ 10K rpm HDD 250GB SATA 3Gb/s NCQ 7200 rpm HDD 300GB SATA 3GB/s NCQ 10K rpm SFF HDD 500GB SATA 3Gb/s NCQ 7200 rpm HDD Up to 3 Serial Attached SCSI (SAS) drives 73GB SAS 3Gb/s 15K rpm HDD 146GB SAS 3Gb/s 15K rpm HDD 300GB SAS 3GB/s 15K rpm HDD	
Network	Integrated Broadcom 5755 NetXtreme Gigabit Ethernet Controller (PCI-E) Optional Broadcom 5751 NetXtreme Gigabit Ethernet Controller (PCI-E)	
Optical Drive (optional)	16x DVD-ROM SATA, 16X DVD+/-RW SuperMulti SATA, Floppy Disk	

Audio	Integrated High Definition Audio with jack retasking capability; optional Sound Blaster X-Fi Xtreme Gamer
Keyboard / mouse	USB or PS/2 Standard keyboard 2-button scroll mouse (optical) 2-button scroll mouse (laser) 3-button mouse (optical) USB SpacePilot, HP SpaceExplorer USB
Choice of preinstalled software	Microsoft Windows Vista Business 32-bit Microsoft Windows Vista Business 64-bit Microsoft Windows Vista 32-bit downgrade to Microsoft Windows XP Professional 32-bit Microsoft Windows Vista 64-bit downgrade to Microsoft Windows XP Professional 64-bit Red Hat Enterprise Linux WS 5.0 (64-bit) HP Installer Kit for Linux
Dimensions (h x w x d)	44.9 cm x 17.0 cm x 45.7 cm
Security	Chassis lock, optional remotely lockable solenoid hood lock, Kensington lock provision
Environmental	80 PLUS efficient; ENERGY STAR 4.0 qualified optional
Power Supply	475 Watt
Warranty	3 years on-site

Intel Core 2 Duo E6550 2.33 4MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW429EA	HP xw4600,Vista32w/Dwngd,2.33GHz,2GB WS Core 2 Duo E6550 2.33 4MB/1333 CPU,2GB (2x1GB)DDR2-667 ECC,Quadro FX370, 2x160GB SATA 3Gb/s NCQ,DVD+/-RW,floppy, 3 button mouse,kybrd,Vista32 w/dwngrd	1'721	1'852		↘

Intel Core 2 Duo E6850 3.00 4MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW435EA	HP xw4600 80+,Vista32 w/Dwngd,3.00GHz WS Core 2 Duo E6850 2.20 4MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse, keyboard,Vista32 with dwngrd	1'860	2'001		↘
KK961AW	HP xw4600 80+,Vista32 w/dngrd,3.00GHz WS Core 2 Duo E6850 3.00 4MB/1333 CPU,2GB (2x1GB) DDR2-800 ECC,Quadro FX570,250GB SATA 3Gb/s NCQ,DVD+/-RW,keyboard,opt scroll mouse,Vista 32 w/dwngrd	1'937	2'084		↘
KK962AW	HP xw4600 80+,Vista32 w/dngrd,3.00GHz WS Core 2 Duo E6850 3.00 4MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,Quadro NVS 290,250GB SATA 3Gb/s NCQ,DVD,keyboard,scroll mouse,Vista32 w/dwngrd	1'844	1'984		↘

Intel Core 2 Duo E7200 2.53 3MB/1066

Prod-No.	Description	VAT excl.	VAT incl.		
PW471EA	HP xw4600 80+,Vista32w/Dwngd,2.53GHz WS Core 2 Duo E7200 2.53 3MB/1066 CPU,1GB (2x512MB)DDR2-800 ECC,160GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	1'352	1'455		↘

Intel Core 2 Duo E8400 3.00 6MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW472EA	HP xw4600 80+,Vista32w/Dwngd,3.00GHz WS Core 2 Duo E8400 3.00 6MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,250GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	1'644	1'769		↘
PW473EA	HP xw4600 80+,Vista32w/Dwngd,3.00GHz WS Core 2 Duo E8400 3.00 6MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,Quadro FX370,250GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse,keyboard,Vista Bus 32 w/dwngrd	1'798	1'935		↘
KK502EA	HP xw4600 80+,Vista32w/Dwngd,3.00GHz WS Core 2 Duo E8400 3.00 6MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,250GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	1'265	1'361		↘

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Intel Core 2 Duo E8500 3.16 6MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW474EA	HP xw4600 80+,Vista32w/Dwngd,3.16GHz WS Core 2 Duo E8500 3.16 6MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	1'798	1'935		↘
PW480ET	HP xw4600 80+,Vista32 w/Dwngd,3.16GHz WS Core 2 Duo E8500 3.16 6MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista32 with dwngrd	1'486	1'599		
NE699AW	HP xw4600 80+,Vista32,3.16GHz,2GB WS Core 2 Duo E8500 3.16 6MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,2xQuadro NVS 290,250GB SATA 3Gb/s NCQ,DVD,opt scroll mouse,keyboard,Vista Bus 32	1'783	1'919		↘

Intel Core 2 Duo E8600 3.33 6MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
KK503EA	HP xw4600 80+,Vista32w/Dwngd,3.33GHz WS Core 2 Duo E8600 3.33 6MB/1333 CPU,2GB (2x1GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	1'875	2'018		↘

Intel Core 2 Quad Q6600 2.40 8MB/1066

Prod-No.	Description	VAT excl.	VAT incl.		
PW436EA	HP xw4600 80+,Vista32 w/Dwngd,2.40GHz WS Core 2 Quad Q6600 2.40 CPU,4GB(4x1GB) DDR2-800 ECC,500GB SATA 3Gb/s NCQ, DVD+/-RW,opt scroll mouse,keyboard, Vista32 with dwngrd	1'937	2'084		↘

Intel Core 2 Quad Q9300 2.50 6MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW475EA	HP xw4600 80+,Vista32w/Dwngd,2.50GHz WS Core 2 Quad Q9300 2.50 6M CPU,2GB (2x1GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	1'875	2'018		↘

Intel Core 2 Quad Q9450 2.66 12MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW476EA	HP xw4600 80+,Vista32w/Dwngd,2.66GHz WS Core 2 quad Q9450 2.66 12M CPU,4GB (4x1GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	2'044	2'199		↘
PW482ET	HP xw4600 80+,Vista32 w/Dwngd,2.66GHz WS Core 2 Quad Q9450 2.66 12M CPU,4GB (4x1GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 with dwngrd	2'060	2'217		↗

Intel Core 2 Quad Q9550 2.83 12MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
KK504EA	HP xw4600 80+,Vista32w/Dwngd,2.83GHz WS Core 2 Quad Q9550 2.83 12MB CPU,4GB (2x2GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	2'306	2'481		↘

Intel Core 2 Quad Q9650 3.00 12MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
KK505EA	HP xw4600 80+,Vista32w/Dwngd,3.00GHz WS Core 2 Quad Q9650 3.00 12MB/1333 CPU,4GB (2x2GB)DDR2-800 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse, keyboard,Vista Bus 32 w/dwngrd	2'460	2'647		↘
KK516EA	HP xw4600 80+,Vista64w/Dwngd,3.00GHz WS Core 2 Quad Q9650 3.00 12MB/1333 CPU,4GB (2x2GB)DDR2-800 ECC,no graphics,500GB SATA 3Gb/s NCQ,DVD+/-RW,laser scroll mouse,keyboard,Vista Bus 64 w/dwngrd	2'475	2'663	**N**	↘

HP Workstation xw6600

	HP Workstation xw6600	
Form factor	Rackable Minitower	
Chipset	Intel 5400	
Front Side Bus	1333 MHz	
Processor	1 or 2 Intel Xeon E5240 3.00 6MB/1333 Dual Core 1 or 2 Intel Xeon X5260 3.33 6MB/1333 Dual Core 1 or 2 Intel Xeon X5270 3.50 6MB/1333 Dual Core 1 or 2 Intel Xeon E5405 2.00 12MB/1333 Quad Core 1 or 2 Intel Xeon E5410 2.33 12MB/1333 Quad Core 1 or 2 Intel Xeon E5420 2.50 12MB/1333 Quad Core 1 or 2 Intel Xeon E5430 2.66 12MB/1333 Quad Core 1 or 2 Intel Xeon E5440 2.83 12MB/1333 Quad Core 1 or 2 Intel Xeon E5450 3.00 12MB/1333 Quad Core	
Bays	2 external 5.25" bays, 1 external 3.5" bay (for optional floppy drive), 2 internal 3.5" bays or 3 internal 2.5" bays (3rd external 5.25" is not full depth)	
Slots	2 PCI Express x16 Gen2 Graphics slot 2 PCI Express (x8 mechanically, x4 electrically) 2 legacy PCI slots	
Interfaces	Front: 2 USB 2.0, 1 optional IEEE 1394, 1 headphone out, 1 microphone in Back: 5 USB 2.0, 1 optional serial port, 1 RJ-45, 1 audio line in, 1 audio line out, 1 microphone in, 2 PS/2 Internal: 1 USB 2.0	
Memory Slots Max.	PC2-5300 DDR2-667 MHz ECC 8 (always configure memory in pairs) 32 GB	
Graphics (PCI-E)	Professional 2D: NVIDIA Quadro NVS 290, NVIDIA Quadro NVS 440, NVIDIA Quadro NVS 450 Entry 3D: NVIDIA Quadro FX 370, NVIDIA Quadro FX 570 Mid-range 3D: NVIDIA Quadro FX 1700, ATI FireGL V5600, ATI FireGL V7700 High-End 3D: NVIDIA Quadro FX 3700, NVIDIA Quadro FX 4600	
Drive controllers	Integrated 6 channel SATA 3.0 GB/s controller 6 Serial-ATA connectors; 2 are eSATA configurable for use with eSATA After Market Option kit),	
Hard drive(s)	Up to 3 Serial ATA (SATA) drives (with the optional optical bay converter kit) 80GB SATA 3Gb/s 7200 rpm HDD 80GB SATA 3Gb/s NCQ 10K rpm HDD 160GB SATA 3Gb/s NCQ 7200 rpm HDD 160GB SATA 3Gb/s NCQ 10K rpm HDD 250GB SATA 3Gb/s NCQ 7200 rpm HDD 300GB SATA 3GB/s NCQ 10K rpm SFF HDD 500GB SATA 3Gb/s NCQ 7200 rpm HDD 1000GB SATA 3Gb/s NCQ 7200 rpm HDD Up to 3 small form factor SAS 2.5" drives (with the optional optical bay converter kit) 73GB 2.5" SAS 3Gb/s 10K rpm HDD 73GB SAS 3Gb/s 15K rpm HDD 146GB 2.5" SAS 3Gb/s 10K rpm HDD 146GB SAS 3Gb/s 15K rpm HDD 300GB SAS 3Gb/s 15K rpm HDD 450GB SAS 3Gb/s 15K rpm HDD	
Network	Integrated Broadcom 5755 NetXtreme Gigabit PCI Express	
Optical Drive (optional)	16x DVD-ROM SATA, 16X DVD+/-RW DL SuperMulti SATA, Floppy Disk	
Audio	High Definition Integrated Realtek ALC262 audio; optional PCI Sound Blaster X-Fi XtremeGamer	
Keyboard / mouse	USB or PS/2 Standard keyboard USB 2-button scroll mouse (optical) 2-button scroll mouse (laser) USB 3-button mouse (optical) USB SpacePilot, HP SpaceExplorer USB	
Choice of Preinstalled software	Microsoft Windows Vista Business 32-bit Microsoft Windows Vista Business 64-bit (available Q1 2008) Microsoft Windows Vista 32-bit downgrade to Microsoft Windows XP Professional 32-bit Microsoft Windows Vista 64-bit downgrade to Microsoft Windows XP Professional 64-bit Red Hat Enterprise Linux WS 5.0 (64-bit) HP Installer Kit for Linux	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Dimensions (h x w x d)	44.0 cm x 16.5 cm x 44.0 cm
Security	Chassis lock, optional remotely lockable solonoid hood lock
Environmental	80 PLUS efficient; ENERGY STAR 4.0 qualified optional
Power Supply 80 Plus	650 Watt
Warranty	3 years on-site

Quad-Core Intel Xeon 5410 2.33 12MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW455EA	HP xw6600 80+,Vista32 w/Dwngd,2.33GHz WS Xeon 5410 2.33 12MB/1233 QC CPU,2GB (2x1GB)DDR2-667 ECC,160GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse,keyboard, Vista32 with dwngrd	2'383	2'564		↘
FE022AW	HP xw6600 80+,Vista32 w/dngrd,2x2.33 WS 2xXeon 5410 2.33 12MB/1333 QC CPUs,4GB (4x1GB)DDR2-667 ECC,Quadro NVS 290, 80GB SATA 3Gb/s,DVD,keyboard,scroll mouse,Vista Bus 32 w/dwngrd	3'137	3'375		↘
FE023AW	HP xw6600 80+,Vista32,2x2.33 WS 2xXeon 5410 2.33 12MB/1333 QC CPUs,4GB (4x1GB)DDR2-667 ECC,80GB SATA 3Gb/s, DVD,keyboard,scroll mouse,Vista Bus 32	3'029	3'259		↘

Quad-Core Intel Xeon 5420 2.50 12MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW470EA	HP xw6600 80+,Vista32,2.50GHz,2GB,250 WS Xeon 5420 2.50 12MB/1333 QC CPU,2GB (2x1GB)DDR2-667 ECC,250GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse, keyboard,Vista Bus 32	2'537	2'730		↘

Quad-Core Intel Xeon 5430 2.66 12MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW454EA	HP xw6600 80+,Vista32w/dwngrd,2.66GHz WS Xeon 5430 2.66 12MB/1333 QC CPUs,2GB (2x1GB)DDR2-667 ECC,250GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse,keyboard, Vista32 w/dwngrd	2'752	2'961		↘

Quad-Core Intel Xeon 5450 3.00 12MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
KX876AW	HP xw6600 80+,Vista32 w/dngrd,2x3.00 WS 2xXeon 5450 3.00 12MB/1333 QC CPUs,4GB (4x1GB)DDR2-667 ECC,2xQuadro NVS 290, 250GB SATA 3Gb/s NCQ,DVD,keyboard,opt scroll mouse,Vista Bus 32 w/dwngrd	5'829	6'272		↗

HP Workstation xw8600

	HP Workstation xw8600	
Form factor	Rackable Minitower	
Chipset	Intel 5400	
Front Side Bus	1333 MHz	
Processor	1 or 2 Intel Xeon E5240 3.00 6MB/1333 Dual Core 1 or 2 Intel Xeon X5260 3.33 6MB/1333 Dual Core 1 or 2 Intel Xeon X5270 3.50 6MB/1333 Dual Core 1 or 2 Intel Xeon X5272 3.40 6MB/1600 Dual Core 1 or 2 Intel Xeon E5405 2.00 12MB/1333 Quad Core 1 or 2 Intel Xeon E5410 2.33 12MB/1333 Quad Core 1 or 2 Intel Xeon E5420 2.50 12MB/1333 Quad Core 1 or 2 Intel Xeon E5430 2.66 12MB/1333 Quad Core 1 or 2 Intel Xeon E5440 2.83 12MB/1333 Quad Core 1 or 2 Intel Xeon X5450 3.00 12MB/1333 Quad Core 1 or 2 Intel Xeon X5460 3.16 12MB/1333 Quad Core 1 or 2 Intel Xeon X5470 3.33 12MB/1333 Quad Core 1 or 2 Intel Xeon X5472 3.00 12MB/1600 Quad Core 1 or 2 Intel Xeon X5482 3.20 12MB/1600 Quad Core 1 or 2 Intel Xeon X5492 3.40 12MB/1600 Quad Core	
Bays	3 external 5.25" bays, 1 external 3.5" bay (for optional floppy drive), 5 internal 3.5" bays (3rd external 5.25" is not full depth)	
Slots	2 PCI Express x16 Gen2 Graphics slot 2 PCI Express (x8 mechanically, x4 electrically) 1 PCI Express x8 (switchable as x1 or x8) 1 PCI-X 133 MHz 1 legacy PCI slots	
Interfaces	Front: 2 USB 2.0, 1 IEEE 1394, 1 headphone out, 1 microphone in Back: 5 USB 2.0, 1 EEE 1394, 1 serial port, 2 RJ-45 to integrated Gigabit LAN, 1 audio line in, 1 audio line out, 1 microphone in, 2 PS/2 Internal: 1 USB 2.0	
Memory Slots Max.	PC2-5300 DDR2-667 MHz ECC 8 (always configure memory in pairs) 128 GB	
Graphics (PCI-E)	Professional 2D: NVIDIA Quadro NVS 290 Entry 3D: NVIDIA Quadro FX 370, NVIDIA Quadro FX 570 Mid-range 3D: NVIDIA Quadro FX 1700, ATI FireGL V5600, ATI FireGL V7700 High-End 3D: NVIDIA Quadro FX3700, NVIDIA Quadro FX 4600, NVIDIA Quadro FX 5600	
Drive controllers	Integrated 6 channel SATA controller (6 Serial-ATA connectors on the motherboard, 2 channels are eSATA configurable for use with eSATA AMO Kit) Integrated 8 channel SAS controller (8 SAS connectors on the motherboard), 2 SAS connectors are capable of External SATA operation	
Hard drive(s)	Up to 5 Serial ATA (SATA) drives (with the optional optical bay converter kit) 80GB SATA 3Gb/s 7200 rpm HDD 80GB SATA 3Gb/s NCQ 10K rpm HDD 160GB SATA 3Gb/s NCQ 7200 rpm HDD 160GB SATA 3Gb/s NCQ 10K rpm HDD 250GB SATA 3Gb/s NCQ 7200 rpm HDD 300GB SATA 3GB/s NCQ 10K rpm SFF HDD 500GB SATA 3Gb/s NCQ 7200 rpm HDD 1000GB SATA 3Gb/s NCQ 7200 rpm HDD Up to 6 small form factor SAS 2.5" drives (with the optional optical bay converter kit) 73GB 2.5" SAS 3Gb/s 10K rpm HDD 73GB 2.5" SAS 3Gb/s 15K rpm HDD 146GB 2.5" SAS 3Gb/s 10K rpm HDD 146GB 2.5" SAS 3Gb/s 15K rpm HDD 300GB 2.5" SAS 3Gb/s 15K rpm HDD	
Network	Dual Integrated Broadcom 5755 NetXtreme Gigabit PCI Express	
Optical Drive (optional)	16x DVD-ROM SATA, 16X DVD+/-RW DL SuperMulti SATA, Floppy Disk	
Audio	High Definition Integrated Realtek ALC262 audio; optional PCI Sound Blaster X-Fi XtremeGamer	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Keyboard / mouse	USB or PS/2 Standard keyboard USB 2-button scroll mouse (optical) 2-button scroll mouse (laser) USB 3-button mouse (optical) USB SpacePilot, HP SpaceExplorer USB
Choice of Preinstalled software	Microsoft Windows Vista Business 32-bit Microsoft Windows Vista Business 64-bit (available Q1 2008) Microsoft Windows Vista 32-bit downgrade to Microsoft Windows XP Professional 32-bit Microsoft Windows Vista 64-bit downgrade to Microsoft Windows XP Professional 64-bit Red Hat Enterprise Linux WS 5.0 (64-bit) HP Installer Kit for Linux
Dimensions (h x w x d)	45.5 cm x 21.1 cm x 52.6 cm
Security	Chassis lock, optional remotely lockable solonoid hood lock
Environmental	80 PLUS efficient; ENERGY STAR 4.0 qualified optional
Power Supply 80 Plus	800 or 1050 Watt
Warranty	3 years on-site

Quad-Core Intel Xeon 5450 3.00 12MB/1333

Prod-No.	Description	VAT excl.	VAT incl.		
PW453EA	HP xw8600 80+,Vista322/dwngrd,3.00GHz WS Xeon 5450 3.00 12MB/1333 QC CPU,2GB (2x1GB)DDR2-667 ECC,500GB SATA 3Gb/s NCQ,DVD+/-RW,scroll mouse,keyboard, Vista32 w/dwndgrd	4'106	4'418		↗
PW460EA	HP xw8600 80+,Vista32 w/Dngrd,3.00GHz WS Xeon 5450 3.00 12MB/1333 QC CPU,4GB (2x2GB)DDR2-667 ECC,146GB SAS 3Gb/s 15K,DVD+/-RW,opt scroll mouse, keyboard,Vista32 w/dwngrd	4'383	4'716		↘

Dual-Core Intel Xeon X5272 3.40 6MB/1600

Prod-No.	Description	VAT excl.	VAT incl.		
KN738AS	HP xw8600 80+,Vista64 w/dngrd,2x3.40 WS 2xXeon 5272 3.20 6MB/1600 DC CPUs,32GB (16x2GB)DDR2-800 ECC,2xQuadro FX5600, 2x73GB SAS 3Gb/s 15K,keyboard,scroll mouse,DVD+/-RW,Vista Bus 64 w/dwngrd	17'012	18'305		↘

Quad-Core Intel Xeon X5472 3.00 12MB/1600

Prod-No.	Description	VAT excl.	VAT incl.		
KN737AS	HP xw8600 80+,Vista64 w/dngrd,2x3.00 WS 2xXeon 5472 3.00 12MB/1600 QC CPUs,4GB (4x1GB)DDR2-800 ECC,Quadro FX3700,250GB+ 3x500GB SATA 3Gb/s NCQ,keyboard,scroll mouse,DVD+/-RW,Vista Bus 64 w/dwngrd	8'198	8'821		↘

Quad-Core Intel Xeon X5482 3.20 12MB/1600

Prod-No.	Description	VAT excl.	VAT incl.		
KN736AS	HP xw8600 80+,Linux,2x3.20GHz,32GB WS 2xXeon 5482 3.20 12MB/1600 QC CPUs,32GB (16x2GB)DDR2-800 ECC,2xQuadro FX4600, 2x73GB SAS 3Gb/s 15K,keyboard,scroll mouse,DVD+/-RW,Linux WS 4 32/64	14'597	15'706		↘

HP Workstation xw9400

	HP Workstation xw9400	
Form factor	Rackable Minitower	
Chipset	nextGen NVIDIA nForce Professional with AMD-8131 HyperTransport PCI-X tunnel	
Front Side Bus	1 GHz AMD HyperTransport	
Processor	Air Cooling: 1 or 2 AMD Opteron 2210 1.8 1MB / Dual-Core 1 or 2 AMD Opteron 2212 2.0 1MB / Dual-Core 1 or 2 AMD Opteron 2214 2.2 1MB / Dual-Core 1 or 2 AMD Opteron 2216 2.4 1MB / Dual-Core 1 or 2 AMD Opteron 2218 2.6 1MB / Dual-Core 1 or 2 AMD Opteron 2220 2.8 1MB / Dual-Core 2 AMD Opteron 2224SE 3.2 1MB / Dual-Core 1 or 2 AMD Opteron 2352 2.1 2MB / Quad-Core 1 or 2 AMD Opteron 2356 2.3 2MB / Quad-Core 2 AMD Opteron 2360 2.5 2MB / Quad-Core Liquid Cooling: 2 AMD Opteron 2210 1.8 1MB / Dual-Core 2 AMD Opteron 2212 2.0 1MB / Dual-Core 2 AMD Opteron 2214 2.2 1MB / Dual-Core 2 AMD Opteron 2216 2.4 1MB / Dual-Core 2 AMD Opteron 2218 2.6 1MB / Dual-Core 2 AMD Opteron 2220 2.8 1MB / Dual-Core 2 AMD Opteron 2224SE 3.2 1MB / Dual-Core 2 AMD Opteron 2352 2.1 2MB / Quad-Core 2 AMD Opteron 2356 2.3 2MB / Quad-Core 2 AMD Opteron 2360 2.5 2MB / Quad-Core	
Bays	3 external 5.25" bays 5 internal 3.5" bays 1 5.25" bay used for optional floppy	
Slots	2 PCI Express (x16) Graphics and I/O slots 2 PCI Express (x8) slots 2 PCI-X slots 1 legacy PCI slot	
Interfaces	Front: headphone, microphone, 2 USB, 1 IEEE 1394 Back: 6 USB, 1 standard serial port, PS/2 keyboard and mouse, 2 RJ-45 to integrated Gigabit LAN, 1 audio in, 1 audio out, 1 mic in, 1 IEEE 1394 Internal: 2 USB	
Memory Slots Max.	Registered ECC DDR2-667 8 (always configure memory in pairs) 64.0 GB	
Graphics (PCI-E)	Professional 2D: NVIDIA Quadro NVS 290 (2 cards supported) Entry 3D: NVIDIA Quadro FX 570 (2 cards supported) Mid-range 3D: NVIDIA Quadro FX 1700 (2 cards supported) High-end 3D: NVIDIA Quadro FX 3700 (2 cards supported) NVIDIA Quadro FX 4600 (2 cards supported) NVIDIA Quadro FX 5600 (2 cards supported) NVIDIA SLI Graphics Connector	
Drive controller	Integrated SATA 3Gb/s controller (6 channels) with RAID capability Integrated SAS controller (8 channels) with RAID capability	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Hard drive(s)	Up to 5 SATA 3.0 Gb/s drives 80GB SATA 3Gb/s 7200 rpm HDD 80GB SATA 3GB/s WD Raptor NCQ 10K rpm HDD 160GB SATA 3Gb/s NCQ 7200 rpm HDD 160GB SATA 3Gb/s WD Raptor NCQ 10K rpm HDD 250GB SATA 3Gb/s NCQ 7200 rpm HDD 300GB SATA 3GB/s NCQ 10K rpm SFF HDD 500GB SATA 3Gb/s NCQ 7200 rpm HDD 1000GB SATA 3Gb/s NCQ 7200 rpm HDD Up to 5 Serial Attached SCSI (SAS) drives 73GB SAS 3Gb/s 15K rpm HDD 146GB SAS 3Gb/s 10K rpm HDD 146GB SAS 3Gb/s 15K rpm HDD 300GB SAS 3GB/s 10K rpm HDD 300GB SAS 3GB/s 15K rpm HDD
Network	Integrated dual NVIDIA Gbit LAN Optional Broadcom 5751 Gbit LAN (PCI-E) Optional Intel Pro/1000 GT Gbit LAN (PCI)
Storage	16X DVD+/-RW SuperMulti SATA, Floppy Disk
Audio	*Integrated AC'97/16-bit stereo full duplex*; optional SoundBlaster X-FI XtremeGamer Audio Card
Keyboard / mouse	USB or PS/2 Standard keyboard 2-button scroll mouse (optical) 3-button mouse (optical) USB SpacePilot, HP SpaceExplorer USB
Choice of preinstalled software	Microsoft Windows Vista Business 32-bit Microsoft Windows Vista Business 64-bit Microsoft Windows Vista 32-bit downgrade to Microsoft Windows XP Professional 32-bit Microsoft Windows Vista 64-bit downgrade to Microsoft Windows XP Professional 64-bit Red Hat Enterprise Linux WS 5.0 (64-bit) HP Installer Kit for Linux
Dimensions (h x w x d)	45.5 cm x 21.0 cm x 52.5 cm
Security	Standard: side cover key lock, USB ports that can be deactivated, padlock loop, Kensington lock provision, universal chassis clamp lock, chassis intrusion sensor
Environmental	Energy Star compliant (factory set-up optional)
Power Supply	700 Watt
Warranty	3 years on-site

AMD 2x Opteron 2216 / 2.4GHz

Prod-No.	Description	VAT excl.	VAT incl.		
PW491EA	HP xw9400 80+,Vista32w/Dwngd,2.4GHz WS Opteron 2216 2.4 1MB AirCool CPU,4GB (4x1GB)DDR2-667 ECC,Quadro FX1700,250GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse,kybrd,floppy,Vista Bus 32 w/dwngrd	4'152	4'468		↘

AMD 2x Opteron 2218 / 2.6GHz

Prod-No.	Description	VAT excl.	VAT incl.		
PW492EA	HP xw9400 80+,Vista32w/Dwngd,2x2.6GHz WS 2xOpteron 2218 2.6 1MB AirCool CPUs,4GB (4x1GB)DDR2-667 ECC,Quadro FX3700,500GB SATA 3Gb/s NCQ,DVD+/-RW,opt scroll mouse,kybrd,floppy,Vista Bus 32 w/dwngrd	6'229	6'702		↘

AMD 2x Opteron 2220 / 2.8 GHz

Prod-No.	Description	VAT excl.	VAT incl.		
PW406EA	HP xw9400,Vista32w/Dwngd,2x2.8GHz,2GB WS 2xOpteron 2220 2.8 1MB AirCool CPU,2GB (4x512MB)DDR2-667 ECC,250GB SATA 3Gb/s NCQ,DVD+/-RW,opt mouse,keyboard,floppy, Vista32 w/dwngrd	5'736	6'172		↘

HP Workstations - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			xw4400	xw6400	xw8400	xw9400
HP Hardware-Processor - AMD (AMO Kits)									
RC403AA	AMD Opteron 2210 1.8 1MB/1000, 2nd CPU	537	578		↘				X
EW297AA	AMD Opteron 2216 2.4 1MB/1000,2nd CPU	1'229	1'322		↘				X
EW298AA	AMD Opteron 2218 2.6 1MB/1000,2nd CPU	1'537	1'654		↘				X
RM696AA	AMD Opteron 2220 2.8 1MB/1000 2nd CPU Upgrade processor kit. Supported on xw9400.	1'844	1'984		↘				X
RM697AA	AMD Opteron 2222 3.0 1MB/1000,2nd CPU Supported on xw9400	2'069	2'226		↘				X
GX306AA	AMD Opteron 2352 2.1 2MB/1000,2nd CPU Secondary processor kit. Supported on xw9400	1'071	1'152		↘				X
GX308AA	AMD Opteron 2356 2.3 2MB/1000,2nd CPU Secondary processor kit. Supported on xw9400	1'860	2'001		↘				X
HP Hardware-Memory - PC2-5300 (DDR2-667) AMO									
PV940A	HP 512MB(1x512MB)DDR2-667 ECC Memory	42	45		↘	X			
PV941A	HP 1GB(1x1GB)DDR2-667 ECC Memory	60	65		↘	X			
EV281AA	HP 512MB(1x512MB) DDR2-667 ECC Memory	122	131		↘				X
EV282AA	HP 1GB(1x1GB)DDR2-667 ECC Reg Memory	146	157		↘				X
EV283AA	HP 2GB(1x2GB)DDR2-667 ECC Reg Memory	252	271		↘				X
GY414AA	HP 4GB(1x4GB)DDR2-667 ECC Memory	691	744		↘				X
EM159AA	HP 1x512MB DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw6400 and xw8400.	100	108		↘		X	X	
EM160AA	HP 1x1GB DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw6400 and xw8400.	146	157		↘		X	X	
EM161AA	HP 2GB(1x2GB)DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw6400 and xw8400.	252	271		↘		X	X	
EM162AA	HP 4GB (1x4GB) DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw6400 and xw8400.	691	744		↘		X	X	
HP Hardware-Memory - PC2-4200 (DDR-2 533) AMO Kits									
GT808AA	HP 8GB(1x8GB)DDR2-533 ECC Memory Supported on xw9400	2'306	2'481		↘				X
HP Hardware-Storage - Hard Drives - SATA 3.0Gb/s (AMO Kits)									
EM172AA	HP 80GB WD Raptor SATA NCQ 10K HDD	308	331			X	X	X	X
PV944A	160GB SATA 3.0Gb/s NCQ Hard Drive 7'200 rpm	162	174		↘	X	X	X	X
EW222AA	HP 160GB WD Raptor SATA NCQ 10K HDD	352	379		↘	X	X	X	X
EA788AA	HP 250GB SATA 3Gb/s NCQ 7200 HDD	168	181		↘	X	X	X	X
PV943A	500GB SATA 3.0Gb/s NCQ Hard Drive 7'200 rpm	275	296		↘	X	X	X	X
RH201AA	HP 750GB SATA 3Gb/s NCQ 7200 HDD	429	462		↘	X	X	X	X
HP Hardware-Storage - Hard Drives - SAS 3.0Gb/s (AMO Kits)									
EA329AA	HP 73GB SAS 3Gb/s 15K HDD	306	329		↘	X	X	X	X
EA330AA	HP 146GB SAS 3Gb/s 15K HDD	398	428		↘	X	X	X	X
EM174AA	HP 300GB SAS 3Gb/s 15K HDD Supported on Personal Workstations	675	726		↘	X	X	X	X
HP Hardware-Storage - Controller SATA (AMO Kits)									
EH417AA	LSI 3041E 4-port SAS/SATA RAID Card	202	217		↘	X	X		
EX830AA	LSI 8344ELP 8 port SAS HW RAID Card	715	769		↘	X	X	X	X
GE258AA	LSI 8888ELP 8 Port SAS HW RAID Card	775	834		↘				X
HP Hardware-Storage - Optical Drives (AMO Kits)									
GF343AA	HP 16X SATA SuperMulti LightScribe Drive	98	105			X	X	X	X
AH047AA	HP 16X SATA DVD-ROM Drive	71	76			X	X	X	X
HP Hardware-Storage - Floppy and Zip Drives (AMO Kits)									
DY670A	HP 1.44MB Internal floppy,accessory Supported on xw4100,xw4200,xw6200,xw8200	71	76		↗	X	X	X	X
HP Hardware-Graphics - Upsell Graphics (Non Integrated) (AMO Kits)									
PT453A	NVIDIA Quadro NVS 440 256MB PCIe Graphics Card	660	710		↘	X	X		
GP528AA	NVIDIA Quadro FX370 256MB PCIe Card	168	181		↘				X
GR521AA	NVIDIA Quadro FX570 256MB PCIe Card	260	280		↘				X
GP529AA	NVIDIA Quadro FX1700 512MB PXCIe Card	768	826		↘				X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.			xw4400	xw6400	xw8400	xw9400
RV706AA	NVIDIA Quadro FX4600 768MB PCIe Card Graphics Card. Supported on Personal Workstations	2'292	2'466		↘	X	X	X	X
GU095AA	NVIDIA Quadro FX5600 Card	3'367	3'623		↘				X
DL139A	DMS-59 to Dual DVI Cable Kit,accessory Splitter cables to provide digital display connection to 2 displays	45	48		↘	X	X	X	X
HP Hardware-Audio & Multimedia - Audio Upsell (AMO Kits)									
GE257AA	SoundBlaster X-Fi XtremeGamer Audio Card PCI Interface	137	147		↘				X
KK912AA	HP Thin USB Powered Speakers	45	48						X
HP Hardware-IO Devices - Mouse (AMO Kits)									
DC172B	HP USB 2-button optical scroll mouse (carbon/silver)	30	32			X	X	X	X
DY651A	HP USB Optical 3-button Mouse, USB, accessory Supported on xw4200, xw6200, xw8200	35	38		↘	X	X	X	X
EY703AA	HP PS/2 2-Button Optical Scroll Mouse	24	26						X
GW405AA	HP USB 2-Button Laser Mouse	46	50						X
HP Hardware-IO Devices - 3D Motion Controller (AMO)									
EF390AA	HP SpacePilot USB 3D Input Device Intelligent Motion Controller	845	909		↘	X	X	X	X
RY429AA	HP SpaceExplorer USB 3D Input Device	521	561		↘	X	X	X	X
HP Hardware-IO Devices - Keyboard (AMO Kits)									
DT527A	HP PS/2 Standard Keyboard	30	32			X	X	X	X
DT528A	USB Standard Keyboad	30	32			X	X	X	X
HP Hardware-Communication - LAN- Upsell (AMO Kits)									
EH352AA	Intel Pro 1000PT Gigabit RoHS PCIeNIC Cd	80	86			X	X		
EA833AA	Broadcom NetXtreme Gigabit PCIe NIC	75	81			X	X	X	X
HP Hardware-Communication - Modem (AMO kits)									
DC131C	Telecoms Modem RJ11 Adapter Kit	15	16			X			
EK694AA	2006 Agere PCI high-speed international soft modem	45	48			X			
HP Hardware-Miscellaneous - RACK (AMO Kits)									
AA640A	Rack mounting kit for HP Workstation XW5000 or XW8000 (IT and Broadcast)	178	192		↘			X	X
DY663A	Sliding Rack Kit,accessory,xw6200	285	307		↘		X		
DY664A	HP xw8200/9300 IT/Bcst Slide Rack Kit IT/Bcst	214	230					X	X
EK729AA	HP Depth Adjustable Fixed Rail Rack Kit Securely mounts workstation to standard rack. Includes depth adjustable fixed rails and mounting bracket. Supported on xw4200 and xw4300	178	192		↘	X			
HP Adapter Cards									
PA997A	HP FireWire / IEEE 1394 PCI Card	46	50			X	X		
EA327AA	HP FireWire 800 IEEE 1394b PCI Card	106	114		↘	X	X	X	X
HP Kits									
DY659A	Bracket 3.5"HDD in Optical bay,accessory Bracket for 3.5" HDD in Optical Bay supported on xw4200,xw6200	28	30		↗	X	X		
DY648A	Front Card Guide and Fan Kit, accessory supported on xw4200, xw6200, xw8200, xw9300	54	58		↗	X	X		
EN764AA	HP Bulk 10 Pack PCI Hold Down Kit Provides extra mechanical retention to reduce chance of cards becoming unseated due to shipping, vibration or shock. For xw8200 and xw9300 workstations only.	58	62		↘			X	X
EM163AA	HP xw8400/xw8600 PCI Front Fan Kit Includes front fan for PCI card cage.	29	31		↘			X	
EM164AA	HP SAS Back Panel Connector Kit External 4 port SAS connector installed in rear of chassis. Includes 4 internal single port SAS cables. Supported on xw8400 and xw9400	71	76		↘			X	X
EM718AA	HP 16-In-1 Media Card Rdr with PCI Card	61	66			X	X	X	X
PA716A	HP 2nd Serial Port Adapter	30	32			X			
HP Security									
ED707AA	HP USB Smartcard Keyboard, no hotkeys	60	65			X	X	X	X
PV606AA	HP Business security lock kit (Clamp lock with cable and master key)	60	65			X	X	X	X
PC766A	Kensington Security Lock	73	79			X	X	X	X

HP Workstations - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			xw4550	xw4600	xw6600	xw8600
HP Hardware-Processor - Intel (AMO Kits)									
GX568AA	Intel Xeon 5260 3.33 6MB/1333 DC,2nd CPU Supported on xw6600 and xw8600	1'614	1'737		↘			X	X
GX569AA	Intel Xeon 5405 2.00 12M/1333 QC,2nd CPU CPU Upgrade	546	588		↘			X	X
GX570AA	Intel Xeon 5410 2.33 12M/1333 QC,2nd CPU	614	661		↘			X	X
GX571AA	Intel Xeon 5420 2.50 12M/1333 QC,2nd CPU	768	826		↘			X	X
GX572AA	Intel Xeon 5430 2.66 12M/1333 QC,2nd CPU	1'060	1'141		↘			X	X
GX573AA	Intel Xeon 5440 2.83 12M/1333,2nd CPU	1'460	1'571		↘			X	X
GX574AA	Intel Xeon 5450 3.00 12M/1333 QC,2nd CPU	1'844	1'984		↘			X	
GX575AA	Intel Xeon 5460 3.16 12M/1333 QC,2nd CPU	2'306	2'481		↘				X
KD215AA	Intel Xeon X5450 3.00 12MB/1333 QC CPU Supported on xw8600.	1'768	1'902		↘				X
FP479AA	Intel Xeon X5270 3.50 6MB/1333 DC CPU-2 Secondary upgrade processor.	2'306	2'481		↘			X	X
KY116AA	Intel Xeon X5272 3.40 6MB/1600 DC CPU-2	2'460	2'647		↘				X
FP478AA	Intel Xeon X5470 3.33 12MB/1333 QC CPU-2 Secondary upgrade processor.	2'460	2'647		↘				X
KY115AA	Intel Xeon X5472 3.00 12MB/1600 QC CPU-2	1'844	1'984		↘				X
KY114AA	Intel Xeon X5482 3.20 12MB/1600 QC CPU-2	2'306	2'481		↘				X
FP477AA	Intel Xeon X5492 3.40 12MB/1600 QC CPU-2 Secondary upgrade processor.	2'537	2'730		↘				X
HP Hardware-Memory - PC2-5300 (DDR2-667) AMO									
PV940A	HP 512MB(1x512MB)DDR2-667 ECC Memory	42	45		↘	X	X		
PV941A	HP 1GB(1x1GB)DDR2-667 ECC Memory	60	65		↘	X	X		
EM159AA	HP 1x512MB DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw6400 and xw8400.	100	108		↘			X	X
EM160AA	HP 1x1GB DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw6400 and xw8400.	146	157		↘			X	X
EM161AA	HP 2GB(1x2GB)DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw6400 and xw8400.	252	271		↘			X	X
EM162AA	HP 4GB (1x4GB) DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw6400 and xw8400.	691	744		↘			X	X
GM112AA	HP 8GB(1x8GB)DDR2-667 ECC FBD Memory Fully Buffered DIMM. Supported on xw8600.	2'306	2'481		↘				X
HP Hardware-Memory - PC2-6400 (DDR2-800) AMO									
GH738AA	HP 512MB(1x512MB)DDR2-800 ECC Memory	45	48		↘		X		
GH739AA	HP 1GB(1x1GB)DDR2-800 ECC Memory	60	65		↘		X		
GH740AA	HP 2GB(1x2GB)DDR2-800 ECC Memory	175	188		↘		X		
KY112AA	HP 1GB(1x1GB)DDR2-800 ECC FBD Memory	146	157		↘				X
KY113AA	HP 2GB(1x2GB)DDR2-800 ECC FBD Memory	252	271		↘				X
HP Hardware-Storage - Hard Drives - SATA 3.0Gb/s (AMO Kits)									
EM172AA	HP 80GB WD Raptor SATA NCQ 10K HDD	308	331				X	X	X
PV944A	160GB SATA 3.0Gb/s NCQ Hard Drive 7'200 rpm	162	174		↘	X	X	X	X
EW222AA	HP 160GB WD Raptor SATA NCQ 10K HDD	352	379		↘		X	X	X
EA788AA	HP 250GB SATA 3Gb/s NCQ 7200 HDD	168	181		↘	X	X	X	X
FM802AA	HP 300GB 3Gb/s NCQ SATA 10K SFF HDD 3.5"frame.	506	544	N			X	X	X
PV943A	500GB SATA 3.0Gb/s NCQ Hard Drive 7'200 rpm	275	296		↘	X	X	X	X
RH201AA	HP 750GB SATA 3Gb/s NCQ 7200 HDD	429	462		↘		X	X	X
GE262AA	HP 1TB SATA 3Gb/sd NCQ HDD Supported on Personal Workstations.	506	544		↗		X	X	X
HP Hardware-Storage - Hard Drives - SAS 3.0Gb/s (AMO Kits)									
EA329AA	HP 73GB SAS 3Gb/s 15K HDD	306	329		↘		X	X	X
EA330AA	HP 146GB SAS 3Gb/s 15K HDD	398	428		↘		X	X	X
EM174AA	HP 300GB SAS 3Gb/s 15K HDD Supported on Personal Workstations	675	726		↘		X	X	X
GE259AA	HP 73GB SFF 2.5" SAS 3Gb/s 10K HDD	275	296		↘			X	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.			xw4550	xw4600	xw6600	xw8600
GE261AA	HP 146GB SFF 2.5" SAS 3Gb/s 10K HDD	368	396		↘			X	X
HP Hardware-Storage - Controller SATA (AMO Kits)									
EH417AA	LSI 3041E 4-port SAS/SATA RAID Card	202	217		↘		X	X	
GE258AA	LSI 8888ELP 8 Port SAS HW RAID Card	775	834		↘		X	X	X
HP Hardware-Storage - Optical Drives (AMO Kits)									
GF343AA	HP 16X SATA SuperMulti LightScribe Drive	98	105			X	X	X	X
AH047AA	HP 16X SATA DVD-ROM Drive	71	76			X	X	X	X
HP Hardware-Storage - Floppy and Zip Drives (AMO Kits)									
DY670A	HP 1.44MB Internal floppy,accessory Supported on xw4100,xw4200,xw6200,xw8200	71	76		↗	X	X		
HP Hardware-Graphics - Upsell Graphics (Non Integrated) (AMO Kits)									
PT453A	NVIDIA Quadro NVS 440 256MB PCIe Graphics Card	660	710		↘		X	X	X
FH519AA	NVIDIA Quadro NVS 450 512MB PCIe Card	660	710	N			X	X	X
RV706AA	NVIDIA Quadro FX4600 768MB PCIe Card Graphics Card. Supported on Personal Workstations	2'292	2'466		↘		X	X	X
DL139A	DMS-59 to Dual DVI Cable Kit,accessory Splitter cables to provide digital display connection to 2 displays	45	48		↘		X	X	X
GT346AA	ATI FireGL V5600 512MB PCIe Card	445	479		↘	X	X	X	X
GS567AA	HP DMS 59 to Dual VGA Cable Kit	45	48		↘		X	X	X
GU096AA	NVIDIA HD Component Breakout Cable	58	62		↘	X	X	X	X
GP529AA	NVIDIA Quadro FX1700 512MB PXCIe Card	768	826		↘	X	X	X	X
GP528AA	NVIDIA Quadro FX370 256MB PCIe Card	168	181		↘	X	X	X	X
GR521AA	NVIDIA Quadro FX570 256MB PCIe Card	260	280		↘	X	X	X	X
GN502AA	NVIDIA Quadro NVS 290 256MB PCIe Card	132	142		↘	X	X	X	X
KD506AA	NVIDIA Quadro FX3700 512MB PCIe Card Supported on Personal Workstations.	1'152	1'240		↘		X	X	X
GU095AA	NVIDIA Quadro FX5600 Card	3'367	3'623		↘				X
KT979AA	ATI FireGL V7700 512MB PCIe Card	998	1'074		↘		X	X	
HP Hardware-Audio & Multimedia - Audio Upsell (AMO Kits)									
GE257AA	SoundBlaster X-Fi XtremeGamer Audio Card PCI Interface	137	147		↘	X	X	X	X
HP Hardware-IO Devices - Mouse (AMO Kits)									
DC172B	HP USB 2-button optical scroll mouse (carbon/silver)	30	32			X	X	X	X
DY651A	HP USB Optical 3-button Mouse, USB, accessory Supported on xw4200, xw6200, xw8200	35	38		↘	X	X	X	X
EY703AA	HP PS/2 2-Button Optical Scroll Mouse	24	26				X	X	X
GW405AA	HP USB 2-Button Laser Mouse	46	50			X	X	X	X
HP Hardware-IO Devices - 3D Motion Controller (AMO)									
EF390AA	HP SpacePilot USB 3D Input Device Intelligent Motion Controller	845	909		↘	X	X	X	X
RY429AA	HP SpaceExplorer USB 3D Input Device	521	561		↘	X	X	X	X
HP Hardware-IO Devices - Keyboard (AMO Kits)									
DT527A	HP PS/2 Standard Keyboard	30	32			X	X	X	X
DT528A	USB Standard Keyboad	30	32			X	X	X	X
HP Hardware-Communication - LAN- Upsell (AMO Kits)									
EH352AA	Intel Pro 1000PT Gigabit RoHS PCIeNIC Cd	80	86				X	X	X
KU004AA	HP NC360T PCIe Dual Port Gigabit NIC Supported on xw6600 and xw8600	152	164		↘			X	X
HP Hardware-Communication - Modem (AMO kits)									
EK694AA	2006 Agere PCI high-speed international soft modem	45	48			X	X		
HP Hardware-Miscellaneous - RACK (AMO Kits)									
DY663A	Sliding Rack Kit,accessory,xw6200	285	307		↘			X	
DY664A	HP xw8200/9300 IT/Bcst Slide Rack Kit IT/Bcst	214	230						X
EK729AA	HP Depth Adjustable Fixed Rail Rack Kit Securely mounts workstation to standard rack. Includes depth adjustable fixed rails and mounting bracket. Supported on xw4200 and xw4300	178	192		↘	X	X		
HP Adapter Cards									
PA997A	HP FireWire / IEEE 1394 PCI Card	46	50			X	X	X	X
EA327AA	HP FireWire 800 IEEE 1394b PCI Card	106	114		↘		X	X	X

Prod-No.	Description	VAT excl.	VAT incl.			xw4550	xw4600	xw6600	xw8600
FQ146AV	HP SAS Back Panel Bulkhead Connector Kit Supported on xw8600.	46	50		↘				X
HP Kits									
DY659A	Bracket 3.5"HDD in Optical bay,accessory Bracket for 3.5" HDD in Optical Bay supported on xw4200,xw6200	28	30		↗	X	X	X	
GM109AA	HP 2.5 in. SFF 2:3 Bay Converter Kit Converter kit used to instal 3 2.5 inch hard disk drives into 2 3.5 inch bays. Supported on Personal Workstations.	45	48		↘				X
EM163AA	HP xw8400/xw8600 PCI Front Fan Kit Includes front fan for PCI card cage.	29	31		↘				X
EM164AA	HP SAS Back Panel Connector Kit External 4 port SAS connector installed in rear of chassis. Includes 4 internal single port SAS cables. Supported on xw8400 and xw9400	71	76		↘				X
EM165AA	HP Internal USB Port Kit Provides internal USB A-type receptacle for internal USB device or USB cable attach. Connects to motherboard header. Mechanical tie down connects to chassis	18	19		↘	X	X	X	X
DY648A	Front Card Guide and Fan Kit, accessory supported on xw4200, xw6200, xw8200, xw9300	54	58		↗	X	X	X	
EM718AA	HP 16-In-1 Media Card Rdr with PCI Card	61	66			X	X	X	X
PA716A	HP 2nd Serial Port Adapter	30	32			X	X	X	
GM110AA	HP eSATA PCI Cable Kit	54	58		↘			X	X
KK912AA	HP Thin USB Powered Speakers	45	48			X	X	X	X
HP Security									
ED707AA	HP USB Smartcard Keyboard, no hotkeys	60	65			X	X	X	X
PC766A	Kensington Security Lock	73	79			X	X	X	X

For information on HP Care Packs please refer to the following webpage:
http://www.hp.com/ch/hpcarepack

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Imaging & Printing

HP InkJet Printer

HP Mobile Inkjet Printers

HP Officejet H470 Mobile Printer

	HP Officejet H470
Print technology	HP Thermal Inkjet
Printhead nozzles	672 black ink nozzles, 600 colour ink nozzles
Print speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 22 ppm / Up to 7.7 ppm / Up to 1.5 ppm Mixed text/colour graphics A4: Up to 18 ppm / Up to 5.2 ppm / Up to 1.5 ppm Full page color A4: Up to 6.2 ppm / Up to 1.6 ppm / Up to 0.7 ppm All figures given are approximate and represent values obtained when printing from a PC over USB. Exact speed varies with system configuration, software program and document complexity.
Processor	192 MHz
Print quality	Black: Up to 1200 x 1200 rendered dpi (when printing from a computer). Colour: Up to 4800 optimised dpi when printing from a computer and 1200 input dpi
Memory	32 MB, maximum: 32 MB
Printer languages	HP PCL 3 enhanced
Typefaces/fonts	8 built-in, 8 scalable
Duty cycle	Up to 500 pages per month
Media types	Paper (inkjet, photo, plain), cards (greeting, index), envelopes, labels, transparencies
Maximum print area	203.2 x 341.8 mm
Print margins	A4: top: 2 mm, left: 3.4 mm , bottom: 2 mm. Borderless printing: Yes (100 x 150 mm, with or without tear-off/cut-off tab)
Media handling	Tray 1: sheets: 50 Duplex printing: Manual (driver support provided) Size: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5 (176 x 250 mm), C6 (114 x 162 mm), DL (110 x 220 mm), 100 x 150 mm (with or without tear-off/cut-off tab), custom: 76.2 x 101.6 to 215.9 x 355.6 mm
Power	Consumption: 40 watts maximum, 24 watts maximum (active/printing), 0.4 watts maximum (off)
Interface and connectivity	USB - compatible with USB 2.0 specification, PictBridge, Secure Digital/MultiMediaCard Slot. Optional: HP bt500 Bluetooth USB 2.0 Wireless Adapter Q6273A, HP 802.11 b/g Wireless Printer Adapter Q6274A
Control panel	3 front-panel buttons (Cancel, Power on/off, Resume), 3 LEDs (Battery charging, Black/colour cartridges, Power on/off)
Software included	HP Photosmart Essential, HP Smart Web Printing, HP Desktop SureSupply
Dimensions (w x d x h)	Out of package: 340.21 x 163.8 x 80.5 mm (H470) 340.21 x 184.8 x 80.5 mm (H470b) 340.21 x 184.8 x 80.5 mm (H470wbt) Packaged: 402.8 x 199.9 x 231.9 mm (H470) 402.8 x 199.9 x 231.9 mm (H470b) 407.9 x 225.8 x 231.9 mm (H470wbt)
Weight	Out of package: 2.09 kg (H470) 2.27 kg (H470b) 2.27 kg (H470wbt) ; Packaged: 4 kg (H470) 4.2 kg (H470b) 4.5 kg (H470wbt)
Printer management	HP Web Jetadmin
Energy Star	Yes
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CB026A	HP Officejet H470 Mobile Printer This high-performance mobile printer with optional wireless capability lets you print anytime,anywhere.	377	406		
CB027A	HP Officejet H470b Mobile Printer This high-performance mobile printer with optional wireless capability lets you print anytime,anywhere.	455	490		
CB028A	HP Officejet H470wbt Mobile Printer This high-performance mobile printer with optional wireless capability lets you print anytime,anywhere.	535	576		

HP Officejet H470 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			H470
HP Connectivity-JetDirect						
Q6274A	HP 802.11b/g Wireless Printer Adapter Printer adapter allows you to print wirelessly from your wireless device to your HP H470 Officejet mobile printer.	65	70			X
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
HP Cases						
Q6282A	HP Notebook/Mobile Printer Carrying Case A durable carrying case that holds your mobile printer, notebook, and all your accessories - supplies.	114	123			X
Q6281A	HP Mobile Printer Sleeve The form fitted protective sleeve protects your mobile printer during transport and use.	43	46			X
HP Power Supply						
C8263A	HP Lithium-ion Battery Slim,long-lasting lithium-ion battery for Deskjet 450 and 460 mobile printers	76	82			X
C8257A	HP Auto Power Adapter Auto Power Adapter for charging DJ450 mobile printer in the car	87	94			X
C9279A	HP Power Adapter for Mobile Printers	59	63			X
CB012A	HP Battery and Recharger Kit For select HP mobile printers.	194	209			X

HP Officejet H470 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			H470
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet 460 Mobile Printer

HP Mobile Inkjet - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			450	460
HP Power Supply							
C8263A	HP Lithium-ion Battery Slim,long-lasting lithium-ion battery for Deskjet 450 and 460 mobile printers	76	82				X
C8257A	HP Auto Power Adapter Auto Power Adapter for charging DJ450 mobile printer in the car	87	94			X	X
HP Other Accessories							
CB006A	HP Black/Color Cartridge Travel Holder Protective travel holder for black/photo cartridge	16	17				X
PC766A	Kensington Security Lock	73	79				X

HP Mobile Inkjet - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			350C/CBi	450	460
Inkjet Cartridges								
51649NE	HP 49 Color Ink Crtg 11ml EUR Used in the DeskJet and DeskWriter 600, 600C, 610C, 640C, 660C, 660Cse, 680C, 682C printers.	31	33		↘	X		
C6628AE	HP ink cartridge, black 30ml	52	56		↗	X		
C6656AE	HP No. 56 ink cartridge, black	32	34		↗		X	
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗		X	
C6658AE	HP No. 58 photo ink cartridge	37	40		↗		X	
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗			X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗			X
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗			X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗			X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗			X
Paper								
51649AE	HP Inkjet cartridge, color (C/M/Y)	51	55		↘	X	X	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X	X	X

HP Personal InkJet Printer

HP Deskjet D2560

	HP Deskjet D2560			
Print technology	HP Thermal Inkjet			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4	Up to 26 ppm	Up to 9 ppm	Up to 2.5 ppm
	Mixed text/colour graphics A4	Up to 20 ppm	Up to 6.5 ppm	Up to 2.5 ppm
	10 x 15 cm colour photo (photo paper)	As fast as 26 sec		As fast as 63 sec
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.			
Print quality	Black: Up to 600 rendered dpi Colour: Up to 4800 x 1200 optimised dpi when printing from a computer with selected HP photo papers and 1200 input dpi			
Memory	Integrated memory			
Printer languages	HP PCL 3 GUI			
Cartirdge alignement	+/- 0.17 mm			
Duty cycle	Up to 1'000 pages per month			
Recommended media weight	A4: 70 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²			
Recommended media	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards, HP Advanced media, iron-on transfers			
Media sizes	Standard: A4 (210 x 297 mm); A5 (148 x 210 mm); DL (110 x 220 mm); C6 (114 x 162 mm); A6 (105 x 148 mm); 130 x 180 mm, 100 x 150 mm, Custom: 76 x 127 to 216 x 762 mm			
Paper handling	80-sheet input tray, 20-sheet output tray, manual two-sided printing (driver support provided)			
Media handling / input	Sheets: Up to 80, Envelopes: Up to 10 Cards: Up to 20, Transparencies: Up to 30, Labels/A4 sheets: Up to 20			
Paper input tray	Standard: 1, optional: 1			
Media handling / output	Up to 20			
Duplex printing	Manual (driver support provided)			
Power consumption	16 watts maximum (active/printing)			
Interface and connectivity	Hi-Speed USB - compatible with USB 2.0 specifications			
Control panel	On/off button, ink-level indicator, advance paper button, print cancel button			
Software included	HP Photosmart Essential 2.5, HP Smart Web Printing 2.0			
Dimensions (w x d x h)	Out of package: 438 x 307 x 141 mm, with trays up: 438 x 209 x 141 mm, packaged: 484 x 184 x 275 mm			
Weight	Out of package: 2.8 kg, packaged: 3.8 kg			
Energy Star	Yes			
Supplies life	For information on cartridge page and photo yields, see http://www.hp.com/go/pageyield			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.		
CB671B	HP Deskjet D2560 Printer Easy,everyday printing for home or small office.	71	76		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet D2560 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D2560
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			X
Q6302A	HP 2101 nw Wireless G Print Server	54	58			X

HP Deskjet D2560 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D2560
Inkjet Cartridges						
CC640EE	HP 300 Black Ink Cartridge Use in selected HP Deskjet printers	20	22		↘	X
CC643EE	HP 300 Tri-Colour Ink Cartridge Use in selected HP Deskjet printers	23	25		↘	X
CC641EE	HP 300XL Black Ink Cartridge Use in selected HP Deskjet printers	40	44		↘	X
CC644EE	HP 300XL Tri-colour Ink Cartridge Use in selected HP Deskjet printers	47	50		↘	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X

HP Deskjet D4360

	HP Deskjet D4360			
Print technology	HP Thermal Inkjet			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4	Up to 30 ppm	Up to 9.1 ppm	Up to 2.3 ppm
	Mixed text/colour graphics A4	Up to 23 ppm	Up to 5.8 ppm	Up to 2.3 ppm
	10 x 15 cm colour photo (photo paper)	As fast as 26 sec	As fast as 33 sec	As fast as 59 sec
	Dependent upon document type and print mode.			
Print quality	Black: Up to 1200 x 1200 rendered dpi Colour: Up to 4800 x 1200 optimised dpi and 1200 input dpi			
Memory	Integrated memory			
Printer languages	Lightweight Imaging Device Interface Language (LIDIL)			
Typefaces/fonts	None			
Cartirdge alignement	+/- 0.05 mm			
Duty cycle	Up to 3'000 pages per month			
Recommended media weight	A4: 70 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²			
Recommended media	Plain paper			
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), C6 (114 x 162 mm), DL (110 x 220 mm), 100 x 300 mm, 130 x 180 mm, 100 x 150 mm			
Paper handling	80-sheet input tray, 50-sheet output tray			
Media handling / input	Sheets: Up to 80, Envelopes: Up to 10 Cards: Up to 30, Transparencies: Up to 30, Labels/A4 sheets: Up to 20			
Paper input tray	Standard: 1, optional: 1			
Media handling / output	Up to 50			
Duplex printing	Manual (driver support provided)			
Power consumption	20 watts maximum (active/printing), 3 watts maximum (ready)			
Interface and connectivity	USB - compatible with USB 2.0 specifications (front), Hi-Speed USB - compatible with USB 2.0 specifications (back)			
Control panel	3 front-panel buttons (Power, Print Cancel, Paper Advance), Ink Level Gauge (black and tri-colour)			
Software included	HP Photosmart Essential 2.5, HP Smart Web Printing 2.0			
Dimensions (w x d x h)	Out of package: 445 x 342 x 148 mm, with trays up: 445 x 207 x 172 mm, Maximum: 446 x 480 x 172 mm, packaged: 489 x 284 x 225 mm			
Weight	Out of package: 3.5 kg, packaged: 5.4 kg			
Energy Star	Yes			
Supplies life	For information on page yield, visit www.hp.com/go/learnaboutsupplies, or see product packaging			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.		
CB700B	HP Deskjet D4360 Printer Productive,everyday printing.	83	89		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet D4360 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D4360
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			X
Q6302A	HP 2101 nw Wireless G Print Server	54	58			X

HP Deskjet D4360 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D4360
Inkjet Cartridges						
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q8028A	HP Prem+ High Gloss Photo Paper 25 Sht Contains 25 sheets of HP Premium Plus High Gloss 280 gm,10 x 15 cm borderless photo paper	13	14		↗	X

HP Photosmart D5360

	HP Photosmart D5360
Print technology	HP Thermal Inkjet
Print head nozzles	3'900
Print speed	**Document type** / **Draft** / **Fast normal** / **Normal** / **Best** Black text A4 / Up to 32 ppm / Up to 11 ppm / Up to 8.2 ppm / Up to 2.2 ppm Mixed text/colour graphics A4 / Up to 24 ppm / Up to 7.2 ppm / Up to 5.4 ppm / Up to 2.3 ppm 10 x 15 cm colour photo (photo paper) / As fast as 27 sec / As fast as 28 sec / As fast as 48 sec / As fast as 53 sec Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi
Memory	Integrated Memory
Printer languages	PCL3
Cartridge alignement	+/- 0.0508 mm
Recommended media weight	Main Tray: A4: 60 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 252 g/m²; Photo Tray: HP photo paper 165 to 252 g/m²
Recommended media	Paper (plain, inkjet, photo, brochure), envelopes, labels, cards (index, greeting) and transparency
Media sizes	Standard: Main Tray: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5 (176 x 250 mm), B6 (125 x 176 mm), B7 (88 x 125 mm), C5 (162 x 229 mm), C6 (114 x 162 mm); Photo Tray: A6 (105 x 148 mm), B6 (125 x 176 mm), C6 (114 x 162 mm), 130 x 180 mm, 100 x 150 mm (with or without tear-off/cut-off tab), Custom: Main Tray: 76 x 127 to 216 x 355 mm; Photo Tray: 76 x 127 to 127 x 178 mm
Media handling/input	Sheets: Up to 125, Envelopes: Up to 15 Cards: Up to 40, Transparencies: Up to 25, Labels/A4 sheets: Up to 125
Paper input tray	Standard: 2, optional: 2
Media handling/output	Up to 50
Duplex printing	Automatic (standard)
Power consumption	14 watts maximum (active, printing), 25 watts maximum
Interface and connectivity	Hi-Speed USB - compatible with USB 2.0 specifications, memory card slots
Control panel	5 lights (Power, Attention, Print Photos, Photo Tray, Fix Photo), 8 front-panel buttons (Power, Print Photos, Photo Tray, Fix Photo, Cancel, Left, Right, OK)
Software included	HP Photosmart Essential Software, Roxio Express Labeler
Dimensions (w x d x h)	Out of package: 458 x 473 x 183 mm, Maximum: 458 x 582 x 380 mm, packaged: 501 x 238 x 494 mm
Weight	Out of package: 5.7 kg, packaged: 8.23 kg
Energy star	Yes
Supplies life	For information on cartridge page and photo yields, see http://www.hp.com/go/pageyield
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
Q8361B	HP Photosmart D5360 Printer	132	142		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart D5360 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D5360
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Other Accessories						
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			X

HP Photosmart D5360 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D5360
Inkjet Cartridges						
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
Paper						
Q8028A	HP Prem+ High Gloss Photo Paper 25 Sht Contains 25 sheets of HP Premium Plus High Gloss 280 gm,10 x 15 cm borderless photo paper	13	14		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X

HP Photosmart D5460

	HP Photosmart D5460			
Print technology	HP Thermal Inkjet			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4	Up to 33 ppm	Up to 11.5 ppm	Up to 2.9 ppm
	Mixed text/colour graphics A4	Up to 31 ppm	Up to 9.2 ppm	Up to 2.7 ppm
	10 x 15 cm colour photo (photo paper)	As fast as 18 sec	As fast as 30 sec	As fast as 60 sec
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.			
Print quality	Black: Up to 600 x 600 rendered dpi Colour: Up to 9600 x 2400-optimised dpi colour (when printing from a computer on selected HP photo papers and 1200-input dpi)			
Memory	64 MB			
Printer languages	HP PCL 3 GUI			
Cartridge alignement	+/- 0.1524 mm			
Duty cycle	Up to 2'500 pages per month			
Recommended media weight	Main Tray: 60 to 252 g/m²; Photo Tray: 200 to 252 g/m²			
Recommended media	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards (index, greeting), borderless media, CD/DVD			
Media sizes	Standard: Main Tray: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5 (176 x 250 mm), B6 (125 x 176 mm), B7 (88 x 125 mm), C5 (162 x 229 mm), C6 (114 x 162 mm); JIS B5 (182 x 257 mm), JIS B6 (128 x 182 mm), JIS B7 (91 x 128 mm); Photo Tray: A6 (105 x 148 mm), B6 (125 x 176 mm), C6 (114 x 162 mm) B7 (88 x 125 mm), JIS B6 (128 x 182 mm), JIS B7 (91 x 128 mm), 100 x 150 mm, 130 x 180 mm, Custom: Main Tray: 88 x 127 to 216 x 356 mm; Photo Tray: 88 x 127 to 130 x 180 mm			
Paper handling	125-sheet input tray, 20-sheet automated photo tray, 50-sheet output tray, manual two-sided printing (driver support provided)			
Media handling/input	Sheets: Up to 125, Envelopes: Up to 15 Cards: Up to 60, Transparencies: Up to 40, Labels/A4 sheets: Up to 40			
Paper input tray	Standard: 2, optional: 2			
Media handling/output	Up to 50			
Duplex printing	Manual (driver support provided)			
Power consumption	42 watts maximum, 24 watts maximum (active/printing), 3.61 watts maximum (ready), 2.7 watts maximum (sleep), 0.5 watts maximum (off)			
Interface and connectivity	1 USB 2.0 (front, PictBridge compatible), Hi-Speed USB 2.0 (back), memory card slots, optional: HP bt500 Bluetooth USB 2.0 Wireless Adapter, HP Wireless Printing Upgrade Kit, HP 2101nw Wireless G Print Server			
Control panel	3.8 cm Colour Graphics Display; 7 buttons (On, Previous, OK, Next, Print Photos, Red Eye Removal, Cancel). 5 LEDs (On, Memory Card Slot, Print Photos, Red Eye Removal, Attention).			
Software included	HP Photosmart Essential, HP Smart Web Printing 2.0			
Dimensions (w x d x h)	Out of package: 458 x 386 x 183 mm, Maximum: 458 x 575 x 183 mm, packaged: 501 x 238 x 439 mm			
Weight	Out of package: 5.8 kg, packaged: 7.64 kg			
Energy star	Yes			
Supplies life	For information on cartridge page and photo yields, see http://www.hp.com/go/pageyield			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.		
Q8421B	HP Photosmart D5460 Printer Single function printer with individual ink cartridges and CD/DVD printing.	132	142		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart D5460 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D5460
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Other Accessories						
Q6302A	HP 2101 nw Wireless G Print Server	54	58			X

HP Photosmart D5460 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D5460
Inkjet Cartridges						
CB316EE	HP 364 Black Ink Cartridge Use in selected HP Photosmart printers	13	14		↘	X
CB317EE	HP 364 Photo Black Ink Cartridge Use in selected HP Photosmart printers	12	13		↘	X
CB318EE	HP 364 Cyan Ink Cartridge Use in selected HP Photosmart printers	12	13		↘	X
CB319EE	HP 364 Magenta Ink Cartridge Use in selected HP Photosmart printers	12	13		↘	X
CB320EE	HP 364 Yellow Ink Cartridge Use in selected HP Photosmart printers	12	13		↘	X
CB321EE	HP 364XL Black Ink Cartridge Use in selected HP Photosmart printers	39	42		↘	X
CB322EE	HP 364XL Photo Black Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB323EE	HP 364XL Cyan Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB324EE	HP 364XL Magenta Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB325EE	HP 364XL Yellow Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
Paper						
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X

HP Photosmart D7260

	HP Photosmart D7260				
Print technology	HP Thermal Inkjet				
Print head nozzles	3'900				
Print speed	**Document type**	**Draft**	**Fast normal**	**Normal**	**Best**
	Black text A4	Up to 34 ppm	Up to 7.8 ppm	Up to 7.8 ppm	Up to 4.5 ppm
	Mixed text/colour graphics A4	Up to 33 ppm	Up to 8.0 ppm	Up to 7.8 ppm	
	10 x 15 cm colour photo (photo paper)	As fast as 10 sec	As fast as 16 sec	As fast as 22 sec (borderless)	As fast as 53 sec (borderless)
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.				
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi				
Memory	64 MB				
Printer languages	HP PCL3				
Cartridge alignement	+/- 0.0508 mm				
Duty cycle	Up to 3'000 pages per month				
Recommended media weight	A4: 65 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²				
Recommended media	Paper (inkjet, photo, plain), envelopes, labels, cards (greeting, index), transparencies, iron-on transfers				
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), DL (110 x 220 mm), C6 (114 x 162 mm), A6 (105 x 148 mm), 300 x 100 mm, 130 x 180 mm, 100 x 150 mm (with or without tear-off/cut-off tab), Custom: 76 x 102 to 216 x 610 mm				
Paper handling	100-sheet input tray, 20-sheet automated 10 x 15 cm photo tray, 50-sheet output tray				
Media handling/input	Sheets: Up to 100, Envelopes: Up to 10 Cards: Up to 40, Transparencies: Up to 30, Labels/A4 sheets: Up to 30				
Paper input tray	Standard: 2				
Media handling/output	Up to 50				
Duplex printing	Automatic (optional)				
Power consumption	5 watts maximum				
Interface and connectivity	USB - compatible with USB 2.0 specifications, PictBridge, Ethernet, memory card slots, optional: HP bt500 Bluetooth Wireless Printer and PC Adapter				
Control panel	4 front-panel buttons (Power, Print, Cancel, Red Eye)				
Software included	HP Photosmart Essential 2.0 Software				
Dimensions (w x d x h)	Out of package: 462.5 x 387.3 x 172.9 mm, Maximum: 462.5 x 500 x 236.2 mm, packaged: 532 x 233 x 466 mm				
Weight	Out of package: 8 kg, packaged: 10 kg				
Energy star	Yes				
Supplies life	For information on cartridge page and photo yields, see http://www.hp.com/go/pageyield				
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.				

Prod-No.	Description	VAT excl.	VAT incl.		
CC975B	HP Photosmart D7260 Printer With Pictbridge,Photo Tray.	202	217		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart D7260 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D7260
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X
HP Other Accessories						
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X

HP Photosmart D7260 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D7260
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q5456A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced glossy paper in A4 size. 210 x 297 mm.	20	21		↗	X

HP Photosmart D7460

	HP Photosmart D7460
Print technology	HP Thermal Inkjet
Print head nozzles	**3900**
Print speed	**Document type** / **Draft** / **Fast normal** / **Normal** / **Best** Black text A4 / Up to 34 ppm / Up to 7.8 ppm / Up to 7.8 ppm / Up to 4.5 ppm Mixed text/colour graphics A4 / Up to 33 ppm / Up to 8.0 ppm / Up to 7.8 ppm 10 x 15 cm colour photo (photo paper) / As fast as 10 sec / As fast as 16 sec / As fast as 22 sec (borderless) / As fast as 53 sec (borderless) Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi
Memory	64 MB
Typefaces/fonts	13 built-in fonts
Cartridge alignement	+/- 0.0508 mm
Duty cycle	Up to 3'000 pages per month
Recommended media weight	A4: 65 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²
Recommended media	Paper (inkjet, photo, plain), envelopes, labels, cards (greeting, index), transparencies, iron-on transfers
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), DL (110 x 220 mm), C6 (114 x 162 mm), A6 (105 x 148 mm), 300 x 100 mm, 130 x 180 mm, 100 x 150 mm (with or without tear-off/cut-off tab), Custom: 76 x 102 to 216 x 610 mm
Media handling/input	Sheets: Up to 100, Envelopes: Up to 10 Cards: Up to 40, Transparencies: Up to 30, Labels/A4 sheets: Up to 30
Paper input tray	Standard: 2, optional: 1 plus automated 10 x 15 cm photo tray
Media handling/output	Up to 50
Duplex printing	Automatic (optional)
Power consumption	5 watts maximum
Interface and connectivity	USB - compatible with USB 2.0 specifications, PictBridge, Ethernet, memory card slots, HP bt500 Bluetooth Wireless Printer and PC Adapter
Control panel	4 front-panel buttons (Power, Print, Cancel, Red-Eye)
Software included	HP Photosmart Essential 2.0 Software
Dimensions (w x d x h)	Out of package: 462.5 x 387.3 x 172.9 mm, Maximum: 462.5 x 500 x 236.2 mm, packaged: 532 x 233 x 466 mm
Weight	Out of package: 8 kg, packaged: 10 kg
Energy star	Yes
Supplies life	For information on page yield, visit www.hp.com/go/pageyield, or see product packaging
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CC247B	HP Photosmart D7460 Printer With Wireless,Bluetooth,Pictbridge, Photo Tray.	262	282		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart D7460 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D7460
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X
HP Other Accessories						
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X

HP Photosmart D7460 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D7460
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
Q5456A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced glossy paper in A4 size. 210 x 297 mm.	20	21		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X

HP Deskjet D2360

HP Deskjet D2360 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D2360
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Deskjet D2360 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D2360
Inkjet Cartridges						
C9351AE	HP 21 Black EMEA Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C9352AE	HP 22 EMEA Tri Color Pring Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	26	28		↗	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q6592A	HP A4 Size Superior 180 Matte Paper Is a professional quality matte inkjet brochure paper designed specifically for printing on both sides. Allows consumers to product outsourced print quality	36	39		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X
Q8027A	HP Prem+ High Gloss Photo Paper 25 Sht Contains 25 sheets of HP Premium Plus High Gloss 280 gm,10 x 15 cm with tab photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet D2460

HP Deskjet D2460 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D2460
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Deskjet D2460 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D2460
Inkjet Cartridges						
C9351AE	HP 21 Black EMEA Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C9352AE	HP 22 EMEA Tri Color Pring Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	26	28		↗	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
Paper						
Q8032A	HP Premium Glossy Photo Paper 100 Sht Contains 100 sheets of HP Premium Plus 240 gm,10 x 15 with tab photo paper	19	21		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X

HP Deskjet D4260

HP Deskjet D4260 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D4260
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Deskjet D4260 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D4260
Inkjet Cartridges						
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
Paper						
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X
Q8028A	HP Prem+ High Gloss Photo Paper 25 Sht Contains 25 sheets of HP Premium Plus High Gloss 280 gm,10 x 15 cm borderless photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart D7160

HP Photosmart D7160 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D7160
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Other Accessories						
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X

HP Photosmart D7160 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D7160
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X
Q8698A	HP Advanced Gloss Photo Paper 50 Sht Contains 50 sheets of HP Advanced glossy photo paper in A4, 210 x297 mm size.	31	34		↗	X

HP Deskjet 9800

HP Deskjet 9800 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			9800
HP Cables						
C2950A	HP IEEE-1284 A-B parallel cable, (2m)	17	18			X
C2951A	HP IEEE-1284 A-B parallel cable, (3m)	22	24			X
HP Other Accessories						
C8258A	HP Automatic 2-sided Printing Accessory	64	69			X

HP Deskjet 9800 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			9800
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet 3000 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3325	3420	3550	3650	3820
Inkjet Cartridges										
C6658AE	HP No. 58 photo ink cartridge	37	40		↗				X	
C6615DE	HP No. 15 ink cartridge black	45	48		↗					X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗					X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗					X
Paper										
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X	X	X	X	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X	X	X	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X	X		X	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X	X	X	X	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X	X	X	X	X

HP Deskjet 3845

HP Deskjet 3845 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3845
Inkjet Cartridges						
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
Paper						
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X
Q5441A	HP Everyday Photo Paper, Semi Gloss EU HP lowest priced glossy inkjet photo paper in a convenient snapshot size. 10x 15cm 100 sheets. Use in all HP inkjet printers.	13	14		↘	X
Q5451A	HP Everyday Photo Paper,Semi Glossy EU HP lowest priced glossy inkjet photo paper. Glossy alternative to plain paper for printing everyday photos. 25 sheets, A4 size.	8	9		↘	X

HP Deskjet 3940

HP Deskjet 3940 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3940
Inkjet Cartridges						
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
Paper						
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q5441A	HP Everyday Photo Paper, Semi Gloss EU HP lowest priced glossy inkjet photo paper in a convenient snapshot size. 10x 15cm 100 sheets. Use in all HP inkjet printers.	13	14		↘	X
Q5451A	HP Everyday Photo Paper,Semi Glossy EU HP lowest priced glossy inkjet photo paper. Glossy alternative to plain paper for printing everyday photos. 25 sheets, A4 size.	8	9		↘	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet 5000 series

HP Deskjet 5000 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			5150	5550	5650	5652	5850	5440	5940
Inkjet Cartridges												
C6656AE	HP No. 56 ink cartridge, black	32	34		↗	X	X	X	X	X		
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗	X	X	X	X	X		
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X	X	X	X	X		
C9362EE	HP 336 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	24	25		↗						X	
C9361EE	HP 342 Tricolor Inkjet Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	28	30		↗						X	
C9364EE	HP 337 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	31	33		↗							X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗							X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗							X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗							X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗						X	X
Paper												
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X	X	X	X	X		
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X	X	X	X	X	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X	X	X	X	X	X	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X	X	X	X	X	X	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X	X	X	X	X	X	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X		X	X	X	X	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X		X	X	X	X	X

Prod-No.	Description	VAT excl.	VAT incl.			5150	5550	5650	5652	5850	5440	5940
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X		X	X	X	X	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗						X	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗						X	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗						X	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗						X	X
Q2525A	HP Brochure and Flyer Glossy Paper This bright white paper is glossy on both sides. It is a tri-fold and scored for easy folding.	26	28		↗						X	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet 6122 / 6127

HP Deskjet 6122/6127 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			DJ 6122 / 6127
Inkjet Cartridges						
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X

HP Deskjet 6620

HP Deskjet 6620 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			6620
HP Other Accessories						
Q5712A	HP ph5712 Auto Two-Sided Print Accessory	59	63			X

HP DeskJet 6620 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			6620
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X

HP Deskjet 6840

HP DeskJet 684x - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			6840
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X

HP Photosmart 8250

HP Photosmart 8250 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			8250
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart D7360

HP Photosmart D7360 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			D7360
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Other Accessories						
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X

HP Photosmart D7360 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			D7360
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X
Q8698A	HP Advanced Gloss Photo Paper 50 Sht Contains 50 sheets of HP Advanced glossy photo paper in A4, 210 x297 mm size.	31	34		↗	X

HP DeskJet 900 series - Supplies part 1

Prod-No.	Description	VAT excl.	VAT incl.			920C	930C/CM	940C	950C	959C	960C
Inkjet Cartridges											
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗		X		X	X	X
C6615DE	HP No. 15 ink cartridge black	45	48		↗	X		X			
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X	X	X	X	X	X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X	X	X	X	X	X
Paper											
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X	X	X	X	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X	X	X		X	X

HP DeskJet 900 series - Supplies part 2

Prod-No.	Description	VAT excl.	VAT incl.			970CXi	980Cxi	990Cxi / 990CM	995C
Inkjet Cartridges									
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X	X	X	X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X	X	X	X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X	X	X	X
Paper									
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X	X	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X	X	X	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP obsolete Inkjet - Supplies part 1

Prod-No.	Description	VAT excl.	VAT incl.			340	600	660C / 670C	820CXi
Inkjet Cartridges									
51625AE	HP Inkjet cartridge, color (C/M/Y)	51	55		↘	X			
51633ME	HP Inkjet cartridge, black	44	47		↘	X			
51629AE	HP Inkjet cartridge, black	50	54		↘		X	X	
51649AE	HP Inkjet cartridge, color (C/M/Y)	51	55		↘		X	X	
51641AE	HP Inkjet cartridge, color (C/M/Y)	52	55		↗				X
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗				X
Paper									
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗			X	
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗			X	
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗			X	

HP obsolete Inkjet - Supplies part 2

Prod-No.	Description	VAT excl.	VAT incl.			850C	1100C	1200C / PS	1600C / CM
Inkjet Cartridges									
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X	X		X
51641AE	HP Inkjet cartridge, color (C/M/Y)	52	55		↗	X	X		
51640AE	HP Inkjet cartridge, black, 42 ml	46	50		↗			X	
51640CE	HP Inkjet cartridge, cyan	52	55		↗			X	X
51640ME	HP Inkjet cartridge, magenta	52	55		↗			X	X
51640YE	HP Inkjet cartridge, yellow	52	55		↗			X	X
Paper									
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X	X		
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X		
C6821A	HP professional brochure & flyer paper, 50 sheets, A3, double sided glossy	41	44		↗		X		
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X			
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X			

HP Business InkJet Printer

HP Officejet Pro K5400

	HP HP Officejet Pro K5400
	Officejet K5400dtn
Print technology	HP Thermal Inkjet
Print head nozzles	1056 black ink nozzles, 1056 ink nozzles per colour
Print speed	**Document type** / **Draft** / **Normal** / **Best** **Black text A4** / Up to 36 ppm / Up to 16 ppm / Up to 5 ppm **Mixed text/colour graphics A4** / Up to 35 ppm / Up to 15 ppm **Full page colour A4** / / / Up to 2.5 ppm Speed specifications have been updated to reflect current industry testing methods.
Processor	ARM946, 192 MHz
Print quality	Black: Up to 1200 x 1200 dpi. Colour: Up to 4800 x 1200 optimised dpi on premium photo paper, up to 1200 x 1200 input dpi
Memory	32 MB, maximum: 32 MB
Printer languages	PCL3GUI
Typefaces/fonts	8 built-in fonts, 4 each in portrait and landscape orientation; CG Times, CG Times Italic, Univers, Univers Italic, Courier, Courier Italic, Letter Gothic, Letter Gothic Italic (Euro symbol supported)
Duty cycle	Up to 7'500 pages per month
Media types	Paper (plain, inkjet, photo), envelopes, brochure paper, transparencies, labels, cards (index, greeting)
Maximum print area	211.7 x 352.3 mm
Print margins	A4: top: 3.3 mm, left: 3.3 mm, bottom: 3.3 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** **Tray 1** / sheets: 250, envelopes: 30, transparencies: 70, cards: 80 / 60 to 105 g/m² (plain media), 60 to 200 g/m² (special media), up to 200 g/m² (card media) / A4, A5, A6, B5, 76 x 127 to 216 x 356 mm **Tray 2** / sheets: 350 / 60 to 105 g/m² (plain media) / A4, B5, 182 x 257 to 216 x 356 mm **Output:** Sheets: Up to 150 Envelopes: Up to 15 Transparencies: Up to 60 **Size:** A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B4 (250 x 353 mm), B5 (176 x 250 mm), C5 (162 x 229 mm), C6 (114 x 162 mm), 10 x 15 cm, 13 x 18 cm, custom: Tray 1: 76 x 127 to 216 x 356 mm
Power consumption	6.25 watts maximum (ready/sleep), 36.59 watts maximum (active/printing), 80 watts maximum
Software included	Printer software on CDROM (includes printer installation software, printer drivers, administrative tools and user's guide)
Dimensions (w x d x h)	Out of package: 495 x 382 x 207 mm (OJ Pro K5400) 495 x 466 x 207 mm (OJ Pro K5400dn) 495 x 485 x 298 mm (OJ Pro K5400dtn) Packaged: 302 x 598 x 503 mm (OJ Pro K5400) 302 x 598 x 503 mm (OJ Pro K5400dn) 497 x 598 x 503 mm (OJ Pro K5400dtn)
Weight	Out of package: 8.8 kg (OJ Pro K5400) 9.5 kg (OJ Pro K5400dn) 12 kg (OJ Pro K5400dtn); Packaged: 13 kg (OJ Pro K5400) 14 kg (OJ Pro K5400dn) 17 kg (OJ Pro K5400dtn)
Energy star	Yes
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
C9282A	HP Officejet Pro K5400N Printer Single function productivity color inkjet prointer for micro and small business,with built in network.	231	249		
C8185A	HP Officejet Pro K5400dn Printer Single function productivity color inkjet printer for micro and small business,with network and duplexer.	307	330		
C9277A	HP Officejet Pro K5400dtn Color Printer Single function productivity color inkjet printer for micro and small business,with duplexer,network and 2nd tray of 350-sheet.	410	441		

HP Officejet Pro K5400 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			K5400
HP Paper Trays						
C9278A	HP Automatic 2sided Printing Accessory 2 sided printing accessory (duplexer) for HP OJ Pro L7000 series and HP OJ Pro K5400 series.	59	63			X
CB009A	HP 350 Sheet Paper Tray 350 sheet second paper tray accessory for HP OJ Pro K5400 series.	76	82			X
HP Connectivity-JetDirect						
J6035G	HP Jetdirect 175X; External Print Server Value Line provides a simple an inexpensive way to share a printer or HP All-In-One devices in an Ethernet networking environment.	330	355			X

HP Officejet Pro K5400 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			K5400
Inkjet Cartridges						
C9385AE	HP 88 Black Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	29	31		↗	X
C9386AE	HP 88 Cyan Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9387AE	HP 88 Magenta Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9388AE	HP 88 Yellow Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9391AE	HP 88 Large Cyan Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9392AE	HP 88 Large Magenta Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9393AE	HP 88 Large Yellow Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9396AE	HP 88 Large Black Ink Cartridge Use in HP OfficeJet Pro K550 series printers	49	52		↗	X
C9381A	HP 88 Black and Yellow Printhead Goes into the Officejet Pro K550 Series printers	75	81		↗	X
C9382A	HP 88 Magenta and Cyan Printhead Goes into Officejet Pro K550 Series Printer	75	81		↗	X

HP Officejet Pro K8600

	HP HP Officejet Pro K8600
Print technology	HP Thermal Inkjet
Print head nozzles	1056 black ink nozzles, 1056 colour ink nozzles
Print speed	**Document type** / **Draft** / **Normal** / **Best** **Black text A4** / Up to 35 ppm / Up to 15 ppm / Up to 5.8 ppm **Black text A3** / Up to 12.5 ppm **Mixed text/colour graphics A4** / Up to 35 ppm / Up to 14.5 ppm / Up to 4 ppm Approximate figures - exact speed will vary depending on the system configuration, software program, document complexity and media.
Processor	ARM946, 192 MHz
Print quality	Black: Up to 1200 x 1200 dpi. Colour: Up to 4800 x 1200 optimised dpi colour and 1200 input dpi
Memory	32 MB, maximum: 32 MB
Printer languages	PCL 3, PCL 3 GUI
Duty cycle	Up to 6'250 pages per month
Media types	Paper (inkjet, photo, plain), envelopes, labels, cards (greeting, index), transparencies
Maximum print area	320 x 2525.3 mm
Print margins	A4: top: 3 mm, left: 3.3 mm, bottom: 3 mm A3: top: 20 mm, left: 5 mm, bottom: 20 mm. Borderless printing: No
Media handling	**Input** / **Capacity** / **Weight** / **Size** **Tray 1** / sheets: 250 / 60 to 286 g/m² (including plain and photo media) / A3, A4, A5, A6, B4, B5, 76 x 127 to 330 x 2540 mm **Duplex unit** / A3+, A3, A4, B4 **Output:** Sheets: Up to 150 Envelopes: Up to 100 **Size:** A3+ (330 × 483 mm), A3 (297 x 420 mm) A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B4 (250 x 353 mm), B5 (176 x 250 mm), B6 (125 x 176 mm), C4 (229 x 324 mm), C5 (162 x 229 mm), C6 (114 x 162 mm), DL (210 x 105 mm), custom: 76 x 127 to 330 x 2540 mm
Power consumption	80 watts maximum, 30 watts maximum (active/printing), 6 watts maximum (ready), 1 watt maximum (off)
Interface and connectivity	Optional: HP Jetdirect external print servers
Control panel	2 front-panel buttons, (Job cancel, Resume); LEDs for status
Software included	Printer installation software on CD-ROM, drivers on the web: HP Officejet Pro K8600 Color Printer drivers
Smart software features	Borderless printing on HP Photo and brochure glossy papers, booklet printing, poster printing up to 5 x 5 sheets, print multiple pages onto a single sheet
Dimensions (w x d x h)	Out of package: 609.6 x 420.1 x 223 mm (OJ Pro K8600) 609.6 x 500.4 x 223 mm (OJ Pro K8600dn)
Weight	Out of package: 12.3 kg (OJ Pro K8600) 14.3 kg (OJ Pro K8600dn) ; Packaged: 14.3 kg (OJ Pro K8600) 16.6 kg (OJ Pro K8600dn)
Energy star	Yes
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CB015A	HP Officejet Pro K8600 Color Printer High performance,reliable,versatile wide format color inkjet printer with separate ink cartridges for the Micro and small business user.	614	661		
CB016A	HP Officejet Pro K8600dn Color Printer High performance,reliable,versatile wide format color inkjet printer with separate ink cartridges for the Micro and small business user.	769	827		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet Pro K8600 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			K8600
HP Connectivity-JetDirect						
J6035G	HP Jetdirect 175X; External Print Server Value Line provides a simple an inexpensive way to share a printer or HP All-In-One devices in an Ethernet networking environment.	330	355			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Officejet Pro K8600 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			K8600
Inkjet Cartridges						
C9391AE	HP 88 Large Cyan Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9392AE	HP 88 Large Magenta Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9393AE	HP 88 Large Yellow Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9396AE	HP 88 Large Black Ink Cartridge Use in HP OfficeJet Pro K550 series printers	49	52		↗	X
C9381A	HP 88 Black and Yellow Printhead Goes into the Officejet Pro K550 Series printers	75	81		↗	X
C9382A	HP 88 Magenta and Cyan Printhead Goes into Officejet Pro K550 Series Printer	75	81		↗	X
Paper						
Q6594A	HP Professional 120 Matt A3 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	38	40		↗	X
C6821A	HP professional brochure & flyer paper, 50 sheets, A3, double sided glossy	41	44		↗	X
Q2525A	HP Brochure and Flyer Glossy Paper This bright white paper is glossy on both sides. It is a tri-fold and scored for easy folding.	26	28		↗	X

HP Business Inkjet 2800 Printer

	HP Business Inkjet 2800
Print technology	HP Thermal Inkjet
Print head nozzles	304
Print speed (Up to # pages per minute)	Document type / Draft / Fast normal / Normal / Best Black text A4: 24 / 12.5 / 6.5 / 4 Black Text A3: 13.5 / 6 / 4.5 / 3 Mixed text/colour graphics A4: 21 / 12 / 5 / 4 Mixed text/colour graphics A3: 12 / 5.5 / 3 / 2.5 Approximate figures. Exact print speed will vary depending on the system configuration, software program and document complexity.
Processor	Motorola 32-bit ColdFire 4e RISC, 256 MHz
Print quality	Black: 1200 x 600 dpi Colour: Up to 4800 x 1200 optimised dpi on premium photo paper; HP Photoret III; Resolution Enhancement Technology
Memory	96 MB (upgradeable with two 100-pin SDRAM DIMM), expandable to 544 MB through 2 industry-standard DIMM slots Maximum: 544 MB
Printer languages	HP PCL 5c, HP PCL 6, Postscript Level 3 Emulation
Typefaces/fonts	80 built-in and scalable, 10-bit mapped fonts
Duty cycle	Up to 12'000 pages per month
Media types	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards (index, greeting)
Maximum print area	320 x 1255 mm
Print margins	A4: Top: 3 mm, left: 3.4 mm, right: 3.4 mm, bottom: 11.9 mm; A3: Top: 3 mm, left: 5 mm, right: 5 mm, bottom: 11.9 mm.
Media handling	Input / Capacity / Weight / Size Tray 1: Up to 150 sheets / 60 to 286 g/m2 (including plain and photo media) / A3+, A3, A4, A5, A6, B4, B5, B6, C4, C5, C6, DL; custom: 90 x 146 to 330 x 1270 mm Tray 2*: Up to 250 sheets / 60 to 90 g/m^2 / A3+, A3, A4, B4, B5 Duplex unit: – / 60 t o 9 0 g/ m^2 (plain paper); up to 135 g/ m^2 (brochure) / A3+, A3, A4, B4 Output: Sheets: up to 100, envelopes: up to 22, transparencies: up to 60 Duplex printing: Automatic (standard with dt/dtn; optional with 2800) *Standard with HP Business Inkjet 2800 dt/dtn
Power consumption	Consumption: Standby: 12 watts, Powersave: below 30 watts, Maximum: 67 watts
Interface and connectivity	1 USB (compatible with USB 2.0 specifications) port, 1 IEEE 1284-compliant parallel port, 1 EIO slot Optional: HP Jetdirect (EIO) Internal Print Servers, HP Jetdirect External Print Servers, HP Jetdirect 802.11b Wireless (EIO) Internal Print Server, HP Jetdirect connectivity cards
Control panel	Intuitive two-line text-based backlit LCD display, buttons: 1 each (Power, Help, LCD, Cancel, Resume); 2 status LED; 3 LCD Menu Navigation
Software included	Acrobat Reader 5.05, Config editor, expand utility, INF locator, Scrubber
Smart software features	Automatic two-sided printing, print task quick sets, emulate LaserJet margins, symmetrical margins, back to front, booklet layout, use different paper, pages per sheet, tiling, watermarks, resizing options, greyscale, fast normal mode
Dimensions (w x d x h) (out of package / packaged)	HP Business Inkjet 2800 Printer: 676 x 498 x 199 mm/788 x 600 x 382 mm; HP Business Inkjet 2800dt/dtn Printer: 676 x 588 x 263 mm/788 x 600 x 544 mm
Weight (out of package / packaged)	HP Business Inkjet 2800 Printer: 13.5 kg/17 kg; HP Business Inkjet 2800dt/dtn Printer: 19 kg/23 kg
Media sensor	Paper type sensor (optical sensor) – detects type of paper filled in tray, selects ideal print setting and colour map for best output print quality. Media width sensor (only activated when printing on media larger than A4 size) – notification if wrong media has been loaded to avoid ink and paper waste.
Warranty	One-year limited hardware warranty

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
C8174A	HP Business Inkjet 2800 Printer Wide-format color printer for the small work team	844	908		
C8164A	HP Business Inkjet 2800dtn Printer Wide-format color printer for the small work team with auto duplexer, 250-sheet second tray and JetDirect EIO network card	1'537	1'654		

HP Business Inkjet 2800 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			2800
HP Paper Trays						
C8261A	HP Bus. Inkjet 2800 250-sheet Paper Tray 250-sheet paper tray for Business Inkjet 2800 series	170	183			X
HP Other Accessories						
C8258A	HP Automatic 2-sided Printing Accessory	64	69			X

HP Business Inkjet 2800 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			2800
Inkjet Cartridges						
C4844AE	HP ink cartridge No.10 black	51	55		↗	X
C4836AE	HP ink cartridge No.11 cyan	50	54		↗	X
C4837AE	HP ink cartridge No. 11 magenta	50	54		↗	X
C4838AE	HP ink cartridge No. 11 yelow	50	54		↗	X
C4810A	HP printhead No.11 black	51	55		↗	X
C4811A	HP printhead No.11 cyan	51	55		↗	X
C4812A	HP printhead No.11 magenta	51	55		↗	X
C4813A	HP printhead No.11 yellow	51	55		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6821A	HP professional brochure & flyer paper, 50 sheets, A3, double sided glossy	41	44		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X

HP DeskJet 6940

	HP Deskjet 6940
Print technology	HP Thermal Inkjet
Print head nozzles	672 black ink nozzles, 600 colour ink nozzles, 600 photo ink nozzles (optional)
Print speed (Up to # pages per minute) (Up to # pages per minute) (As fast as # seconds)	Document type — Draft — Fast Normal — Normal — Best Black text A4 — 36 — 11 — 9.6 — 2 Mixed text/colour graphics A4 — 27 — 5.8 — 5.8 — 2.1 10 x 15 cm colour photo (photo paper) — 26 — 39 — 49 — 67 Dependent upon document type and print mode.
Print quality	Black: Up to 1200 x 1200 rendered dpi Colour: Up to 4800 optimised dpi colour and 1200 input dpi
Colour technology	HP Photoret III (HP Photoret IV enabled with optional photo cartridge)
Memory	32 MB
Printer languages	HP PCL3 with HPA
Typefaces/fonts	8 built-in fonts, 4 each in portrait and landscape orientations: CG Times, CG Times Italic, Univers, Univers Italic, Courier, Courier Italic, Letter Gothic, Letter Gothic Italic
Cartridge alignment	+/- 0.05 mm
Duty cycle	Up to 5'000 pages per month
Recommended media weight	A4: 60 to 90 g/m^2, HP banner paper: 60 to 90 g/ m^2, HP envelopes: 75 to 90 g/ m^2, HP cards: up to 200 g/ m^2, HP photo paper: up to 280 g/ m^2
Recommended media	Paper (plain, inkjet, photo, banner), envelopes, transparencies, labels, cards (index, greeting), borderless media
Media sizes	Standard: Paper: A4 210 x 297 mm, A5 148 x 210 mm, B5 176 x 250 mm, banner: A4 210 x 297 mm, transparencies: A4 210 x 297 mm, envelopes: DL 220 x 110 mm, C6 114 x 162 mm, cards: A6 105 x 148 mm, labels: A4 210 x 297 mm, photo paper: A4 210 x 297 mm, panorama 10 x 30 cm, 13 x 18 cm, 10 x 15 cm (with or without tear-off/cut-off tab), Custom: 77 x 127 to 215 x 610 mm
Media handling/input	Sheets: Up to 150 (up to 400 with optional 250-sheet paper tray), Banners: Up to 20, Envelopes: Up to 20, Cards: Up to 30, Transparencies: Up to 30, Labels/A4 sheets: Up to 30
Paper input tray	Standard: 150-sheet input tray (fixed), optional: 3
Media handling/output	Sheets: 50
Duplex printing	Optional HP Auto Two-sided Print Accessory ph5712 (Q5712A); Optional HP Auto Two-sided Print Accessory with Small Paper Tray ph3032 (Q3032A)
Power consumption	50 watts maximum
Interface and connectivity	Built-in Ethernet, USB - compatible with USB 2.0 specifications, PictBridge, optional: PC adapter with Bluetooth® wireless technology
Control panel	Advanced control panel with 'print cancel' button, ink-level indicators and network status lights
Software included	HP Photosmart Premier software
Dimensions (w x d x h)	Out of package: 450 x 367 x 144 mm, packaged: 532 x 467 x 232 mm
Weight	Out of package: 6 kg, packaged: 7.5 kg
Energy Star®	Yes
Supplies life	Black and white: C8767EE HP 339 Black Inkjet Print Cartridge (21 ml) 800 pages* Colour: C9363EE HP 344 Tri-colour Inkjet Print Cartridge (14 ml) 450 pages (+/-10%)* Photo: C9369EE HP 348 Photo Inkjet Print Cartridge (13 ml) 135 10 x 15 cm photos (+/-10%)**, C9368AE HP 100 Gray Photo Inkjet Print Cartridge (15 ml) 80 10 x 15 cm photos in black & white (+/-10%) *Based on 5% coverage for black and white and 15% for colour, in normal mode. **In combination with HP 343 Tri-colour Inkjet Print Cartridge (7 ml) or HP 344 Tri-colour Inkjet Print Cartridge (14 ml)
Warranty	One-year limited hardware warranty backed by HP Customer Care, service and support; one-year technical phone support.

Prod-No.	Description	VAT excl.	VAT incl.		
C8970B	HP Deskjet 6940 Printer Color inkjet printer with built-in- networking.	155	167		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet 6940 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			6940
HP Paper Trays						
Q3447A	HP 250-sheet plain paper tray pt3447	80	86			X
HP Other Accessories						
Q5712A	HP ph5712 Auto Two-Sided Print Accessory	59	63			X

HP Deskjet 6940 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			6940
Inkjet Cartridges						
C9364EE	HP 337 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	31	33		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X

HP DeskJet 6980

	HP Deskjet 6980
Print technology	HP Thermal Inkjet
Print head nozzles	672 black ink nozzles, 600 colour ink nozzles, 600 photo ink nozzles (optional)
Print speed (Up to # pages per minute) (Up to # pages per minute) (As fast as # seconds)	Document type — Draft — Fast Normal — Normal — Best Black text A4 — 36 — 11 — 9.6 — 2 Mixed text/colour graphics A4 — 27 — 5.8 — 5.8 — 2.1 10 x 15 cm colour photo (photo paper) — 26 — 39 — 49 — 67 Dependent upon document type and print mode.
Print quality	Black: Up to 1200 x 1200 rendered dpi Colour: Up to 4800 optimised dpi colour and 1200 input dpi
Colour technology	HP Photoret III (HP Photoret IV enabled with optional photo cartridge)
Memory	32 MB
Printer languages	HP PCL3 with HPA
Typefaces/fonts	8 built-in fonts, 4 each in portrait and landscape orientations: CG Times, CG Times Italic, Univers, Univers Italic, Courier, Courier Italic, Letter Gothic, Letter Gothic Italic
Cartridge alignment	+/- 0.05 mm
Duty cycle	Up to 5'000 pages per month
Recommended media weight	A4: 60 to 90 g/m^2, HP banner paper: 60 to 90 g/ m^2, HP envelopes: 75 to 90 g/ m^2, HP cards: up to 200 g/ m^2, HP photo paper: up to 280 g/ m^2
Recommended media	Paper (plain, inkjet, photo, banner), envelopes, transparencies, labels, cards (index, greeting), borderless media
Media sizes	Standard: Paper: A4 210 x 297 mm, A5 148 x 210 mm, B5 176 x 250 mm, banner: A4 210 x 297 mm, transparencies: A4 210 x 297 mm, envelopes: DL 220 x 110 mm, C6 114 x 162 mm, cards: A6 105 x 148 mm, labels: A4 210 x 297 mm, photo paper: A4 210 x 297 mm, panorama 10 x 30 cm, 13 x 18 cm, 10 x 15 cm (with or without tear-off/cut-off tab), Custom: 77 x 127 to 215 x 610 mm
Media handling/input	Sheets: Up to 400, Banners: Up to 20, Envelopes: Up to 20 Cards: Up to 30, Transparencies: Up to 30, Labels/A4 sheets: Up to 30
Paper input tray	Standard: 150-sheet input tray (fixed), optional: 150-sheet input tray, optional 250-sheet paper tray, optional HP Auto Two-sided Print Accessory with Small Paper Tray
Media handling/output	Sheets: 50
Duplex printing	HP Auto Two-sided Print Accessory ph5712 (Q5712A) included; Optional HP Auto Two-sided Print Accessory with Small Paper Tray ph3032 (Q3032A)
Power consumption	50 watts maximum
Interface and connectivity	Built-in Wi-Fi 802.11b or g, Ethernet, USB - compatible with USB 2.0 specifications, PictBridge, optional: PC adapter with Bluetooth® wireless technology
Control panel	Advanced control panel with 'print cancel' button, 'quiet printing mode button', ink-level indicators and network status lights
Software included	HP Photosmart Premier software
Dimensions (w x d x h)	Out of package: 450 x 433 x 144 mm, packaged: 532 x 484 x 232 mm
Weight	Out of package: 7.24 kg, packaged: 8.5 kg
Energy Star®	Yes
Supplies life	Black and white: C8767EE HP 339 Black Inkjet Print Cartridge (21 ml) 800 pages* Colour: C9363EE HP 344 Tri-colour Inkjet Print Cartridge (14 ml) 450 pages (+/-10%)* Photo: C9369EE HP 348 Photo Inkjet Print Cartridge (13 ml) 135 10 x 15 cm photos (+/-10%)**, C9368AE HP 100 Gray Photo Inkjet Print Cartridge (15 ml) 80 10 x 15 cm photos in black & white (+/-10%) *Based on 5% coverage for black and white and 15% for colour, in normal mode. **In combination with HP 343 Tri-colour Inkjet Print Cartridge (7 ml) or HP 344 Tri-colour Inkjet Print Cartridge (14 ml)
Warranty	One-year limited hardware warranty backed by HP Customer Care, service and support; one-year technical phone support.

Prod-No.	Description	VAT excl.	VAT incl.		
C8969B	HP Deskjet 6980 Printer Wireless color printer with duplexer	237	255		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet 6980 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			6980
HP Paper Trays						
Q3447A	HP 250-sheet plain paper tray pt3447	80	86			X

HP Deskjet 6980 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			6980
Inkjet Cartridges						
C9364EE	HP 337 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	31	33		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X

HP Officejet Pro K550 Printer

HP Officejet Pro K550 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			K550
HP Paper Trays						
C8255A	HP Automatic 2-Sided Printing Accessory Designed to increase productivity & cost savings while reducing space required for storing documents.	59	63			X
C8256A	HP 350 Sheet - Input Tray 350 sheet - additional paper tray	76	82			X
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Officejet Pro K550 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			K550
Inkjet Cartridges						
C9385AE	HP 88 Black Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	29	31		↗	X
C9386AE	HP 88 Cyan Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9387AE	HP 88 Magenta Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9388AE	HP 88 Yellow Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9391AE	HP 88 Large Cyan Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9392AE	HP 88 Large Magenta Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9393AE	HP 88 Large Yellow Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9396AE	HP 88 Large Black Ink Cartridge Use in HP OfficeJet Pro K550 series printers	49	52		↗	X
C9381A	HP 88 Black and Yellow Printhead Goes into the Officejet Pro K550 Series printers	75	81		↗	X
C9382A	HP 88 Magenta and Cyan Printhead Goes into Officejet Pro K550 Series Printer	75	81		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet Pro K850 Printer

HP Officejet Pro K850 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			K850
HP Paper Trays						
C8258A	HP Automatic 2-sided Printing Accessory	64	69			X

HP Officejet Pro K850 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			K850
Inkjet Cartridges						
C4836AE	HP ink cartridge No.11 cyan	50	54		↗	X
C4837AE	HP ink cartridge No. 11 magenta	50	54		↗	X
C4838AE	HP ink cartridge No. 11 yelow	50	54		↗	X
C4810A	HP printhead No.11 black	51	55		↗	X
C4811A	HP printhead No.11 cyan	51	55		↗	X
C4812A	HP printhead No.11 magenta	51	55		↗	X
C4813A	HP printhead No.11 yellow	51	55		↗	X
C4814AE	HP 13 Black Ink Cartridge This goes into select HP Business Inkjet Printers	37	40		↗	X
C4815AE	HP 13 Cyan Ink Cartridge This HP 13 ink cartridge goes into select HP Business Inkjet Printers	37	40		↗	X
C4816AE	HP 13 Magenta Ink Cartridge This HP 13 ink cartridge goes into select HP Business Inkjet Printers	37	40		↗	X
C4817AE	HP 13 Yellow Ink Cartridge This HP 13 ink cartridge goes into select HP Business Inkjet Printers	37	40		↗	X
C4844AE	HP ink cartridge No.10 black	51	55		↗	X

HP Business Inkjet 1000 Printer

HP Business Inkjet 1000 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			1000
Inkjet Cartridges						
C4844AE	HP ink cartridge No.10 black	51	55		↗	X
C4836AE	HP ink cartridge No.11 cyan	50	54		↗	X
C4837AE	HP ink cartridge No. 11 magenta	50	54		↗	X
C4838AE	HP ink cartridge No. 11 yelow	50	54		↗	X
C4810A	HP printhead No.11 black	51	55		↗	X
C4811A	HP printhead No.11 cyan	51	55		↗	X
C4812A	HP printhead No.11 magenta	51	55		↗	X
C4813A	HP printhead No.11 yellow	51	55		↗	X

HP Business Inkjet 12xx

HP Business Inkjet 1200 series - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			12xx
HP Cables						
C2950A	HP IEEE-1284 A-B parallel cable, (2m)	17	18			X
C2951A	HP IEEE-1284 A-B parallel cable, (3m)	22	24			X

HP Business Inkjet 1200 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			12xx
Inkjet Cartridges						
C4844AE	HP ink cartridge No.10 black	51	55		↗	X
C4836AE	HP ink cartridge No.11 cyan	50	54		↗	X
C4837AE	HP ink cartridge No. 11 magenta	50	54		↗	X
C4838AE	HP ink cartridge No. 11 yelow	50	54		↗	X
C4810A	HP printhead No.11 black	51	55		↗	X
C4811A	HP printhead No.11 cyan	51	55		↗	X
C4812A	HP printhead No.11 magenta	51	55		↗	X
C4813A	HP printhead No.11 yellow	51	55		↗	X

HP Business InkJet 1100

HP Business Inkjet 1100 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			1100
Inkjet Cartridges						
C4844AE	HP ink cartridge No.10 black	51	55		↗	X
C4836AE	HP ink cartridge No.11 cyan	50	54		↗	X
C4837AE	HP ink cartridge No. 11 magenta	50	54		↗	X
C4838AE	HP ink cartridge No. 11 yelow	50	54		↗	X
C4810A	HP printhead No.11 black	51	55		↗	X
C4811A	HP printhead No.11 cyan	51	55		↗	X
C4812A	HP printhead No.11 magenta	51	55		↗	X
C4813A	HP printhead No.11 yellow	51	55		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP DeskJet 1220C

HP DeskJet 1220 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			DJ 1220C
Inkjet Cartridges						
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6821A	HP professional brochure & flyer paper, 50 sheets, A3, double sided glossy	41	44		↗	X

HP Deskjet 9300

HP DeskJet 9300 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			9300
Inkjet Cartridges						
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6821A	HP professional brochure & flyer paper, 50 sheets, A3, double sided glossy	41	44		↗	X

HP DeskJet 9650/9670/9680

HP DeskJet 96xx - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			96xx
Inkjet Cartridges						
C6656AE	HP No. 56 ink cartridge, black	32	34		↗	X
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
Paper						
C6821A	HP professional brochure & flyer paper, 50 sheets, A3, double sided glossy	41	44		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X

HP obsolete Business InkJet - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			DJ 1125C	DJ 1220C	HP 2000C /CN	HP 2500C /CM/Pro
Inkjet Cartridges									
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X	X		
C1823DE	HP Inkjet cartridge, color (C/M/Y)	56	60		↘	X			
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗		X		
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗		X		
C4800A	HP printhead No.10 black	51	55		↗			X	X
C4801A	HP printhead No.10 cyan	51	55		↗			X	X
C4802A	HP printhead No.10 magenta	51	55		↗			X	X
C4803A	HP printhead No.10 yellow	51	55		↗			X	X
C4841AE	HP ink cartridge No.10 cyan	50	54		↗			X	X
C4842AE	HP ink cartridge No.10 yellow	50	54		↗			X	X
C4843AE	HP ink cartridge No.10 magenta	50	54		↗			X	X
C4844AE	HP ink cartridge No.10 black	51	55		↗			X	X
Paper									
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X	X		X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X		X
C6821A	HP professional brochure & flyer paper, 50 sheets, A3, double sided glossy	41	44		↗	X	X		X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP All-in-One

HP All-in-One InkJet

HP Photosmart AiO C4480

	HP Photosmart C4480
Print	
Print technology	HP Thermal Inkjet
Display	3.8 cm LCD (colour graphics)
Ink Types	Dye-based (colour), pigment-based (black)
Print speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 30 ppm / Up to 8.9 ppm Mixed text/colour graphics A4: Up to 23 ppm / Up to 5.3 ppm 10 x 15 cm colour photo (photo paper): As fast as 25 sec / As fast as 49 sec
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer, Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi
Borderless printing	Yes (up to panorama, A4 and more)
Printer languages	HP PCL 3 GUI
Scan	Resolution: Optical: Up to 1200 dpi; Hardware: Up to 1200 x 2400 dpi; Enhanced: Up to 19200 dpi
	Maximum document size: 215 x 297 mm
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 48 sec; OCR a full page of text into Microsoft® Word: less than 22 sec; preview: less than 13 sec (Scan speeds vary according to complexity of the document)
	Type: Flatbed; Bit depth: 48-bit; Twain version: Mac: Version 1.8; Windows®: Version 1.9; Scan technology: CIS; Greyscale: 256
Copy	
Copy speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 30 cpm / Up to 7.7 cpm / Up to 0.7 cpm Mixed Text/Colour graphics A4: Up to 23 cpm / Up to 7.7 cpm / Up to 0.7 cpm
	Resolution: Black: Up to 600 dpi; Multiple copies: Up to 50; Reduce/Enlarge: 50 to 400%
Duty cycle	Up to 1'000 pages per month
ADF capacity	None
Media types	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards, HP premium media, iron-on transfers
Automatic paper type sensor	Yes
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), DL (110 x 220 mm), C6 (114 x 162 mm), A6 (105 x 148 mm), 300 x 100 mm, 130 x 180 mm, 100 x 150 mm, custom: 77 x 127 to 215 x 610 mm
Max. media weight range	A4: 70 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²
Paper handling	Standard: 100-sheet input tray
Media handling/input	Sheets: Up to 100, envelopes: Up to 10, cards: Up to 20, transparencies: Up to 20, 10 x 15 cm photo: Up to 20
Duplex printing	None (not supported)
Power consumption	Maximum: 70 watts maximum (active/printing), 7.5 watts maximum (ready)
Interface and connectivity	USB - compatible with USB 2.0 specifications, memory card slots
Memory	Slots: 4 slots: Memory Stick®, Memory Stick® Duo, Secure Digital/MultiMediaCard, Secure Digital High Capacity Card, xD-Picture Card; Standard: 32 MB; Maximum: 32 MB
Software included	HP Photosmart Essential 2.5, HP Smart Web Printing 2.0, OCR Software
Dimensions (w x d x h)	Out of package: 434 x 290 x 162 mm, , packaged: 470 x 196 x 334 mm

Weight	Out of package: 5.06 kg, packaged: 6.48 kg
Energy Star	Yes
Supplies life	For information on page yield, visit www.hp.com/go/learnaboutsupplies, or see product packaging
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
Q8388B	HP Photosmart C4480 All-in-One Prntr	132	142		

HP Photosmart C4480 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C4480
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart C4480 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C4480
Inkjet Cartridges						
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q5456A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced glossy paper in A4 size. 210 x 297 mm.	20	21		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart AiO C4580

	HP Photosmart C4580			
Print				
Print technology	HP Thermal Inkjet			
Display	3.8 cm LCD (colour graphics)			
Ink Types	Dye-based (colour), pigment-based (black)			
Print speed	**Document type**	**Draft**	**Normal**	
	Black text A4:	Up to 30 ppm	Up to 8.9 ppm	
	Mixed text/colour graphics A4:	Up to 23 ppm	Up to 5.3 ppm	
	10 x 15 cm colour photo (photo paper):	As fast as 25 sec	As fast as 49 sec	
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.			
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer, Colour: Up to 1200 x 2400 optimised dpi colour when printing from a computer and 1200 input dpi			
Borderless printing	Yes (up to panorama, A4 and more)			
Printer languages	HP PCL 3 GUI			
Scan	Resolution: Optical: Up to 1200 dpi; Hardware: Up to 1200 x 2400 dpi; Enhanced: Up to 19200 dpi			
	Maximum document size: 215 x 297 mm			
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 48 sec; OCR a full page of text into Microsoft® Word: less than 22 sec; preview: less than 13 sec (Scan speeds vary according to complexity of the document)			
	Type: Flatbed; Bit depth: 48-bit; Twain version: Mac: Version 1.8; Windows®: Version 1.9; Scan technology: CIS; Greyscale: 256			
Copy				
Copy speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 30 cpm	Up to 7.7 cpm	Up to 0.7 cpm
	Mixed Text/Colour graphics A4:	Up to 23 cpm	Up to 7.7 cpm	Up to 0.7 cpm
	Resolution: Black: Up to 1200 dpi; Multiple copies: Up to 50; Reduce/Enlarge: 50 to 400%			
Duty cycle	Up to 1'000 pages per month			
ADF capacity	None			
Media types	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards, the HP premium media, iron-on transfers, borderless media, panorama			
Automatic paper type sensor	Yes			
Media sizes	Standard: 77 x 127 bis 215 x 610 mm, custom: DIN A4 (210 x 297 mm), DIN A5 (148 x 210 mm), DIN B5 (176 x 250 mm), DL (110 x 220 mm), DIN C6 (114 x 162 mm), DIN A6 (105 x 148 mm), 300 x 100 mm, 13 x 18 cm, 10 x 15 cm			
Max. media weight range	A4: 70 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²			
Paper handling	Standard: 100-sheet input tray			
Media handling/input	Sheets: Up to 100, envelopes: Up to 10, cards: Up to 20, transparencies: Up to 20, 10 x 15 cm photo: Up to 20			
Duplex printing	None (not supported)			
Power consumption	Maximum: 70 watts maximum (active/printing), 7.5 watts maximum (ready)			
Interface and connectivity	USB 2.0, Wireless 802.11 g/b, memory card slots			
Memory	Standard: 32 MB; Maximum: 32 MB			
Software included	HP Photosmart Essential, HP Smart Web Printing			
Dimensions (w x d x h)	Out of package: 434 x 290 x 162 mm, , packaged: 470 x 196 x 334 mm			
Weight	Out of package: 5.06 kg, packaged: 6.48 kg			
Energy Star	Yes			
Supplies life	For information on page yield, visit www.hp.com/go/learnaboutsupplies, or see product packaging			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.		
Q8401B	HP Photosmart C4580 All-in-One Printer	177	190		

HP Photosmart C4580 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C4580
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart C4580 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C4580
Inkjet Cartridges						
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
Q8028A	HP Prem+ High Gloss Photo Paper 25 Sht Contains 25 sheets of HP Premium Plus High Gloss 280 gm,10 x 15 cm borderless photo paper	13	14		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart AiO C5280

	HP Photosmart C5280				
Print					
Print technology	HP Thermal Inkjet				
Display	6.1 cm LCD (colour graphics)				
Ink Types	Dye-based (colour), pigment-based (black)				
Print speed	**Document type**	**Draft**	**Fast normal**	**Normal**	**Best**
	Black text A4:	Up to 32 ppm	Up to 11 ppm	Up to 8.2 ppm	Up to 2.1 ppm
	Mixed text/colour graphics A4:	Up to 24 ppm	Up to 7.2 ppm	Up to 5.4 ppm	
	10 x 15 cm colour photo (photo paper):	As fast as 26 sec		As fast as 27 sec	As fast as 27 sec
	Print speed may vary depending on the type of output.				
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer, Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi				
Borderless printing	Yes (up to 215 x 610 mm)				
Printer languages	HP PCL 3 GUI				
Scan	Resolution: Optical: Up to 4800 dpi ; Hardware: Up to 4800 x 4800 dpi ; Enhanced: Up to 19200 dpi				
	Maximum document size: 215 x 297 mm				
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 21 sec; OCR a full page of text into Microsoft® Word: less than 16 sec; preview: less than 12 sec (Scan speeds vary according to complexity of the document)				
	Type: Flatbed; Bit depth: 48-bit ; Twain version: TWAIN 1.9; Scan technology: CIS; Greyscale: 256				
Copy					
Copy speed	**Document type**	**Draft**	**Normal**	**Best**	
	Black text A4:	Up to 32 cpm	Up to 7.0 cpm	Up to 0.9 cpm	
	Mixed Text/Colour graphics A4:	Up to 24 cpm	Up to 5.4 cpm	Up to 0.9 cpm	
	Resolution: Black: Up to 1200 x 1200 dpi; Multiple copies: Up to 50; Reduce/Enlarge: 50 to 400%				
Duty cycle	Up to 3'000 pages per month				
Media types	Paper (plain, inkjet, photo), envelopes, labels, cards (index, greeting), CD/DVDs				
Automatic paper type sensor	Yes				
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), DL (110 x 220 mm), C6 (114 x 162 mm), A6 (105 x 148 mm), 300 x 100 mm, 130 x 180 mm, 100 x 150 mm (with or without tear-off/cut-off tab), CD/DVD, custom: Tray 1: 76 x 127 to 215 x 610 mm; Tray 2: 130 x 180 mm				
Max. media weight range	Tray 1: A4 (60 to 90 g/m²), HP envelopes (60 to 90 g/m²), HP cards (up to 200 g/m²), HP photo paper (up to 280 g/m²); Tray 2: HP 13 x 18 cm photo paper (up to 280 g/m²)				
Paper handling	Standard: 125-sheet input tray, 20-sheet photo tray				
Media handling/input	Sheets: Up to 125 (standard input tray), up to 20 (photo tray), envelopes: Up to 15, cards: Up to 25, transparencies: Up to 25, 10 x 15 cm photo: Up to 20				
Duplex printing	None (not supported)				
Power consumption	Maximum: 28.3 watts maximum, 11.7 watts maximum (active/printing), 3.8 watts maximum (ready), 2.9 watts maximum (sleep), 0.8 watts maximum (off); Standby: 3.8 watts (ready)				
Interface and connectivity	Hi-Speed USB - compatible with USB 2.0 specifications				
Memory	Integrated memory; Maximum: Integrated memory				
Software included	HP Photosmart Essential Software for Macintosh and Microsoft® Windows®, Roxio Express Labeler				
Dimensions (w x d x h)	Out of package: 452 x 387 x 204 mm, , packaged: 494 x 283 x 441 mm				
Weight	Out of package: 7.13 kg, packaged: 8.87 kg				
Energy Star	No				
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.				

Prod-No.	Description	VAT excl.	VAT incl.			
Q8330B	HP Photosmart C5280 AiO Printer With CD print.	150	161			

HP Photosmart C5280 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C5280
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart C5280 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C5280
Inkjet Cartridges						
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
Paper						
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart AiO C5380

	HP Photosmart C5380			
Print				
Print technology	HP Thermal Inkjet			
Display	6.1 cm LCD (colour graphics)			
Ink Types	Dye-based (colour), pigment-based (black)			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 31 ppm	Up to 13 ppm	Up to 3 ppm
	Mixed text/colour graphics A4:	Up to 30 ppm	Up to 6 ppm	Up to 2.5 ppm
	10 x 15 cm colour photo (photo paper):	As fast as 18 sec	As fast as 30 sec	As fast as 60 sec
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.			
Print quality	Black: Up to 600 x 600 dpi, Colour: Up to 9600 x 2400-optimised dpi colour when printing from a computer on selected HP photo papers and 1200-input dpi			
Borderless printing	Yes (up to panorama, A4 and more)			
Printer languages	PCL 3, PCL 3 GUI			
Scan	Resolution: Optical: Up to 4800 dpi; Hardware: Up to 4800 x 9600 dpi; Enhanced: Up to 19200 dpi			
	Maximum document size: 216 x 297 mm			
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 21 sec; OCR a full page of text into Microsoft® Word: less than 16 sec; preview: less than 12 sec (Scan speeds vary according to complexity of the document)			
	Type: Flatbed; Bit depth: 48-bit; Twain version: Version 1.9; Scan technology: CIS; Greyscale: 65536			
Copy				
Copy speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 31 cpm	Up to 13 cpm	Up to 0.5 cpm
	Mixed Text/Colour graphics A4:	Up to 30 cpm		Up to 0.5 cpm
	Resolution: Black: Up to 600 x 600 dpi; Multiple copies: Up to 50; Reduce/Enlarge: 50 to 400%			
Duty cycle	Up to 2'500 pages per month			
ADF capacity	None			
Media types	Paper (plain, inkjet, photo), envelopes, labels, cards (index, greeting), printable CD/DVDs			
Automatic paper type sensor	Yes			
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5 (176 x 250 mm), B6 (125 x 176 mm), B7 (88 x 125 mm), C5 (162 x 229 mm), C6 (114 x 162 mm), 130 x 180 mm, 100 x 150 mm, Photo tray: 100 x 150 mm, 130 x 180 mm, custom: Main Tray: 89 x 127 mm to 216 x 356 mm; Photo Tray: 89 x 127 mm to 127 x 178 mm			
Max. media weight range	Main Tray: 60 to 252 g/m²; Photo Tray: 200 to 252 g/m²			
Paper handling	Standard: 125-sheet input tray, 20-sheet photo tray			
Media handling/input	Sheets: Up to 125, envelopes: Up to 15, cards: Up to 60, transparencies: Up to 40, 10 x 15 cm photo: Up to 60			
Duplex printing	Manual (driver support provided)			
Power consumption	Maximum: 42 watts maximum, 24 watts (active/printing), 5.3 watts (ready), 4.9 watts (sleep), 0.5 watts (off)			
Interface and connectivity	USB 2.0, PictBridge, memory card slots			
Memory	Standard: 64 MB; Maximum: 64 MB			
Software included	HP Photosmart Essential, HP Smart Web Printing			
Dimensions (w x d x h)	Out of package: 452 x 406 x 207 mm, packaged: 500 x 283 x 469 mm			
Weight	Out of package: 7.5 kg, packaged: 9.5 kg			
Energy Star	Yes			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.		
Q8291B	HP Photosmart C5380 AiO Printer	177	190		

HP Photosmart C5380 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C5380
HP Connectivity-JetDirect						
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
Q6302A	HP 2101 nw Wireless G Print Server	54	58			X
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart C5380 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C5380
Inkjet Cartridges						
CB321EE	HP 364XL Black Ink Cartridge Use in selected HP Photosmart printers	39	42		↘	X
CB322EE	HP 364XL Photo Black Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB323EE	HP 364XL Cyan Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB324EE	HP 364XL Magenta Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB325EE	HP 364XL Yellow Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
Paper						
CG492EE	HP 364 Series Photo Value Pack 150 Shts HP 364 Series Photo Value Pack 150 sheets 10x15 cm	53	57		↘	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Photosmart AiO C6380

	HP Photosmart C6380			
Print				
Print technology	HP Thermal Inkjet			
Display	6.1 cm LCD (colour graphics)			
Ink Types	Dye-based (photo black, colour), pigment-based (black)			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 33 ppm	Up to 12.5 ppm	Up to 2.5 ppm
	Mixed text/colour graphics A4:	Up to 31 ppm	Up to 9 ppm	Up to 2.5 ppm
	10 x 15 cm colour photo (photo paper):	As fast as 18 sec	As fast as 30 sec	As fast as 60 sec
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.			
Print quality	Black: Up to 600 x 600 dpi, Colour: Up to 9600 x 2400-optimised dpi colour when printing from a computer on selected HP photo papers and 1200-input dpi			
Borderless printing	Yes (up to panorama, A4 and more)			
Printer languages	HP PCL 3 GUI			
Scan	Resolution: Optical: Up to 4800 dpi; Hardware: Up to 4800 x 9600 dpi; Enhanced: Up to 19200 dpi			
	Maximum document size: 216 x 297 mm			
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 21 sec; OCR a full page of text into Microsoft® Word: less than 16 sec; preview: less than 12 sec (Scan speeds vary according to complexity of the document)			
	Type: Flatbed; Bit depth: 48-bit; Twain version: Version 1.9; Scan technology: CIS; Greyscale: 65536			
Copy				
Copy speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 33 cpm	Up to 11 cpm	Up to 0.5 cpm
	Mixed Text/Colour graphics A4:	Up to 31 cpm	Up to 6.5 cpm	Up to 0.5 cpm
	Resolution: Black: Up to 600 x 600 dpi; Multiple copies: Up to 50; Reduce/Enlarge: 50 to 400%			
Duty cycle	Up to 2'500 pages per month			
ADF capacity	None			
Media types	Resolution: Black: Up to 600 x 600 dpi; Multiple copies: Up to 50; Reduce/Enlarge: 50 to 400%			
Automatic paper type sensor	Yes			
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5 (176 x 250 mm), B6 (125 x 176 mm), B7 (88 x 125 mm), C5 (162 x 229 mm, C6 (114 x 162 mm), 130 x 180 mm, 100 x 150 mm, Photo tray: 100 x 150 mm, 130 x 180 mm, custom: Main Tray: 89 x 127 mm to 216 x 356 mm; Photo Tray: 89 x 127 mm to 127 x 178 mm			
Max. media weight range	Main Tray: 60 to 252 g/m², Photo Tray: 200 to 252 g/m²			
Paper handling	Standard: 125-sheet input tray, 20-sheet photo tray			
Media handling/input	Sheets: Up to 125, envelopes: Up to 15, cards: Up to 60, transparencies: Up to 40, 10 x 15 cm photo: Up to 60			
Duplex printing	Manual (driver support provided)			
Power consumption	Maximum: 42 watts maximum, 24 watts (active/printing), 6.6 watts (ready), 5.2 watts (sleep), 0.6 watts (off)			
Interface and connectivity	USB 2.0 (1 front, 1 back), Ethernet, PictBridge, Wireless 802.11g/b, memory card slots			
Memory	64 MB; Maximum: 64 MB			
Software included	HP Photosmart Essential, HP Smart Web Printing			
Dimensions (w x d x h)	Out of package: 452 x 406 x 207 mm, packaged: 500 x 283 x 469 mm			
Weight	Out of package: 7.45 kg, packaged: 9.49 kg			
Energy Star	Yes			
Supplies life	For information on page yield, visit www.hp.com/go/pageyield, or see product packaging.			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.			
CD028B	HP Photosmart C6380 AiO Printer	265	285			

HP Photosmart C6380 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C6380
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart C6380 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C6380
Inkjet Cartridges						
CB321EE	HP 364XL Black Ink Cartridge Use in selected HP Photosmart printers	39	42		↘	X
CB322EE	HP 364XL Photo Black Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB323EE	HP 364XL Cyan Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB324EE	HP 364XL Magenta Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
CB325EE	HP 364XL Yellow Ink Cartridge Use in selected HP Photosmart printers	23	25		↘	X
Paper						
CG492EE	HP 364 Series Photo Value Pack 150 Shts HP 364 Series Photo Value Pack 150 sheets 10x15 cm	53	57		↘	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart AiO C7280

	HP Photosmart C7280				
Print					
Print technology	HP Thermal Inkjet				
Display	6.1 cm LCD (colour graphics)				
Ink Types	Dye-based				
Print speed	**Document type**	**Draft**	**Fast normal**	**Normal**	**Best**
	Black text A4:	Up to 4 ppm	Up to 9.1 ppm	Up to 7.5 ppm	Up to 4.2 ppm
	Mixed text/colour graphics A4:	Up to 33 ppm	Up to 8 ppm	Up to 8 ppm	Up to 2.4 ppm
	10 x 15 cm colour photo (photo paper):	As fast as 10 sec		As fast as 22 sec (bordeless)	As fast as 52 sec (borderless)
	Print speed may vary depending on the type of output.				
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer, Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi				
Borderless printing	Yes (up to 215 x 610 mm)				
Printer languages	HP PCL 3 GUI, PJL, PML, XHTML-Print				
Typefaces/fonts	Courier, Arial, Times New Roman, Zapf Chancery				
Fax	Modem speed: 33.6 Kbps	Quick dialing: Up to 60	Delayed faxing: Yes		
	Memory: Up to 90 pages	Automatic redial: Yes			
	Colour faxing: Yes	Fax broadcasting: 48 locations			
Scan	Resolution: Optical: Up to 4800 dpi; Hardware: Up to 4800 x 4800 dpi; Enhanced: Maximum resolution is limited by available computer memory, disk space, and other system factors				
	Maximum document size: 216 x 297 mm				
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 26 sec; OCR a full page of text into Microsoft® Word: less than 32 sec; preview: less than 8 sec (Scan speeds vary according to complexity of the document)				
	Type: Flatbed, ADF; Bit depth: 48-bit; Twain version: Version 1.9; Scan technology: CIS; Greyscale: 65535				
Copy					
Copy speed	**Document type**	**Draft**	**Normal**	**Best**	
	Black text A4:	Up to 34 cpm	Up to 7.5 cpm	Up to 0.9 cpm	
	Mixed Text/Colour graphics A4:	Up to 33 cpm	Up to 6.2 cpm	Up to 0.9 cpm	
	Resolution: Black: Up to 1200 x 1200 dpi; Multiple copies: Up to 50; Reduce/Enlarge: 50 to 400% in 1% increments				
Duty cycle	Up to 3'000 pages per month				
ADF capacity	Standard, 50 sheets				
Media types	Paper (plain, inkjet, photo, banner), envelopes, labels, cards (index, greeting), transparencies, iron-on transfers				
Automatic paper type sensor	Yes				
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), DL (110 x 220 mm), C6 (114 x 162 mm), A6 (105 x 148 mm), 100 x 300 mm; 215 x 610 mm, 130 x 180 mm, 100 x 150 mm, custom: Tray 1: 76 x 127 to 215 x 610 mm; Tray2: 100 x 150 mm				
Max. media weight range	Tray 1: A4 60 to 90 g/m², HP envelopes 60 to 90 g/m², HP cards up to 200 g/m², HP photo paper up to 280 g/m²; Tray 2: HP 10 x 15 cm photo paper up to 280 g/m²				
Paper handling	Standard: 100-sheet multi-purpose tray, 20-sheet photo tray				
Media handling/input	Sheets: Up to 100, envelopes: Up to 10, cards: Up to 40, transparencies: Up to 30, 10 x 15 cm photo: Up to 20				
Duplex printing	Automatic (standard)				
Power consumption	Maximum: 79 watts maximum, 36 watts maximum (active, printing), 5.3 watts maximum (ready), 4.9 watts maximum (sleep), 0.6 watts maximum (off)				
Interface and connectivity	USB - compatible with USB 2.0 specifications, PictBridge, Ethernet, Wireless 802.11g				
Memory	64 MB; Maximum: 64 MB				
Software included	HP Photosmart Essential Software for Microsoft® Windows® and Macintosh				

Dimensions (w x d x h)	Out of package: 450 x 444 x 248 mm, , packaged: 507 x 300 x 514 mm
Weight	Out of package: 11.47 kg, packaged: 13.98 kg
Energy Star	Yes
Supplies life	For information on page yield, visit http://www.hp.com/go/pageyield, or see product packaging
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CC567B	HP Photosmart C7280 All-in-One Printer With Wireless, Duplexer, Pictbridge, ADF Photo Tray.	380	409		

HP Photosmart C7280 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C7280
HP Other Accessories						
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart C7280 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C7280
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
Q5456A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced glossy paper in A4 size. 210 x 297 mm.	20	21		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart AiO C8180

	HP Photosmart C8180			
Print				
Print technology	HP Thermal Inkjet			
Display	8.9 cm LCD (colour graphics)			
Ink Types	Dye-based			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 34 ppm	Up to 7.5 ppm	Up to 4.2 ppm
	Mixed text/colour graphics A4:	Up to 33 ppm	Up to 8 ppm	Up to 2.4 ppm
	10 x 15 cm colour photo (photo paper):	As fast as 10 sec	As fast as 22 sec (bordeless)	As fast as 52 sec (borderless)
	Print speed may vary depending on the type of output.			
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer, Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi			
Borderless printing	Yes (up to 215 x 610 mm)			
Printer languages	HP PCL 3 GUI, PJL, PML, XHTML-Print			
Typefaces/fonts	Courier, Arial, Times New Roman, Zapf Chancery			
Scan	Resolution: Optical: Up to 9600 dpi; Hardware: Up to 9600 x 9600 dpi; Enhanced: Up to 19200 dpi			
	Maximum document size: 216 x 297 mm			
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 25 sec; OCR a full page of text into Microsoft® Word: less than 29 sec; preview: less than 7 sec (Scan speeds vary according to complexity of the document)			
	Type: Flatbed; Bit depth: 96-bit internal (48-bit external); Twain version: Version 1.9; Scan technology: Optical reduction; Greyscale: 256			
Copy				
Copy speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 34 cpm	Up to 7.5 cpm	Up to 0.9 cpm
	Mixed Text/Colour graphics A4:	Up to 33 cpm	Up to 6.2 cpm	Up to 0.9 cpm
	Resolution: Black: Up to 1200 x 1200 dpi; Multiple copies: Up to 50; Reduce/Enlarge: 50 to 400% in 1% increments			
Duty cycle	Up to 3'000 pages per month			
ADF capacity	None			
Media types	Paper (plain, inkjet, photo), envelopes, labels, cards (index, greeting), transparencies, iron-on transfers, CD/DVD via built-in LightScribe CD/DVD burner			
Automatic paper type sensor	Yes			
Media sizes	Standard: A4 (210 x 297 mm); A5 (148 x 210 mm); B5 (176 x 250 mm); DL (110 x 220 mm); C6 (114 x 162 mm); A6 (105 x 148 mm); 100 x 300 mm; 215 x 610 mm; 130 x 180 mm; 100 x 150 mm , custom: Tray 1: 76 x 127 to 215 x 610 mm; Tray 2: 100 x 150 mm			
Max. media weight range	Tray 1: A4 60 to 90 g/m², HP envelopes 60 to 90 g/m², HP cards up to 200 g/m², HP photo paper up to 280 g/m²; Tray 2: HP 10 x 15 cm photo paper up to 280 g/m²			
Paper handling	Standard: 100-sheet multi-purpose tray, 20-sheet photo tray			
Media handling/input	Sheets: Up to 100, envelopes: Up to 10, cards: Up to 40, transparencies: Up to 30, 10 x 15 cm photo: Up to 20			
Duplex printing	Automatic (optional)			
Power consumption	Maximum: 36 watts maximum, 8.7 watts maximum (ready), 7.2 watts maximum (sleep), 0.6 watts maximum (off)			
Interface and connectivity	USB - compatible with USB 2.0 specifications, Ethernet, PictBridge, Wireless 802.11g, Bluetooth			
Network capabilities	Via Ethernet, Wireless 802.11g			
Memory	64 MB; Maximum: 64 MB			
Software included	HP Photosmart Essential Software for Microsoft® Windows® and Macintosh. Roxio Creator Basic, Roxio Express Labeler, Roxio My DVD Basic, Roxio Easy Archive			
Dimensions (w x d x h)	Out of package: 448 x 392 x 216 mm (with paper tray retracted, power cable not installed), , packaged: 500 x 277 x 449 mm			

Weight	Out of package: 11.4 kg, packaged: 13.17 kg
Energy Star	Yes
Supplies life	For information on page yield, visit http://www.hp.com/go/pageyield, or see product packaging
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
L2526B	HP Photosmart C8180 AiO Printer	530	570		

HP Photosmart C8180 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C8180
HP Other Accessories						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X

HP Photosmart C8180 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C8180
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
Q8028A	HP Prem+ High Gloss Photo Paper 25 Sht Contains 25 sheets of HP Premium Plus High Gloss 280 gm,10 x 15 cm borderless photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet F2280

	HP Deskjet F2280 All-in-One			
Print				
Print technology	HP Thermal Inkjet			
Ink Types	Dye-based (colour), pigment-based (black)			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 20 ppm	Up to 7 ppm	
	Mixed text/colour graphics A4:	Up to 14 ppm	Up to 4.7 ppm	
	10 x 15 cm colour photo (photo paper):	As fast as 83 sec	As fast as 90 sec	As fast as125 sec
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.			
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer, Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi			
Borderless printing	Yes (up to 10 x 15 cm - using 10 x 15 cm photo paper with tear-off tab)			
Printer languages	Lightweight Imaging Device Interface Language (LIDIL)			
Scan	Resolution: Optical: Up to 1200 dpi; Hardware: Up to 1200 x 2400 dpi; Enhanced: Up to 19200 dpi			
	Maximum document size: 215 x 297 mm			
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 48 sec; OCR a full page of text into Microsoft® Word: less than 24 sec; preview: less than 14 sec (Scan speeds vary according to complexity of the document)			
	Type: Flatbed; Bit depth: 48-bit; Twain version: Version 1.1; Scan technology: CIS; Greyscale: 256			
Copy				
Copy speed	**Document type**	**Draft**	**Normal**	
	Black text A4:	Up to 20 cpm	Up to 4 cpm	
	Mixed Text/Colour graphics A4:	Up to 14 cpm	Up to 2.8 cpm	
	Resolution: Black: Up to 600 dpi; Multiple copies: Up to 9; Reduce/Enlarge: 25 to 200%			
Duty cycle	Up to 1'000 pages per month			
Media types	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards, HP premium media, iron-on transfers			
Automatic paper type sensor	No			
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5/JIS (182 × 257 mm), B5/ISO (176 x 250 mm), C6 (114 x 162 mm), DL (110 x 220 mm), 130 x 180 mm, 100 x 150 mm, custom: 78 x 127 to 216 x 356 mm			
Max. media weight range	A4: 70 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²			
Paper handling	Standard: 100-sheet input tray			
Media handling/input	Sheets: Up to 100, envelopes: Up to 10, cards: Up to 20, transparencies: Up to 20, 10 x 15 cm photo: Up to 15			
Duplex printing	Manual (driver support provided)			
Power consumption	Maximum: 20 watts maximum (active/printing), 7 watts maximum (ready), 3 watts maximum (sleep), 1 watt maximum (off)			
Interface and connectivity	USB - compatible with USB 2.0 specification			
Memory	Standard: 32 MB; Maximum: 32 MB			
Software included	HP Photosmart Essential 2.5, HP Smart Web Printing 2.0, OCR Software			
Dimensions (w x d x h)	Out of package: 426 x 457 x 181 mm, with trays up: 426 x 268 x 181 mm, packaged: 468 x 225 x 300 mm			
Weight	Out of package: 4.13 kg, packaged: 5.27 kg			
Energy Star	Yes			
Supplies life	For information on page yield, visit www.hp.com/go/learnaboutsupplies, or see product packaging			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.			
CB683A	HP Deskjet F2280 AiO Printer Basic printing,copy,and scanning for home or small office.	88	95			

HP Deskjet F2280 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			F2280
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Deskjet F2280 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			F2280
Inkjet Cartridges						
C9351AE	HP 21 Black EMEA Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C9351CE	HP 21xl Black Ink Cartridge HP 21XL Black Inkjet Print Cartridge	35	37		↗	X
C9352AE	HP 22 EMEA Tri Color Pring Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	26	28		↗	X
C9352CE	HP 22xl Tri-colour Ink Cartridge HP 22XL Tri-Colour Inkjet Print Cartridge	40	43		↗	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Deskjet F4280

	HP Deskjet F4280 All-in-One			
Print				
Print technology	HP Thermal Inkjet			
Ink Types	Dye-based (colour), pigment-based (black)			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	Black text A4:	Up to 26 ppm	Up to 9 ppm	Up to 2.5 ppm
	Mixed text/colour graphics A4:	Up to 20 ppm	Up to 6.5 ppm	Up to 2.5 ppm
	10 x 15 cm colour photo (photo paper):	As fast as 29 sec		As fast as71 sec
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.			
Print quality	Black: Up to 600 rendered dpi black when printing from a computer, Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer with select HP photo papers and 1200 input dpi.			
Borderless printing	Yes (up to panorama, A4 and more)			
Printer languages	HP PCL 3 GUI			
Scan	Resolution: Optical: Up to 1200 dpi; Hardware: Up to 1200 x 2400 dpi; Enhanced: Up to 19200 dpi			
	Maximum document size: 215 x 297 mm			
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 48 sec; OCR a full page of text into Microsoft® Word: less than 24 sec; preview: less than 14 sec (Scan speeds vary according to complexity of the document)			
	Type: Flatbed; Bit depth: 48-bit; Twain version: Version 1.1; Scan technology: CIS; Greyscale: 256			
Copy				
Copy speed	**Document type**	**Draft**	**Normal**	
	Black text A4:	Up to 26 cpm	Up to 8.5 cpm	
	Mixed Text/Colour graphics A4:	Up to 20 cpm	Up to 5.5 cpm	
	Resolution: Black: Up to 600 dpi; Multiple copies: Up to 9 (via front panel), up to 99 (via software); Reduce/Enlarge: 25 to 200%			
Duty cycle	Up to 3'000 pages per month			
Media types	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards, HP premium media, iron-on transfers			
Automatic paper type sensor	No			
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5/JIS (182 × 257 mm), B5/ISO (176 x 250 mm), C6 (114 x 162 mm), DL (110 x 220 mm), 130 x 180 mm, 100 x 150 mm, custom: 76 x 127 to 216 x 762 mm			
Max. media weight range	A4: 70 to 90 g/m², HP envelopes: 70 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²			
Paper handling	Standard: 80-sheet input tray			
Media handling/input	Sheets: Up to 80, envelopes: Up to 10, cards: Up to 30, transparencies: Up to 30, 10 x 15 cm photo: Up to 30			
Duplex printing	Manual (driver support provided)			
Power consumption	Maximum: 17 watts maximum (active/printing), 4 watts maximum (ready), 3 watts maximum (sleep), 1 watt maximum (off)			
Interface and connectivity	Hi-Speed USB - compatible with USB 2.0 specification			
Memory	Standard: 16 MB; Maximum: 16 MB			
Software included	HP Photosmart Essential 2.5, HP Smart Web Printing 2.0, OCR Software			
Dimensions (w x d x h)	Out of package: 438 x 482 x 162 mm, with trays up: 438 x 290 x 162 mm, packaged: 474 x 195 x 335 mm			
Weight	Out of package: 4.9 kg, packaged: 6.41 kg			
Energy Star	Yes			
Supplies life	For information on page yield, visit www.hp.com/go/learnaboutsupplies, or see product packaging			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.			
CB656B	HP Deskjet F4280 AiO Printer Basic printing,copy,and scanning for home or small office.	115	124			

HP Deskjet F4280 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			F4280
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Deskjet F4280 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			F4280
Inkjet Cartridges						
CC640EE	HP 300 Black Ink Cartridge Use in selected HP Deskjet printers	20	22		↘	X
CC641EE	HP 300XL Black Ink Cartridge Use in selected HP Deskjet printers	40	44		↘	X
CC643EE	HP 300 Tri-Colour Ink Cartridge Use in selected HP Deskjet printers	23	25		↘	X
CC644EE	HP 300XL Tri-colour Ink Cartridge Use in selected HP Deskjet printers	47	50		↘	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet J3680 All-in-One

	HP Officejet J3680
Print	
Print technology	HP Thermal Inkjet
Display	LCD (2-line text)
Print speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 20 ppm / Up to 7 ppm / Up to 0.9 ppm Mixed text/colour graphics A4: Up to 14 ppm / Up to 2.9 ppm / Up to 0.9 ppm 10 x 15 cm colour photo (photo paper): As fast as 44 sec (with border) / As fast as 80 sec (with border) / As fast as 120 sec (with border)
	Dependent upon type, print mode, and approximate figures. Exact speed will vary depending on the system configuration, software program, and document complexity
Print quality	Black: Up to 1200 x 1200 dpi , Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi
Borderless printing	10 x 15 cm borderless printing (using 10 x 15 cm photo paper with tear-off or cut-off tab)
Printer languages	Lightweight Imaging Device Interface Language (LIDIL)
Fax	Modem speed: 33.6 Kbps / Quick dialing: Up to 100 numbers / Delayed faxing: Yes Memory: Up to 200 pages / Automatic redial: Yes Colour faxing: Yes / Fax broadcasting: 48
	Based on ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Scan	Resolution: Optical: Up to 600 dpi ; Hardware: Up to 1200 x 1200 dpi ; Enhanced: Up to 19200 dpi
	Maximum document size: 216 x 356 mm
	Scan speed: 10 x 15 cm colour photo into Microsoft® Word: less than 32 sec; OCR a full page of text into Microsoft® Word: less than 33 sec; preview: less than 18 sec (Preview and task speeds achieved using a Pentium® 4, 1.8 GHz PC with 512 RAM, Microsoft® Windows® XP and by scanning directly to end-user applications using HP Director. Scan speeds may vary according to the complexity of the document)
	Type: Sheetfed ; Bit depth: 48-bit; Twain version: Version 1.7 ; Scan technology: CIS; Greyscale: 256
Copy	
Copy speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 20 cpm / Up to 4 cpm / Up to 0.6 cpm Mixed Text/Colour graphics A4: Up to 14 cpm / Up to 2.7 cpm / Up to 0.4 cpm
	Resolution: Black: Up to 600 dpi; Multiple copies: Up to 100; Reduce/Enlarge: 25 to 400%
Duty cycle	Up to 1'500 pages per month
ADF capacity	Standard, 20 sheets
Media types	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards, HP premium media, iron-on transfers
Automatic paper type sensor	No
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), C6 (114 x 162 mm), DL (210 x 105 mm), 100 x 150 mm, 130 x 180 mm, custom: 77 x 127 to 216 x 356 mm
Max. media weight range	A4: 70 to 90 g/m²; envelopes: 75 to 90 g/m²; cards: up to 200 g/m²; photo paper: up to 280 g/m²
Paper handling	Standard: 100-sheet input tray, 20-page ADF
Media handling/input	Sheets: Up to 100, envelopes: Up to 10, cards: Up to 20, transparencies: Up to 25, 10 x 15 cm photo: Up to 30
Duplex printing	None
Power consumption	Maximum: 18 watts maximum, 12 watts maximum (active/printing), 11.5 watts maximum (ready), 4.6 watts maximum (sleep); Standby: 4.6 watts maximum
Interface and connectivity	USB - compatible with USB 2.0 specifications
Memory	16 MB; Maximum: 16 MB

Software included	HP Photosmart Essential Software
Dimensions (w x d x h)	Out of package: 425.5 x 204 x 180 mm , , packaged: 501 x 242 x 270 mm
Weight	Out of package: 3.91 kg , packaged: 5.55 kg
Energy Star	No
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CB071A	HP Officejet J3680 Series AiO Printer High performance All-in-One (print, scan,copy fax) with 2-line LCD.	159	171		

HP Officejet J3680 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			J3680
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Officejet J3680 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			J3680
Inkjet Cartridges						
C9351AE	HP 21 Black EMEA Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
CB334AE	HP 54 Black Inkjet Print Cartridge Maxwax EMEA	44	47		↗	X
C9352AE	HP 22 EMEA Tri Color Pring Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	26	28		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet J4580

	HP Officejet J4580
AiO functions	Color printing, color copying, color scanning, color faxing
Print technology	HP Thermal Inkjet
HP Real Life Technologies features	HP Adaptive Lighting, HP Auto Red-eye Removal
Print speed	Black: Up to 28 ppm, Color: Up to 22 ppm; 4x 6 photo: As fastas 26 sec
Print resolution	Black: Up to 600 x 600 dpi rendered dpi black; Color: Up to 4800 x 1200 dpi Optimized on select HP photo papers with 1200 x 1200 input dpi
Standard connectivity	1 USB; External I/O ports: 1 USB, 1 Phone, 1 Ext Phone
Borderless printing	Yes (up to 8.5 x 11in)
Printer languages	HP PCL 3 GUI, PJL (Printer Job Language), PML (Printer Management Language)
Fax features	Fax forwarding supported: Yes: Fax polling supported: Yes; Fax phone TAM interface supported Yes; PC interface supported: Yes, PC fax send only; Remote retrieval capability supported: No; Junk barrier supported: Yes (requires Caller ID); Maximum broadcast locations: 48; Distinctive ring detection supported: Yes; Delayed sending supported: Yes; Auto redialing supported: Yes; Auto fax reduction supported: Yes; Fax memory: Up to 100 pages, Maximum speed dials: Up to 90
Fax phone features	Color fax, auto reduction, auto redial, speed dial, group speed dial, junk barrier, poll to receive, forwarding (black only), distinctive ring, delayed send (black only), scan and fax, fax phone TAM interface, PC fax send only
Fax and modem description	Up to 33.6 kbps
Duty cycle	Up to 3'000 pages per month (letter)
Fax speed	3 sec per page (letter)
Fax resolution	Black: 203 x 196 dpi, Color: 200 x 200 dpi; Photo:300 x 300 dpi
Scan technology / type	CIS/Flatbed, ADF
Scan input modes	Front Panel, HP photo and imaging software, TWAIN compliant program, WIA compliant program
Bit-depth/Grayscale levels	48-bit, 256 Grayscale levels
Scan speed	Preview mode: Up to 27 sec; OCR Letter: < 50 sec
Scan size	8.5 x 11.7 in
Scan resolution	Optical: Up to 1200 dpi; Hardware: Up to 1200 x 2400 dpi; Enhanced: Up to 19200 dpi
Copy resolution	Black text:/graphics Up to 600 x 1200 dpi Optimized on select HP photo papers with 600 scan dpi; Color graphics: Up to 4800 x 1200 dpi Optimized on select HP photo papers with 1200 x 1200 input dpi
Copy speed	Black: Up to 28 cpm; Color: Up to 22 cpm
Copier settings	Stand-alone copying: Actual size, Fit to page, Custom, Full page, Legal to letter
Copy scaling	25 to 400%
Number of copies	Up to 90 copies
Display	1-line LCD (text)
Media types	Paper (inkjet, photo, plain), envelopes, labels, cards, transparencies, iron-on transfers, HP premium media
Media sizes	Letter, legal, executive, cards; Custom media sizes: 3 x 5 to 8.5 x 14 in
Max. media weight range	US letter, legal, envelopes: 20 to 24 lb; cards: up to 110 lb index maximum; 4 x 6 photo: up to 145 lb Recommended media weight: 16 to 24 lb
ADF capacity	Standard, 20 sheets
Paper handling	Standard: 100-sheet input tray, 20-page ADF
Media handling/input	100-sheet input tray, 20-sheet output tray; Input capacity: Up to 100 sheets letter/legal, Up to 25 sheets transparencies, Up to 10 sheets labels, Up to 40 sheets 4 x 6 photos, Up to 40 cards; Output capacity: Up to 25 sheets letter/legal, Up to 10 sheets labels, Up to 10 cards,
Duplex printing	None
Memory standard/maximum	16 MB
Processor speed	120 MHz
Power consumption	Power consumption (ready): 3.0 watts; Power consumption (sleep): 2.8 watts; Power consumption (maximum): 17 watts maximum

What's in the box?	HP Officejet J4580 All-in-One, Printer, Scanner, Copier, Fax, HP 901 Tri-color Officejet Ink cartridge (~360 pages), HP 901 Black Officejet Ink cartridge (~200 pages), Software CD, Set Up Poster, Fax Getting Started Guide, power supply and power cord, phone cord.
Dimensions (w x d x h)	17.07 x 15.81 x 8.53 in;
Weight	13.03 lb
Energy Star	Yes
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CB780A	HP Officejet J4580 AiO Printer High performance Flatbed All-in-One (print,scan,copy fax).	159	171		

HP Officejet J4580 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			J4580
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X

HP Officejet J4580 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			J4580
Inkjet Cartridges						
CC653AE	HP Officejet 901 Black Ink Cartridge Use in selected HP Officejet printers	19	21		↘	X
CC654AE	HP Officejet 901XL Black Ink Cartridge Use in selected HP Officejet printers	39	42		↘	X
CC656AE	HP Officejet 901 Tri-Colour Ink Crtg Use in selected HP Officejet printers	30	32		↘	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet J4680

	HP Officejet J4680
Print	
Print technology	HP Thermal Inkjet
Display	LCD (1-line text)
Print speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 28 ppm / Up to 9 ppm / Up to 2.5 ppm Mixed text/colour graphics A4: Up to 22 ppm / Up to 6.5 ppm / Up to 2.5 ppm 10 x 15 cm colour photo (photo paper): As fast as 26 sec / As fast as 51 sec / As fast as 61 sec
	Print speed may vary depending on the type of output.
Print quality	Black: Up to 600 x 600 rendered dpi black, Colour: Up to 4800 x 1200 optimised dpi on select HP photo papers with 1200 x 1200 input dpi
Borderless printing	Yes (up to 215 x 610 mm)
Printer languages	HP PCL 3 GUI, PJL (Printer Job Language), PML (Printer Management Language)
Typefaces/fonts	None
Fax	Modem speed: 33.6 Kbps / Quick dialing: Up to 99 numbers / Delayed faxing: Yes Memory: Up to 100 pages / Automatic redial: Yes Colour faxing: Yes / Fax broadcasting: 48 locations
	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Scan	Resolution: Optical: Up to 1200 dpi; Hardware: Up to 1200 x 2400 dpi; Enhanced: Up to 19200 dpi
	Maximum document size: 216 x 297 mm
	Scan speed: OCR a full page of text into Microsoft® Word: less than 50 sec; preview: less than 27 sec (Scan speeds vary according to complexity of the document)
	Type: Flatbed, ADF; Bit depth: 48-bit; Twain version: Version 10.0; Scan technology: CIS; Greyscale: 256
Copy	
Copy speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 28 cpm / Up to 7.6 cpm / Up to 0.8 cpm Mixed Text/Colour graphics A4: Up to 22 cpm / Up to5.5 cpm / Up to 0.8 cpm
	Resolution: Black: Up to 600 x 1200 optimised dpi on select HP photo papers with 600 scan dpi; Multiple copies: Up to 90; Reduce/Enlarge: 25 to 400%
Duty cycle	Up to 3'000 pages per month
ADF capacity	Standard, 20 sheets
Media types	Paper (inkjet, photo, plain), envelopes, labels, cards, transparencies, iron-on transfers, HP premium media
Automatic paper type sensor	No
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), C6 (114 x 162 mm), DL (99 x 210 mm) 130 x 180 mm, 100 x 150 mm (with or without tear-off/cut-off tab), custom: 77 x 127 to 216 x 356 mm
Max. media weight range	A4, envelopes: 70 to 90 g/m²; cards: up to 200 g/m²; photo paper: up to 280 g/m²
Paper handling	Standard: 100-sheet input tray, 20-sheet Automatic Document Feeder (ADF)
Media handling/input	Sheets: Up to 100, envelopes: Up to 15, cards: Up to 40, transparencies: Up to 25, 10 x 15 cm photo: Up to 40
Duplex printing	None (not supported)
Power consumption	Maximum: 17 watts maximum, 9.6 watts maximum (active/printing), 3.0 watts maximum (ready), 2.8 watts maximum (sleep), 0.4 watts maximum (off)
Interface and connectivity	Hi-Speed USB 2.0, 802.11b/g wireless
Memory	Slots: None; Standard: 32 MB; Maximum: 32 MB
Software included	HP Solution Center, HP Smart Web Printing, OCR software by I.R.I.S, HP Document Manager 1.0, Yahoo! Toolbar customised for HP, HP Photosmart Essential Software 2.5, Shop for HP Supplies
Dimensions (w x d x h)	Out of package: 434 x 402 x 217 mm, packaged: 475 x 250 x 345 mm

Weight	Out of package: 5.9 kg, packaged: 7.64 kg
Network capabilities	Built-in 802.11 b/g wireless
Energy Star	Yes
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CB783A	HP Officejet J4680 AiO Printer High performance Flatbed All-in-One (print,scan,copy fax) with Wireless.	195	210		

HP Officejet J4680 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			J4680
Inkjet Cartridges						
CC653AE	HP Officejet 901 Black Ink Cartridge Use in selected HP Officejet printers	19	21		↘	X
CC654AE	HP Officejet 901XL Black Ink Cartridge Use in selected HP Officejet printers	39	42		↘	X
CC656AE	HP Officejet 901 Tri-Colour Ink Crtg Use in selected HP Officejet printers	30	32		↘	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet J6410 All-In-One

	HP Officejet J6410
Print	
Print technology	HP Thermal Inkjet
Display	LCD (2-line text)
Ink Types	Dye-based (colour), pigment-based (black)
Print speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 31 ppm / Up to 8.2 ppm / Up to 2.2 ppm Mixed text/colour graphics A4: Up to 25 ppm / Up to 5.4 ppm / Up to 2.2 ppm 10 x 15 cm colour photo (photo paper): As fast as 26 sec / As fast as 46 sec / As fast as 57 sec
	Print speed may vary depending on the type of output.
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer , Colour: Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi
Borderless printing	Yes (up to 216 x 355 mm)
Printer languages	HP PCL 3 GUI, HP PCL 3, PJL (Printer Job Language), PML (Printer Management Language)
Fax	Modem speed: 33.6 Kbps / Quick dialing: Up to 100 numbers / Delayed faxing: Yes Memory: Up to 100 pages / Automatic redial: Yes Colour faxing: Yes / Fax broadcasting: 48
	Based on standard ITU-T Test Image No. 1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Scan	Resolution: Optical: Up to 4800 dpi; Hardware: Up to 4800 x 4800 dpi; Enhanced: Up to 19200 dpi
	Maximum document size: 215 x 297 mm
	Type: Flatbed, ADF; Bit depth: 48-bit; Twain version: Version 10.0; Scan technology: CIS; Greyscale: 256
Copy	
Copy speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 31 cpm / Up to 7.0 cpm / Up to 0.9 cpm Mixed Text/Colour graphics A4: Up to 25 cpm / Up to 4.7 cpm / Up to 0.9 cpm
	Resolution: Black: Up to 600 x 1200 dpi (black copying with 600 scan dpi); Multiple copies: Up to 100; Reduce/Enlarge: 25 to 400%
Duty cycle	Up to 5'000 pages per month
ADF capacity	Standard, 35 sheets
Media types	Paper (plain, inkjet, photo), envelopes, brochure paper, transparencies, labels, cards (index, greeting)
Automatic paper type sensor	Yes
Media sizes	Standard: A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5 (176 x 250 mm), B6 (125 x 176 mm), B7 (88 x 125 mm), C5 (162 x 229 mm), C6 (114 x 162 mm), 210 x 594 mm, 130 x 180 mm, 100 x 150 mm (with or without tear-off/cut-off tab), custom: 76 x 127 to 216 x 355 mm
Max. media weight range	A4: 60 to 105 g/m², envelopes: 75 to 90 g/m², HP cards: up to 200 g/m², HP photo paper: up to 280 g/m²
Paper handling	Standard: 250-sheet input tray
Media handling/input	Sheets: Up to 250, envelopes: Up to 30, cards: Up to 80, transparencies: Up to 50, 10 x 15 cm photo: Up to 80
Duplex printing	Automatic (standard)
Power consumption	Maximum: 40 watts maximum, 8 watts maximum (ready), 7.5 watts maximum (sleep), 1.2 watts maximum (off); Standby: 8 watts maximum
Interface and connectivity	USB - compatible with USB 2.0 specification, wired Ethernet, wireless Ethernet WiFi 802.11b/g
Memory	Slots: 4 slots: CompactFlash I/II, Secure Digital/MultimediaCard (MMC), xD-Picture Card, Memory Stick/Memory Stick PRO; 64 MB; Maximum: 64 MB
Software included	HP Solution Center, HP Smart Web Printing, OCR software by I.R.I.S, HP Document Manager 1.0, Yahoo! Toolbar customized for HP, HP PhotoSmart Essential Software 2.5, Shop for HP Supplies
Dimensions (w x d x h)	Out of package: 476 x 473 x 258 mm, , packaged: 570 x 349 x 538 mm
Weight	Out of package: 7.65 kg, packaged: 10.5 kg
Network capabilities	Standard (built-in Ethernet, WiFi 802.11b/g)

Energy Star	Yes
Supplies life	For information on page yield, visit http://www.hp.com/go/pageyield, or see product packaging
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CB029B	HP Officejet J6410 AiO Printer Wireless Productivity All-in-One with 2 sided printing for Micro & Home business.	310	334		

HP Officejet J6410 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			J6410
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Officejet J6410 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			J6410
Inkjet Cartridges						
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet Pro L7000 Series

	HP Officejet Pro L7000 series
	Officejet Pro L7780
Print	
Print technology	HP Thermal Inkjet
Ink types	Dye-based (colour), pigment-based (black)
Print speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 35 ppm / Up to 16 ppm / Up to 5 ppm Mixed text/colour graphics A4: Up to 34 ppm / Up to 15 ppm 10 x 15 cm colour photo (photo paper): As fast as 90 sec
	Print speed may vary depending on the type of output.
Print quality	Black: Up to 1200 rendered dpi black when printing from a computer, Colour: Up to 4800 x 1200 optimised dpi colour when printing on HP Premium Photo Paper; 1200 x 1200 dpi input
Borderless printing	Yes (up to 215 x 297 mm)
Printer languages	HP PCL 3 GUI
Typefaces/fonts	2 built-in: Courier, Letter Gothic; no scalable fonts
Fax	Modem speed: 33.6 Kbps / Quick dialing: Up to 99 numbers / Delayed faxing: Yes Memory: Up to 125 pages / Automatic redial: Yes Colour faxing: Yes
	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Scan	Resolution: Optical: Up to 2400 dpi; Hardware: Up to 2400 x 4800 dpi; Enhanced: Up to 19200 dpi
	Type: Flatbed, ADF; Bit depth: 48-bit; Twain version: Version 1.9; Scan technology: CCD; Greyscale: 256
Copy	
Copy speed	**Document type** / **Draft** / **Normal** / **Best** Black text A4: Up to 35 cpm / Up to 16 cpm / Up to 5 cpm Mixed Text/Colour graphics A4: Up to 34 cpm / Up to 15 cpm / Up to 5 cpm
	Resolution: Black: Up to 1200 x 1200 dpi; Multiple copies: Up to 99; Reduce/Enlarge: 25 to 400%
Duty cycle	Up to 7'500 pages per month
ADF capacity	Standard, 50 sheets
Media types	Paper (plain, inkjet, photo, banner), envelopes, labels, cards (index, greeting), transparencies
Automatic paper type sensor	No
Media sizes	Standard: A4 (210 x 297 mm); A5 (148 x 210 mm); A6 (105 x 148 mm); B5 (176 x 250 mm); C5 (162 x 229 mm); C6 (114 x 162 mm); 100 x 150 mm, custom: 76 x 127 to 216 x 356 mm
Max. media weight range	Tray 1: 60 to 105 g/m² (plain media), 60 to 200 g/m² (special media), up to 200 g/m² (cards media); Tray 2: 60 to 105 g/m² (plain media)
Media handling/input	Sheets: Up to 600, envelopes: Up to 30, cards: Up to 80, transparencies: Up to 70, 10 x 15 cm photo: Up to 55
Power consumption	Maximum: 10 watts maximum (sleep), 17 watts maximum (ready), 28 watts maximum (printing), 33 watts maximum (fax/copy)
Interface and connectivity	OJ Pro L7590: 10/100 Base-T Ethernet, Hi-Speed USB - compatible with USB 2.0 specification, V.34 Colour Fax , Oj Pro L7680: 10/100BT Ethernet, Hi-Speed USB - compatible with USB 2.0 specification, V.34 Colour Fax, Oj Pro L7780: 802.11g WLAN, 10/100BT Ethernet, Hi-Speed USB - compatible with USB 2.0 specification, V.34 Colour Fax
Memory	64 MB; Maximum: 64 MB
Dimensions (w x d x h)	Out of package: OJ Pro L7590: 525 x 466 x 356 mm , Oj Pro L7680: 531 x 402 x 356 mm, Oj Pro L7780: 531 x 485 x 444 mm, , packaged: OJ Pro L7590: 580 x 449 x 560 mm , Oj Pro L7680: 620 x 449 x 560 mm, Oj Pro L7780: 620 x 640 x 560 mm
Weight	Out of package: OJ Pro L7590: 15.54 kg, Oj Pro L7680: 15.85 kg, Oj Pro L7780: 18.49 kg, packaged: OJ Pro L7590: 22.2 kg , Oj Pro L7680: 22.6 kg, Oj Pro L7780: 26.6 kg
Network capabilities	OJ Pro L7590: Via embedded 10/100BT Ethernet, Oj Pro L7680: Via embedded 10/100BT Ethernet, Oj Pro L7780: Via embedded 10/100BT Ethernet or 802.11g WLAN

Energy Star	No
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

HP Officejet Pro L7480 All-in-One

Prod-No.	Description	VAT excl.	VAT incl.		
CB061A	HP Officejet Pro L7480 AiO Printer This three-in-one color multi-function device provides print,copy,and scan functionality,but no fax.	310	334	**N**	

HP Officejet Pro L7590 All-in-One

Prod-No.	Description	VAT excl.	VAT incl.		
CB822A	HP Officejet Pro L7590 AiO Printer High performance All-in-One (print, scan,copy fax) with 2-line LCD, embedded networking and duplexer.	441	475		

HP Officejet Pro L7680 All-in-One

Prod-No.	Description	VAT excl.	VAT incl.		
CB038A	HP Officejet Pro L7680 AiO Printer High performance All-in-One (print, scan, copy fax) with 2.4" CGD, embedded networking, legal scan glass and duplexer.	530	570		

HP Officejet Pro L7780 All-in-One

Prod-No.	Description	VAT excl.	VAT incl.		
CB039A	HP Officejet Pro L7780 AiO Printer High performance All-in-One (print, scan,copy fax) with 2.4" CGD, embedded networking,legal scan glass, duplexer and 350 sheet 2nd paper tray.	610	656		

HP Officejet Pro L7000 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			L7000 Series
HP Paper Trays						
C9278A	HP Automatic 2sided Printing Accessory 2 sided printing accessory (duplexer) for HP OJ Pro L7000 series and HP OJ Pro K5400 series.	59	63			**X**
CB007A	HP Officejet Pro AiO Series Second Tray 350 sheet second paper tray accessory for HP OJ Pro L7500 series and HP OJ Pro L7600 series.	76	82			**X**
HP Connectivity-JetDirect						
J6035G	HP Jetdirect 175X; External Print Server Value Line provides a simple an inexpensive way to share a printer or HP All-In-One devices in an Ethernet networking environment.	330	355			**X**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet Pro L7000 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			L7000 Series
Inkjet Cartridges						
C9385AE	HP 88 Black Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	29	31		↗	X
C9386AE	HP 88 Cyan Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9387AE	HP 88 Magenta Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9388AE	HP 88 Yellow Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	22	23		↗	X
C9391AE	HP 88 Large Cyan Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9392AE	HP 88 Large Magenta Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9393AE	HP 88 Large Yellow Ink Cartridge Goes into the OfficeJet Pro K550 Series Printer	36	39		↗	X
C9396AE	HP 88 Large Black Ink Cartridge Use in HP OfficeJet Pro K550 series printers	49	52		↗	X
C9381A	HP 88 Black and Yellow Printhead Goes into the Officejet Pro K550 Series printers	75	81		↗	X
C9382A	HP 88 Magenta and Cyan Printhead Goes into Officejet Pro K550 Series Printer	75	81		↗	X

HP Fax 1230

HP Fax 1230 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			HP Fax 1230
Inkjet Cartridges						
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X

HP PSC 1410 All-in-One Series

HP PSC 1410 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			PSC 1410
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP PSC 1410 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			PSC 1410
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X
Q5441A	HP Everyday Photo Paper, Semi Gloss EU HP lowest priced glossy inkjet photo paper in a convenient snapshot size. 10x 15cm 100 sheets. Use in all HP inkjet printers.	13	14		↘	X
Q5451A	HP Everyday Photo Paper,Semi Glossy EU HP lowest priced glossy inkjet photo paper. Glossy alternative to plain paper for printing everyday photos. 25 sheets, A4 size.	8	9		↘	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP PSC 1510 All-in-One

HP PSC 1510 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			PSC 1510
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP PSC 1510 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			PSC 1510
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9361EE	HP 342 Tricolor Inkjet Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	28	30		↗	X
C9362EE	HP 336 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	24	25		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X
Q5441A	HP Everyday Photo Paper, Semi Gloss EU HP lowest priced glossy inkjet photo paper in a convenient snapshot size. 10x 15cm 100 sheets. Use in all HP inkjet printers.	13	14		↘	X
Q5451A	HP Everyday Photo Paper,Semi Glossy EU HP lowest priced glossy inkjet photo paper. Glossy alternative to plain paper for printing everyday photos. 25 sheets, A4 size.	8	9		↘	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

HP PSC 1610 All-in-One

HP PSC 1610 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			1610
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP PSC 1610 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			1610
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart 2575 All-In-One

HP Photosmart 2575 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			2575
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart 2575 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			2575
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9361EE	HP 342 Tricolor Inkjet Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	28	30		↗	X
C9362EE	HP 336 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	24	25		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9364EE	HP 337 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	31	33		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X
Other Supplies Products						
Q7948EE	HP 343 Series Photo Pack 10x15 60 Sht Contains one HP 343 series inkjet cartridges with 60 sheets of HP Premium photo paper 10 x 15 (4 x 6 with tab) Multilingual	32	35		↗	X

HP Photosmart C3180 All-in-One

HP Photosmart C3180 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			PSC 3180 AIO
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart C3180 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			PSC 3180 AIO
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C9362EE	HP 336 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	24	25		↗	X
C9361EE	HP 342 Tricolor Inkjet Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	28	30		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q8027A	HP Prem+ High Gloss Photo Paper 25 Sht Contains 25 sheets of HP Premium Plus High Gloss 280 gm,10 x 15 cm with tab photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart AiO C4280

HP Photosmart C4280 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C4280
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart C4280 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C4280
Inkjet Cartridges						
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
Paper						
Q8028A	HP Prem+ High Gloss Photo Paper 25 Sht Contains 25 sheets of HP Premium Plus High Gloss 280 gm,10 x 15 cm borderless photo paper	13	14		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X

HP Photosmart AiO C5180

HP Photosmart C5180 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C5180
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart AiO C6180

HP Photosmart C6180 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C6180
HP Other Accessories						
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X

HP Photosmart C6180 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C6180
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Q7966EE	HP 363 Series Photo Pack 150 Sht Contains one HP 363 series inkjet cartridges with 100 sheets of HP Advance photo paper 10 x 15	65	70		↗	X
CB333EE	HP 363 Ink Cartridge 3 Pack Use in selected HP Photsmart series printers such as the HP Photosmart 8250, 3210, 3310.	41	44		↗	X
Paper						
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X

Photosmart AiO C6280

HP Photosmart C6280 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C6280
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			X

HP Photosmart AiO C7180

HP Photosmart C7180 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			C7180
HP Other Accessories						
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X

HP Photosmart C7180 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			C7180
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet J5780 All-In-One

HP Officejet J5780 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			J5780
Inkjet Cartridges						
CB335EE	HP 350 Black Inkjet Print Cartridge Contains one HP 350 black inkjet print cartridge for use in selected HP printers.	23	25		↗	X
CB337EE	HP 351 Tricolour Inkjet Print Cartridge Contains one HP 351 Tricolour inkjet print cartridge for use in selected HP printers.	27	29		↗	X
CB336EE	HP 350XL Black Inkjet Print Cartridge Contains one HP 350XL black inkjet print cartridge for use in selected HP printers.	48	52		↗	X
CB338EE	HP 351XL Tricolour Inkjet Print Crtg Contains one HP 351XL Tricolour inkjet print cartridge for use in selected HP printers.	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X

HP Photosmart 3210 All-In-One

HP Photosmart 3210 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			3210
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Other Accessories						
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X

HP Photosmart 3210 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3210
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X
Other Supplies Products						
Q7966EE	HP 363 Series Photo Pack 150 Sht Contains one HP 363 series inkjet cartridges with 100 sheets of HP Advance photo paper 10 x 15	65	70		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart 3310 All-In-One

HP Photosmart 3310 All-in-One - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			3310
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Other Accessories						
Q5582A	HP ph5582 Two-sided Printing Accessory	53	57			X

HP Photosmart 3310 All-in-One - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3310
Inkjet Cartridges						
C8719EE	HP 363 EU Large Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	45	49		↗	X
C8721EE	HP 363 EU Black Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C8771EE	HP 363 EU Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8772EE	HP 363 EU Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8773EE	HP 363 EU Yellow Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8774EE	HP 363 EU Light Cyan Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
C8775EE	HP 363 EU Light Magenta Ink Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	15	17		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X
Other Supplies Products						
Q7966EE	HP 363 Series Photo Pack 150 Sht Contains one HP 363 series inkjet cartridges with 100 sheets of HP Advance photo paper 10 x 15	65	70		↗	X

HP Officejet 4355 All-In-One

HP Officejet 4355 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			4355
Inkjet Cartridges						
C9351AE	HP 21 Black EMEA Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	23	25		↗	X
C9352AE	HP 22 EMEA Tri Color Pring Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	26	28		↗	X
C8727AE	HP 27 Black Inkjet Cartridge	29	31		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet 5610

HP Officejet 5610 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			5610
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP OfficeJet 5000 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			5110	5510	5610
Inkjet Cartridges								
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X		
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X		
C6615DE	HP No. 15 ink cartridge black	45	48		↗	X		
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗		X	
C6656AE	HP No. 56 ink cartridge, black	32	34		↗		X	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗			X
Paper								
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X		
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X	
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X		X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X		X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X		X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘		X	X
Q2525A	HP Brochure and Flyer Glossy Paper This bright white paper is glossy on both sides. It is a tri-fold and scored for easy folding.	26	28		↗		X	
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗			X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗			X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗			X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗			X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗			X
Q5441A	HP Everyday Photo Paper, Semi Gloss EU HP lowest priced glossy inkjet photo paper in a convenient snapshot size. 10x 15cm 100 sheets. Use in all HP inkjet printers.	13	14		↘			X

HP Officejet 6310 All-In-One

HP Officejet 6310 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			6310
Inkjet Cartridges						
C9361EE	HP 342 Tricolor Inkjet Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer / Scanner / Copiers and HP PhotoSmart Printers	28	30		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9362EE	HP 336 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	24	25		↗	X
C9364EE	HP 337 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	31	33		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9504EE	HP 339 Black Cartridge Two Pack Contains two HP 339 tricolor inkjet cartridges	82	88		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
Q6593A	HP Professional 120 Matt A4 Paper HP Profesional 120 Matt is a medium weight paper coated on both sides, which produces more vibrant colors and sharper text.	32	35		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet 7210 All-in-One

HP Officejet 7210 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			7210
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Other Accessories						
Q5712A	HP ph5712 Auto Two-Sided Print Accessory	59	63			X

HP Officejet 7210 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			7210
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

HP Officejet 7310 All-in-One

HP Officejet 7310 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			7310
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Paper Trays						
Q6211A	HP 250 Sheet pt6211 Plain Paper Tray	101	109			X

HP Officejet 7310 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			7310
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Officejet 7410 All-in-One

HP Officejet 7410 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			7410
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Officejet 7410 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			7410
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

HP Photosmart 2710 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			2710
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart 2710 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			2710
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP OfficeJet 4000 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			4110	4255
Inkjet Cartridges							
C6656AE	HP No. 56 ink cartridge, black	32	34		↗	X	X
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗		X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗		X
Paper							
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X	
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X	
C7040A	HP premium photo paper A4 value pack	32	35		↗	X	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗		X
Q2525A	HP Brochure and Flyer Glossy Paper This bright white paper is glossy on both sides. It is a tri-fold and scored for easy folding.	26	28		↗		X

HP OfficeJet 6110 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			6110
Inkjet Cartridges						
C6656AE	HP No. 56 ink cartridge, black	32	34		↗	X
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X

HP Officejet 6210 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			6210
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Officejet 6210 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			6210
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

HP OfficeJet 7000 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			7110
Inkjet Cartridges						
C4920AE	HP 14 Black Printhead EUR Used in the cp1160 and HP Officejet d series.	51	55		↗	X
C4921AE	HP 14 Cyan Printhead EUR Used in the cp1160 and HP OfficeJet d series.	51	55		↗	X
C4922AE	HP 14 Magenta Printhead EUR Used in the cp1160 and HP OfficeJet d series.	51	55		↗	X
C4923AE	HP 14 Yellow Printhead EUR Used in the cp1160 and HP OfficeJet d series.	51	55		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP OfficeJet v40 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			v40
Inkjet Cartridges						
C6615DE	HP No. 15 ink cartridge black	45	48		↗	X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X
Paper						
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X

HP OfficeJet K series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			K-series
Inkjet Cartridges						
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X

HP OfficeJet G series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			G-series
Inkjet Cartridges						
51645AE	HP Inkjet cartridge, black, 42 ml	48	51		↗	X
C6578AE	HP 3 color ink cartridge (C/M/Y)	95	103		↗	X
C6578DE	HP 3 color ink cartridge (C/M/Y)	52	56		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X

HP LaserJet

HP LaserJet All-in-One

HP LaserJet M1120 MFP

	HP LaserJet M1120 MFP			
Print technology	Monochrome Laser			
Print speed	Up to 19 ppm. First page out black: < 7 sec Warm-up time: less than 13 sec Exact speed varies depending on the system configuration, software program, and document complexity.			
Processor	230 MHz. Casaba B			
Memory	32 MB (internal fixed)			
Print	Quality	HP Resolution Enhancement (REt) and FastRes 1200 technology		
	Resolution	600 x 600 dpi (1200 dpi effective output)		
	Printer languages	Host-based		
	Economical printing	Economode print quality settings prints text with less toner. N-up printing saves paper.		
	Typefaces/fonts	None (Host-based)		
	Duty cycle	Up to 5000 per month		
	Print margins (mm)	Top: 4 mm. Left: 4 mm. Right: 4 mm. Bottom: 4 mm		
Scan	Type	Flatbed. Colour scanning: Yes		
	Scan resolution	Optical: Up to 1200 dpi. Enhanced: Up to 19200 dpi		
	Bit depth	24-bit		
	Grey scale levels	256		
	Twain version	TWAIN compatible Version 1.9		
	Scannable area	Minimum media size: 25.4 x 25.4 mm. Maximum media size: 216 x 297 mm		
	Margins for scanned items	Left: 4 mm. Top: 4 mm. Right: 4 mm. Bottom: 4 mm		
Copy	Speed	Up to 14 cpm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies	Up to 99		
	Reduce/enlarge	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 250, envelopes: 10, transparencies: 100	60 to 163 g/m²	A4, A5, A6, B5, postcards, envelopes (B5, C5, DL), 76 x 127 to 216 x 356 mm
	Tray2	sheets: 10, envelopes: 10, transparencies: 10	42 to 260 g/m²	A4, A5, A6, B5, postcards, envelopes (B5, C5, DL), 76 x 127 to 216 x 356 mm
	Output:	Sheets: Up to 100. Envelopes: Up to 10. Transparencies: Up to 65		
	Duplex printing:	Manual (driver support provided)		
Media types	Paper (plain, laser), envelopes, transparencies, labels, cardstock, postcards			
Interface and connectivity	M1120 MFP: Hi-Speed USB (compatible with USB 2.0 specifications); M1120n MFP: 10/100Base-T Ethernet network port, Hi-Speed USB (compatible with USB 2.0 specifications)			
Standard software	Host-based print drivers, TWAIN 1.9 or WIA scanner drivers, scan application, installer/uninstaller, HP MARS/Pony Express usage tracking software, HP Order Reminder, screen fonts, I.R.I.S. Readiris PRO text recognition software (not installed with other software, separate installation required), Mac print drivers and scan drivers.			
Control panel	2-line, 16-character display, menu and navigation buttons (Setup/Enter, Left, Right, Cancel), copy control buttons (Number of copies, Lighter/Darker, More copy settings, Start Copy)			
Power consumption	370 watts (active), 7 watts (ready/sleep). 0 watts (off)			
Dimensions (w x d x h)	Out of package: 457 x 369 x 322 mm. Packaged: 600 x 400 x 390 mm			
Weight	Out of package: 8.6 kg. Packaged: 11.8 kg			
Warranty	One-year limited warranty			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.			
CB537A	HP LaserJet M1120 MFP Printer Blind/Live CPL. 20ppm,3:1 LaserJet	263	283			
CC459A	HP LaserJet M1120n MFP Printer HP LaserJet M1120n MFP - Blind/Live CPL. 20ppm,3:1 LaserJet - NETWORKING BUNDLE	295	317			

HP LaserJet M1120 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M1120 MFP
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP LaserJet M1120 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M1120 MFP
Toner Cartridges						
CB436A	HP LaserJet P1505 2K Black Cartridge Prints approximately 2,000 pages using the ISO/IEC 19752 yield standard. LJ M1522mfp, LJ P1505, M1120mfp	120	129		↗	X

HP LaserJet M1319 MFP

	HP LaserJet M1319f MFP	
Print technology	Monochrome Laser	
Print speed	Up to 18 ppm. First page out black: As fast as 8.5 sec (from ready mode) Exact speed varies depending on the system configuration, software program and document complexity	
Processor	240 MHz. Tensilica®	
Memory	32 MB. Not expandable	
Print	Quality	REt, HP FastRes 1200
	Resolution	Up to 1200 x 1200 dpi
	Printer languages	Host based drivers
	Economical printing	Economode (saves toner), N-up printing (saves paper)
	Typefaces/fonts	None (Host-based)
	Duty cycle	Up to 8'000 per month
	Recommended monthly page volume	500 to 2'000 pages per month
	Print margins (mm)	Top: 4 mm. Left: 4 mm. Right: 4 mm. Bottom: 4 mm
	Printer Smart Software Features	Manual duplex and booklet printing, N-up printing, Collation, Watermarks, Install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
Fax	Modem speed	3 sec per page
	Telecom compliance	Telecom: TBR-21: 1998; EG 201 121: 1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002: 2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong SAR), YD514, YD/T589, YD703, GB3382 (China)
	Fax memory	Up to 500
	Fax resolution	Standard: 203 x 98 dpi. Fine: 203 x 196 dpi. Superfine: 300 x 300 dpi (no halftone)
	Quick dialing	Up to 120 numbers. 10 one-touch front panel keys
Scan	Type	Sheetfed LED Scanner. Colour scanning: Yes. File Formats: JPEG, TIFF, BMP, GIF, PDF, PNG
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 19200 dpi
	Bit depth	24-bit
	Grey scale levels	256
	Twain version	TWAIN compatible Version 1.9
	Scan input modes	Front control panel copy or fax buttons, scanning via HP LaserJet Scan (Windows®), HP Director (Macintosh) or TWAIN-compliant or WIA-compliant software
	Scannable area	Maximum media size: 216 x 381 mm
	Margins for scanned items	Left: 4 mm. Top: 4 mm. Right: 4 mm. Bottom: 4 mm
	Scanner smart software features	Colour scan up to 600 dpi optical, 19200 dpi interpolated. TWAIN/WIA scan drivers with image editing. CIS, 600 dpi, 24-bit colour, Sheet-feed ADF only (30-sheets)
Copy	Copy speed	Up to 18 cpm (ADF copy speed is up to 14 cpm)
	Copy resolution	Up to 600 x 600 dpi
	Multiple copies:	Up to 99
	Reduce/enlarge:	25 to 400%
	Copier smart software features	1 to 99 multiple copies, Collation, Reduce/Enlarge from 25 to 400% (with page size presets), Fit to page, 2 or 4 pages to 1 page, Contrast (lighter/darker), Resolution (copy quality)

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 250, envelopes: 10, transparencies: 10	60 to 163 g/m²	A4, A5, B5, C5, C6, DL, 16K, 76 x 127 to 216 x 356 mm
	ADF	Standard, 30 sheets	48 to 105 g/m²	Minimum: 148 x 105 mm (A6), Maximum: 215.9 x 355.6 mm (legal)
	Output: Sheets: Up to 100. Envelopes: Up to 10. Transparencies: Up to 10 **Duplex printing:** Manual (driver support provided)			
Media types	Paper (plain, preprinted, prepunched, bond, colour, glossy, letterhead, light, heavy, recycled, rough), envelopes, vellum, transparencies, labels, cardstock			
Interface and connectivity	Hi-Speed USB (compatible with USB 2.0 specifications)			
Standard software	Host-based print drivers, TWAIN 1.9 or WIA scanner drivers, scan application, installer/uninstaller, HP MARS/Pony Express usage tracking software, HP Order Reminder, screen fonts, I.R.I.S. Readiris PRO text recognition software (not installed with other software, separate installation required), Mac print drivers and scan drivers. ToolBox and EWS software included. HP LaserJet Scan, HP PC Send/Receive LaserJet Fax, HP Fax Setup Wizard, installer/uninstaller, HP Director (Macintosh). Drivers on the web: Installer, print drivers, HP Send Fax, HP Scan software, HP Toolbox for Fax management and support, HP Software Update			
Control panel	2-line, 16-character display, alphanumeric buttons, menu and cancel controls, fax, copy controls			
Power consumption	365 watts (active/printing), 8 watts (ready), 8 watts (sleep), < 0.1 watts (off). Typical electricity consumption (TEC) 1.662 kWh/Week			
Dimensions (w x d x h)	Out of package: 467 x 443 x 459 mm. Packaged: 600 x 333 x 440 mm			
Weight	Out of package: 10 kg. Packaged: 12.3 kg			
Printer management	HP Toolbox FX, HP Embedded Web Server			
Warranty	One year limited warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.		
CB536A	HP LaserJet M1319f MFP Printer Up to 19ppm letter (up to 18ppm A4) All-in-One with print,copy,fax and scan capability. 250 Sheet input,30 page ADF,USB 2.0,32MB RAM,2K toner cartridge	424	456		

HP LaserJet M1319 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M1319 MFP
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X

HP LaserJet M1319 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M1319 MFP
Toner Cartridges						
Q2612A	HP LaserJet 1000/3000 Series Black Crtg HP LaserJet 1010/1012/1015/1018/1020/ 1022/3015/3020/3030/3050/3052/3055 Ultraprecise Cartridge. Average yield 2,000 pages in accordance ISO/IEC 1975	120	129		↗	X

HP LaserJet M1522 MFP

	HP LaserJet M1522 MFP			
Print technology	Monochrome Laser			
Print speed	Up to 23 ppm. First page out black: < 9.5 sec Exact speed varies depending on the system configuration, software program and document complexity.			
Processor	450 MHz. Motorola Coldfire® V5e			
Memory	64 MB.			
Print	Quality	REt, HP FastRes, HP TrueRes		
	Resolution	600 x 600 dpi (1200 dpi effective output)		
	Printer languages	HP PCL 6, HP PCL 5, HP Postscript level 3 emulation		
	Economical printing	Economode print quality setting prints text with less toner, N-up printing (saves paper)		
	Typefaces/fonts	45 scalable TrueType, 35 Postscript		
	Duty cycle	Up to 8'000 per month		
	Print margins (mm)	Top: 4 mm. Left: 4 mm. Right: 4 mm. Bottom: 4 mm		
Fax	Modem speed	3 sec per page		
	Telecom compliance	Telecom: ES 203 021, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002: 2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong SAR), YD514, YD/T589, YD703, GB3382 (China)		
	Fax memory	Up to 300 pages (black and white)		
	Fax resolution	Standard: 203 x 98 dpi . Fine: 203 x 196 dpi. Superfine: 300 x 300 dpi (no halftone)		
	Quick dialing	12		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 1200 dpi. Enhanced: Up to 19200 dpi		
	Bit depth	24-bit		
	Grey scale levels	256		
	Twain version	TWAIN compatible Version 1.9		
	Scannable area	Minimum media size: No minimum. Maximum media size: 216 x 297 mm		
	Margins for scanned items	Left: 4 mm. Top: 4 mm. Right: 4 mm. Bottom: 4 mm		
Copy	Copy speed	Up to 23 cpm (single sheet on flatbed, multiple copies, ADF copy speed is up to 14.5 cpm)		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies:	Up to 99		
	Reduce/enlarge:	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 250	60 to 163 g/m²	A4, A5, B5, C5, C6, DL, 16K, 76 x 127 to 216 x 356 mm
	Tray 2	sheets: 10, transparencies: 10, envelopes: 10	60 to 163 g/m²	A4, A5, B5, C5, C6, DL, 16K, 76 x 127 to 216 x 356 mm
	ADF	Sheets: 50	60 to 90 g/m²	
	Output: Sheets: Up to 125. Envelopes: Up to 10. Transparencies: Up to 10			
	Duplex printing: Manual (driver support provided)			
Media types	Paper (bond, colour, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, cardstock			
Interface and connectivity	10/100Base-T Ethernet network, Hi-Speed USB (compatible with USB 2.0 specifications)			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Standard software	M1522n MFP: HP Toolbox FX, HP LaserJet Scan, TWAIN 1.9 or WIA scanner drivers, Readiris PRO text recognition software (not installed with other software, separate installation required), printer drivers (HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation), installer/uninstaller, HP Director (Macintosh) ; M1522nf MFP: HP Toolbox FX, HP LaserJet Scan, TWAIN 1.9 or WIA scanner drivers, HP LaserJet Fax, HP Fax Setup Wizard, HP Fax software, Readiris PRO text recognition software (not installed with other software, separate installation required), printer drivers (HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation), installer/uninstaller, HP Director (Macintosh); Drivers on the web: M1522n MFP: Installer, print drivers, HP Scan software, HP Toolbox FX for management and support, Readiris PRO text recognition software, HP Software Update, Web Jetadmin, Enterprise Installer ; M1522nf MFP: Installer, print drivers, HP Send Fax, HP Scan software, HP Toolbox FX for management and support, Readiris PRO text recognition software, HP Software Update, Web Jetadmin, Enterprise Installer
Control panel	M1522n MFP: 2-line LCD text display, alphanumeric buttons, navigational buttons plus 2 LEDs (setup, up, ok, down, back, cancel), copy buttons (start copy, reduce/enlarge, lighter/darker, quality, number of copies), 2 scan buttons (start scan, scan to). ; M1522nf MFP: 2-line LCD text display, alphanumeric buttons, navigational buttons plus 2 LEDs (setup, up, ok, down, back, cancel), fax buttons (start fax, phonebook, volume, resolution, redial, one touch keys, shift), copy buttons (start copy, reduce/enlarge, lighter/darker, quality, number of copies), 2 scan buttons (start scan, scan to).
Power consumption	410 watts (active/printing), 325 watts (active/copy or scan), 10.5 watts (ready/sleep), 0 watts (off)
Dimensions (w x d x h)	Out of package: 496 x 406 x 402 mm. Packaged: 600 x 500 x 505 mm
Weight	Out of package: 11 kg. Packaged: 15.6 kg
Printer management	HP Toolbox FX, HP Web Jetadmin, embedded Web server (Mac only)
Warranty	One-year limited warranty

Prod-No.	Description	VAT excl.	VAT incl.		
CC372A	HP LaserJet M1522n MFP Printer HP LaserJet M1522n MFP - 24ppm, scanner,ADF,networking	478	514		
CB534A	HP LaserJet M1522nf MFP Printer HP LaserJet M1522nf MFP - 24ppm, scanner,ADF,networking - FAX BUNDLE	542	583		

HP LaserJet M1522 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M1522 MFP
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP LaserJet M1522 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M1522 MFP
Toner Cartridges						
CB436A	HP LaserJet P1505 2K Black Cartridge Prints approximately 2,000 pages using the ISO/IEC 19752 yield standard. LJ M1522mfp, LJ P1505, M1120mfp	120	129		↗	X

HP LaserJet M2727 MFP

	HP LaserJet M2727 MFP			
Print technology	Monochrome Laser			
Print speed	Up to 26 ppm. First page out black: < 10.0 sec Warm-up time: less than 38 sec min Exact speed varies depending on the system configuration, software program and document complexity.			
Processor	450 MHz. Motorola Coldfire® V5e			
Memory	64 MB. Expandable to 320 MB through one 144-pin DDR2 DIMM slot			
Print	Quality	REt, HP FastRes, HP ProRes 1200, HP TrueRes		
	Resolution	Up to 1200 x 1200 dpi		
	Printer languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation		
	Economical printing	Economode print quality setting prints text with less toner, two-sided printing and N-up printing (saves paper)		
	Typefaces/fonts	45 scalable TrueType, 35 Postscript		
	Print margins (mm)	Top: 4 mm. Left: 4 mm. Right: 4 mm. Bottom: 4 mm		
Fax	Modem speed	33.6 Kbps (3 sec per page)		
	Telecom compliance	Telecom: ES 203 021, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002: 2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong SAR), YD514, YD/T589, YD703, GB3382 (China)		
	Fax memory	Up to 600 pages		
	Fax resolution	Standard: 203 x 98 dpi. Fine: 203 x 196 dpi. Superfine: 300 x 300 dpi (no halftone)		
	Quick dialing	Up to 120 (119 group dials). 16		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 1200 dpi. Enhanced: Up to 19200 dpi		
	Bit depth	24-bit		
	Grey scale levels	256		
	Twain version	TWAIN compatible Version 1.9		
	Scannable area	Minimum media size: No minimum. Maximum media size: 216 x 297 mm		
	Margins for scanned items	Left: 4. Top: 4. Right: 4. Bottom: 4		
Copy	Copy speed	Up to 26 cpm (single sheet on flatbed, multiple copies, ADF copy speed is up to 17.5 cpm)		
	Copy resolution	600 x 600 dpi		
	Multiple copies:	Up to 99		
	Reduce/enlarge:	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	Sheets: 50, transparencies: 10, envelopes: 10	60 to 163 g/m²	A4, A5, A6, B5 (JIS), C5, DL, 16K, Postcard (JIS), Double Postcard (JIS); 76 x 127 to 216 x 356 mm
	Tray 2	Sheets: 250	60 to 120 g/m²	A5, B5 (JIS), A4; 148 x 210 to 216 x 356 mm
	Tray 3	Sheets: 250	60 to 120 g/m²	A5, B5 (JIS), A4; 148 x 210 to 216 x 356 mm
	ADF	Sheets: 50	60 to 90 g/m²	A4, A5, 127 x 127 to 216 x 381 mm
	Output: Sheets: Up to 125. Envelopes: Up to 10. Transparencies: Up to 10			
	Duplex printing: Automatic (standard)			
Media types	Paper (bond, colour, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, cardstock			
Interface and connectivity	10/100Base-T Ethernet, Hi-Speed USB (compatible with USB 2.0 specifications). Optional: None			
Standard software	HP Toolbox FX, HP LaserJet Scan, TWAIN 1.9 or WIA scanner drivers, HP LaserJet Fax, HP Fax Setup Wizard, Readiris PRO text recognition software (not installed with other software, separate installation required), printer drivers (HP PCL 6, HP Postscript Level 3 emulation), installer/uninstaller, HP Director (Macintosh). Drivers on the web: Installer, print drivers, HP Send Fax, HP Scan software, HP Toolbox FX for management and support, Readiris PRO text recognition software, HP Software Update, HP Web Jetadmin, Enterprise Installer			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Control panel	2-line LCD text display, alphanumeric buttons, navigational buttons plus 3 LEDs (Setup, left, enter, right, cancel), fax buttons plus 1 LED (start fax, phonebook, volume, resolution, redial, one touch keys, shift), copy buttons plus 2 LEDs (start copy, 2 sided, reduce/enlarge, lighter/darker, collate, quality, paper, number of copies, current settings), 2 scan buttons (start scan, scan to).
Power consumption	410 watts maximum (active/printing), 410 watts maximum (active/copy or scan), 13 watts maximum (ready/sleep), 0.1 watts maximum (off)
Dimensions (w x d x h)	Out of package: M2727nf: 500 x 406 x 457 mm ; M2727nfs: 500 x 406 x 546 mm . Packaged: M2727nf: 596 x 496 x 595 mm ; M2727nfs: 596 x 496 x 785 mm
Weight	Out of package: M2727nf: 17.2 kg ; M2727nfs: 20.5 kg . Packaged: M2727nf: 22 kg ; M2727nfs: 25.91 kg
Printer management	HP Toolbox FX, HP Web Jetadmin, embedded Web server (Mac only)
Warranty	One-year, on-site warranty; 24-hour, 7-days-a-week phone support

Prod-No.	Description	VAT excl.	VAT incl.		
CB532A	HP LaserJet M2727nf MFP Printer 27ppm ,Print,Scan,Copy,Fax with networking. USB,600 pages fax- storage,Ships with 3k toner (7k also available after market)	815	877		
CB533A	HP LaserJet M2727nfs MFP Printer 27ppm ,Print,Scan,Copy,Fax with networking. USB,600 pages fax- storage,Ships with 3k toner (7k also available after market) PLUS Convenience stapler and 250	1'053	1'133		

HP LaserJet M2727 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M2727 MFP
HP Memory						
CB421A	HP 64MB DDR2 144pin SDRAM DIMM	642	691			X
CB422A	HP 128MB 144pin SDRAM DIMM	855	920			X
CB423A	HP 256MB DDR2 144pin SDRAM DIMM	1'070	1'151			X
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP LaserJet M2727 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M2727 MFP
Toner Cartridges						
Q7553A	HP LaserJet P2015 Black Cartridge Contains one HP LaserJet P2015 Black print cartridge. Prints approximately 3,000 pages using the ISO/IEC 19752 yield standard.	138	149		↗	X
Q7553X	HP LaserJet Q7553X Black Print Cartridge High Capacity cartridge prints approximately 7,000 pages using the ISO/IEC 19752 yield standard.	254	274		↗	X

HP LaserJet All-in-One 3050

	HP LaserJet All-in-One 3050			
Print technology	Monochrome Laser			
Print speed	Up to 18 ppm. First page out black: 8 sec. for printing (Instant-on Technology virtually eliminating warm-up time – from cold or warm start). (Exact speed varies depending on the system configuration, software program and document complexity)			
Processor	264 MHz. Motorola Coldfire® v 4e			
Memory	64 MB			
Print	Quality	Up to 1200 x 1200 dpi		
	Printer languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation		
	Ecnonomical printing	Economode print quality setting prints text with less toner, N-up printing (multiple pages per sheet)		
	Typefaces/fonts	PCL: 45 scalable TrueType fonts, PostScript: 35 scalable TrueType fonts		
	Duty cycle	Up to 7'000 pages per month		
	Print margins (mm)	Top: 4 mm. Left: 4 mm. Right: 4 mm. Bottom: 4 mm		
Fax	Modem speed	33.6 Kbps (3 sec per page)		
	Telecom	TBR-21: 1998; EG 201 121: 1998, FCC Part 68		
	Fax memory	Up to 110 pages (2 MB)		
	Fax resolution	Standard: 203 x 98 dpi. Fine: 203 x 196 dpi. Superfine: 300 x 300 dpi. Photo: 300 x 300 dpi (halftone)		
	Quick dialing	Up to 120 (119 group dials). 10 one-touch front panel keys		
Scan	Type	Sheetfed. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 19200 x 19200 dpi		
	Bit depth	24 bit		
	Grey scale level	256		
	Twain version	TWAIN compatible Version 1.9		
	Scannable area	Minimum media size: 74 x 105 mm. Maximum media size: 216 x 381 mm		
	Margins for scanned items	Left: 4 mm. Top: 4 mm. Right: 4 mm. Bottom: 4 mm		
Copy	Copy speed	Up to 18 ppm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies	Up to 99 copies (with automatic collation)		
	Reduce/enlarge	25 to 400% (1% increments)		
Media handling	**Input:**	**Capacity**	**Weight**	**Size**
	Tray 1	Up to 10 sheets	60 to 163 g/m²	A4, A5, B5, C5, C6, DL (ISO), postcard, 76 x 127 to 216 x 356 mm
	Tray 2	Up to 150 sheets	60 to 105 g/m²	A4, A5, B5, 147 x 211 to 216 x 356 mm
	ADF	Up to 30 sheets	48 to 105 g/m²	A4, A5, 148 x 105 to 216 x 381 mm
	Output:	Up to 100 sheets. Up to 10 envelopes. Up to 10 transparencies		
	Duplex printing:	Manual (driver support provided)		
Media types	Paper (bond, colour, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, cardstock			
Interface and connectivity	Hi-Speed USB (compatible with USB 2.0 specifications) port. Optional: HP Jetdirect External Print Servers: HP Jetdirect en3700, ew2400			
Standard software	HP Toolbox FX, HP LaserJet Scan, TWAIN 1.9 or WIA scan drivers, HP LaserJet Fax, HP Fax Setup Wizard, Readiris PRO text recognition software (not installed with other software, separate installation required), printer drivers (HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation), installer/uninstaller, HP Director (Macintosh)			
Control panel	Intuitive control panel with 2-line, 16-character back lit display, alphanumeric buttons, menu and cancel controls, fax, copy and scan controls, speed-dial keys			
Printer management	HP Toolbox FX, HP Web Jetadmin, HP Embedded Web Server (Mac only)			
Power consumption	0 watt (off), 5 watts (powersave and standby), 290 watts (active)			
Dimensions (w x d x h)	Out of package: 429 x 443 x 459 mm. Packaged: 600 x 333 x 440 mm			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Weight	Out of package: 9.3 kg. Packaged: 12.1 kg
Warranty	One-year limited warranty

Prod-No.	Description	VAT excl.	VAT incl.		
Q6504A	HP LJ3050 All-in-One Printer Up to 19ppm letter (18ppm A4),copy, fax & scanning.250 S/input tray,30 page ADF,USB 2.0,64MB RAM. 2k t/catridge. Sheet feed color scanning-no flatbed.	424	456		

HP LaserJet All-in-One 3050 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			3050
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP LaserJet All-in-One 3050 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3050
Toner Cartridges						
Q2612A	HP LaserJet 1000/3000 Series Black Crtg HP LaserJet 1010/1012/1015/1018/1020/ 1022/3015/3020/3030/3050/3052/3055 Ultraprecise Cartridge. Average yield 2,000 pages in accordance ISO/IEC 1975	120	129		↗	X

HP LaserJet M1005 MFP

HP LaserJet M1005 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M1005 MFP
Toner Cartridges						
Q2612A	HP LaserJet 1000/3000 Series Black Crtg HP LaserJet 1010/1012/1015/1018/1020/ 1022/3015/3020/3030/3050/3052/3055 Ultraprecise Cartridge. Average yield 2,000 pages in accordance ISO/IEC 1975	120	129		↗	X
Paper						
Q6616A	HP Superior Glossy Laser Paper 150 Sht This superior HP Laser Paper is A4 size, 160 gsm, and contains 150 sheets.	31	33		↗	X

HP LaserJet 3015 all-in-one

HP LaserJet 3015 all-in-one - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ3015
Toner Cartridges						
Q2612A	HP LaserJet 1000/3000 Series Black Crtg HP LaserJet 1010/1012/1015/1018/1020/ 1022/3015/3020/3030/3050/3052/3055 Ultraprecise Cartridge. Average yield 2,000 pages in accordance ISO/IEC 1975	120	129		↗	X

HP LaserJet 3020 / 3030 all-in-one

HP LaserJet 3020 / 3030 all-in-one - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ3020 / 3030
Toner Cartridges						
Q2612A	HP LaserJet 1000/3000 Series Black Crtg HP LaserJet 1010/1012/1015/1018/1020/ 1022/3015/3020/3030/3050/3052/3055 Ultraprecise Cartridge. Average yield 2,000 pages in accordance ISO/IEC 1975	120	129		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet All-in-One 3052 / 3055

HP LaserJet All-in-One 3052 / 3055 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			3052 / 3055
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP LaserJet All-in-One 3052 / 3055 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3052 / 3055
Toner Cartridges						
Q2612A	HP LaserJet 1000/3000 Series Black Crtg HP LaserJet 1010/1012/1015/1018/1020/ 1022/3015/3020/3030/3050/3052/3055 Ultraprecise Cartridge. Average yield 2,000 pages in accordance ISO/IEC 1975	120	129		↗	X

HP LaserJet 3380 all-in-one

HP LaserJet 3380 all-in-one - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ3380
Toner Cartridges						
C7115A	HP UltraPrecise toner cartridge, approx. 2'500 pages (5% coverage"	106	114		↗	X
C7115X	HP LJ 1200, 1220, 3300 Print Cartridge HP LJ Ultraprecise Print Crtg, high volume printing. Average Crtg Yield, 3,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.	132	142		↗	X

HP LaserJet All-in-One 3390 / 3392

HP LaserJet All-in-One 3390 / 3392 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			3390 / 3392
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Other Accessories						
Q7556A	HP 250-Sheet Input Tray Accessory for the HP LaserJet 3390 All- in-One Printer. Increases paper tray capacity to 500-sheets by adding tray 3. This tray comes standard with this printer.	230	247			X
Q7432A	HP Staple Cartridge Pack Staple cartridge pack for the HP LaserJet 3392 All-in-One Printer. Contains 2 cartridges with 1500 staples each.	46	50			X

HP LaserJet All-in-One 3390 / 3392- Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3390 / 3392
Toner Cartridges						
Q5949A	HP LaserJet 1160/1320/3390/3392 Crtg HP LaserJet 1160/1320/3390/3392 black cartridge with Smart technology. Average cartridge yield 2,500 pages. Yield value in accordance with ISO/IEC 19752	123	132		↗	X
Q5949X	HP LaserJet 1320/3390/3392 Black Crtg With Smart technology. Average cartridge yield 6000 pages. Declared yield value in accordance with ISO/IEC 19752..	224	241		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Personal LaserJet

HP LaserJet P1006

	HP LaserJet P1006
Print technology	Laser
Print speed	A4 black: Up to 16 ppm First page out black: < 9 sec Speed specification per industry standard testing methods
Processor	266 MHz , Tensilica®
Memory	8 MB
Print resolution	Up to 600 x 600 dpi (1200 dpi effective output)
Print quality	Ret, HP FastRes 600, HP FastRes 1200
Printer languages	Host-based printing
Economical printing	Economode (saves up to 50% toner at 600 dpi), immediate return to Powersave mode after each print job due to Instant-on technology (saves electricity), N-up printing and manual two-sided printing-duplex (saves paper)
Typefaces/fonts	None
Duty cycle	Up to 5'000 pages per month
Print margins	top: 4 mm, left: 4 mm, right: 4 mm, bottom: 4 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 / sheets: 150, envelopes: 15; sheets: 10 (priority feed slot) / 60 to 163 g/m² / A4, A5, A6, B5, postcards, envelopes (C5, DL, B5) 147 x 211 to 216 x 356 mm, 10-sheet priority feed slot: 76 x 127 to 216 x 356 mm **Output:** Sheets: Up to 100. Envelopes: Up to 15. Transparencies: Up to 100; 100-sheet face-down bin **Duplex printing:** Manual (driver support provided)
Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, transparencies, postcards
Interface and connectivity	Hi-Speed USB (compatible with USB 2.0 specifications), optional: None
Software	Host-based
Control panel	2 lights (Attention, Ready)
Printer management	HP Status and Alerts, HP Usage tracking
Power consumption	335 watts maximum (active/printing), 3 watts maximum (ready/sleep), 0.6 watts maximum (off)
Dimensions (w x d x h)	Out of package: 347 x 224 x 194 mm; Packaged: 400 x 250 x 300 mm
Weight	Out of package: 4.7 kg; Packaged: 6.35 kg
Warranty	One-year limited warranty

Prod-No.	Description	VAT excl.	VAT incl.		
CB411A	HP LaserJet P1006 Printer WW Hornet production units. Will not be sold in China	177	190		

HP LaserJet P1006 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			P1006
HP Connectivity-JetDirect						
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425			X
Q6275A	HP USB Network Print Adapter	95	102			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			X

HP LaserJet P1006 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			P1006
Toner Cartridges						
CB435A	HP LaserJet P1002 1.5K Black Cartridge Print approximately 1,500 pages using the ISO/IEC 19752 yield standard	104	112		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet P1505

	HP LaserJet P1505
Print technology	Monochrome Laser
Print speed	A4 black: Up to 23 ppm First page out black: < 6.5 sec Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Processor	266 MHz
Memory	P1505: 2 MB embedded inside SIP ASIC ; 1505n: 8 MB embedded inside SIP ASIC
Print resolution	Up to 600 x 600 dpi (1200 dpi effective output)
Print quality	REt, 600 dpi, HP FastRes 1200
Printer languages	P1505: Host-based printing; 1505n: Host-based printing, PCL5e
Economical printing	Economode (saves up to 50% toner at 600 dpi), immediate return to Powersave mode after each print job due to Instant-on Technology (saves electricity), N-up printing and manual two-sided printing-duplex (saves paper)
Duty cycle	Up to 8'000 pages per month
Print margins	top: 4 mm, left: 4 mm, right: 4 mm, bottom: 4 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 / sheets: 250, envelopes: 15; sheets: 10 (priority feed slot) / 60 to 163 g/m² / A4, A5, A6, B5, postcards, envelopes (C5, DL, B5) 147 x 211 to 216 x 356 mm, 10-sheet priority feed slot: 76 x 127 to 216 x 356 mm **Output:** Sheets: Up to 150. Envelopes: Up to 15. Transparencies: Up to 100; 150-sheet face-down bin **Duplex printing:** Manual (driver support provided)
Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, transparencies, postcards
Interface and connectivity	P1505: Hi-Speed USB port (compatible with USB 2.0 specifications); 1505n: Hi-Speed USB port (compatible with USB 2.0 specifications), Basic 10/100 networking capability; optional: HP Jetdirect Ethernet print server
Control panel	4 lights (Go, Ready, Attention, Toner Low), 2 buttons (Go, Job cancel)
Printer management	HP Status and Alerts, HP Usage tracking
Power consumption	300 watts maximum (active/printing), 3.9 watts maximum (ready/sleep). 0.8 watts maximum (off)
Dimensions (w x d x h)	Out of package: 379 x 243 x 225 mm; Packaged: 500 x 300 x 300 mm
Weight	Out of package: 5.9 kg; Packaged: 6.9 kg
Warranty	One-year limited warranty

Prod-No.	Description	VAT excl.	VAT incl.		
CB412A	HP LaserJet P1505 Printer	234	252		
CB413A	HP LaserJet P1505n Printer	341	367		

HP LaserJet P1505 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			P1505
HP Connectivity-JetDirect						
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425			X
Q6275A	HP USB Network Print Adapter	95	102			X
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP LaserJet P1505 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			P1505
Toner Cartridges						
CB436A	HP LaserJet P1505 2K Black Cartridge Prints approximately 2,000 pages using the ISO/IEC 19752 yield standard. LJ M1522mfp, LJ P1505, M1120mfp	120	129		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet P1005

HP LaserJet P1005 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			P1005
HP Connectivity-JetDirect						
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425			X
Q6275A	HP USB Network Print Adapter	95	102			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			X

HP LaserJet P1005 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			P1005
Toner Cartridges						
CB435A	HP LaserJet P1002 1.5K Black Cartridge Print approximately 1,500 pages using the ISO/IEC 19752 yield standard	104	112		↗	X

HP LaserJet 1010/1012/1015

HP Laserjet 1010/1012/1015 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 101x
Toner Cartridges						
Q2612A	HP LaserJet 1000/3000 Series Black Crtg HP LaserJet 1010/1012/1015/1018/1020/ 1022/3015/3020/3030/3050/3052/3055 Ultraprecise Cartridge. Average yield 2,000 pages in accordance ISO/IEC 1975	120	129		↗	X

HP LaserJet 1150

HP LaserJet 1150 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 1150
Toner Cartridges						
Q2624A	HP LJ 1150 Print Cartridge HP LaserJet Ultraprecise Print Cartridge. Average Cartridge Yield 2,500 pages. Declared yield value in accordance with ISO/IEC 19752.	123	132		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

HP LaserJet 1160

HP LaserJet 1160 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 1160
Toner Cartridges						
Q5949A	HP LaserJet 1160/1320/3390/3392 Crtg HP LaserJet 1160/1320/3390/3392 black cartridge with Smart technology. Average cartridge yield 2,500 pages. Yield value in accordance with ISO/IEC 19752	123	132		↗	X

HP LaserJet 1300

HP Laserjet 1300 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ 1300
HP Paper Trays						
Q2485A	250 Sheet Paper Tray for LJ 1300 Optional 250 sheet paper tray for LaserJet 1300.	296	319			X

HP LaserJet 1300 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 1300
Toner Cartridges						
Q2613A	HP LJ 1300 Print Cartridge HP LaserJet Smart Print Cartridge. Average Cartridge Yield 2,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.	123	132		↗	X
Q2613X	HP LJ 1300 Print Cartridge HP LaserJet Smart Print Crtg for high volume printing.Average Crtg Yield 4,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.	153	165		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet 1320

HP Laserjet 1320 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ 1320
HP Paper Trays						
Q5931A	HP 250 sheet paper tray 250 sheet paper tray for the HP Laserjet 1320 printer	152	164			X

HP LaserJet 1320 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 1320
Toner Cartridges						
Q5949A	HP LaserJet 1160/1320/3390/3392 Crtg HP LaserJet 1160/1320/3390/3392 black cartridge with Smart technology. Average cartridge yield 2,500 pages. Yield value in accordance with ISO/IEC 19752	123	132		↗	X
Q5949X	HP LaserJet 1320/3390/3392 Black Crtg With Smart technology. Average cartridge yield 6000 pages. Declared yield value in accordance with ISO/IEC 19752..	224	241		↗	X

HP LaserJet 1000w

HP LaserJet 1000w - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 1000w
Toner Cartridges						
C7115A	HP UltraPrecise toner cartridge, approx. 2'500 pages (5% coverage"	106	114		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

HP LaserJet 1005w

HP LaserJet 1005w - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			1005w
Toner Cartridges						
C7115A	HP UltraPrecise toner cartridge, approx. 2'500 pages (5% coverage"	106	114		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

HP LaserJet 2200

HP LaserJet 2200 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 2200
Toner Cartridges						
C4096A	HP UltraPrecise toner cartridge, approx. 5'000 pages (5% coverage) or 10'250 pages (ECMA/132 ISO10561)	172	185		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Workgroup LaserJet

HP LaserJet P2015 Printer Series

	HP LaserJet P2015			
Print technology	Monochrome Laser			
Print speed	A4 black: Up to 26 ppm First page out black: Less than 8.5 sec (from sleep mode) Exact speed varies depending on the system configuration, software application, and document complexity.			
Processor	400 MHz, Motorola ColdFire® V5			
Memory	32 MB, Expandable to 288 MB through 1 open, industry-standard, 144-pin DIMM slot			
Print resolution	Up to 1200 x 1200 dpi			
Print quality	HP ProRes 1200, HP FastRes 1200			
Printer languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation with automatic language switching			
Economical printing	Economode (saves up to 50% toner depending on print mode)			
Typefaces/fonts	45 scalable TrueType fonts, 35 PostScript			
Duty cycle	Up to 15'000 pages per month			
Print margins	top: 4 mm, left: 4 mm, right: 4 mm, bottom: 4 mm			
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 50	60 to 163 g/m² (straight through paper path for special media)	A4, A5, A6, B5, B6, envelopes (C5, DL), 76 x 127 to 216 x 356 mm
	Tray 2	sheets: 250	60 to 105 g/m² (using the standard output bin)	A4, A5, B5, envelopes (C5, DL), 147 x 211 to 216 x 356 mm
	Tray 3 (optional)	sheets: 500	60 to 105 g/m² (using the standard output bin)	A4, A5, B5, 147 x 211 to 216 x 356 mm
	Output: Sheets:Up to 150. Envelopes:Up to 10. Transparencies:Up to 75; 125-sheet output bin **Duplex printing:** P2015: Manual (driver support provided); P2015d: Automatic (standard); P2015n: Manual (driver support provided); P2015dn: Automatic (standard); P2015x: Automatic (standard)			
Media types	Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, cardstock, transparencies, heavy media			
Interface and connectivity	P2015: Hi-Speed USB (compatible with USB 2.0 specifications) port; P2015d: Hi-Speed USB (compatible with USB 2.0 specifications) port; P2015n: Hi-Speed USB (compatible with USB 2.0 specifications) port; P2015dn: Hi-Speed USB (compatible with USB 2.0 specifications) port, HP Jetdirect Fast Ethernet embedded print server; P2015x: Hi-Speed USB (compatible with USB 2.0 specifications) port, HP Jetdirect Fast Ethernet embedded print server; optional: HP Jetdirect 175x External Fast Ethernet Print Server, HP Jetdirect en3700 Fast Ethernet Print Server, HP Jetdirect ew2400 802.11g Wireless Print Server			
Software	HP printer software on CD-ROM: installer/uninstaller, drivers (HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation), HP Toolbox FX for diagnostic status and configuration, HP Embedded Web Server, control panel simulator, help, documentation			
Control panel	6 lights (Jam, Toner low, Paper out, Attention, Ready, Go), 2 buttons (Go, Cancel)			
Printer management	HP toolbox, HP Embedded Web Server, HP Web Jetadmin			
Power consumption	0.1 watts maximum (off), 7 watts maximum (ready/sleep), 350 watts maximum (printing)			
Dimensions (w x d x h)	Out of package: P2015: 350 x 362 x 256 mm; P2015d: 350 x 362 x 256 mm; P2015n: 350 x 362 x 256 mm; P2015dn: 350 x 362 x 256 mm; P2015x: 350 x 362 x 344 mm Packaged: P2015: 430 x 330 x 480 mm; P2015d: 430 x 330 x 480 mm; P2015n: 430 x 330 x 480 mm; P2015dn: 430 x 330 x 480 mm; P2015x: 542 x 447 x 514 mm			
Weight (out of package/packaged)	Out of package: P2015: 10.3 kg; P2015d: 11 kg; P2015n: 10.3 kg; P2015dn: 11 kg; P2015x: 14.1 kg Packaged: P2015: 13.2 kg; P2015d: 13.2 kg; P2015n: 13.2 kg; P2015dn: 13.2 kg; P2015x: 19 kg			
Warranty	One-year, return to HP authorised service centre			

Prod-No.	Description	VAT excl.	VAT incl.		
CB366A	HP LaserJet P2015 Printer Single function, mono, laser printer, designed to support small work teams	365	393		
CB367A	HP LaserJet P2015d Printer Single function, mono, laser printer, designed to support small work teams	431	464		
CB449A	HP LaserJet P2015n Printer Single function, mono, laser printer, designed to support small work teams	484	521		
CB368A	HP LaserJet P2015dn Printer Single function, mono, laser printer, designed to support small work teams	548	590		
CB369A	HP LaserJet P2015x Printer Single function, mono, laser printer, designed to support small work teams	680	732		

HP LaserJet P2015 series - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ P2015
HP Paper Trays						
Q5931A	HP 250 sheet paper tray 250 sheet paper tray for the HP Laserjet 1320 printer	152	164			X
HP Connectivity-JetDirect						
J6035G	HP Jetdirect 175X; External Print Server Value Line provides a simple an inexpensive way to share a printer or HP All-In-One devices in an Ethernet networking environment.	330	355			X
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X

HP LaserJet P2015 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ P2015
Toner Cartridges						
Q7553A	HP LaserJet P2015 Black Cartridge Contains one HP LaserJet P2015 Black print cartridge. Prints approximately 3,000 pages using the ISO/IEC 19752 yield standard.	138	149		↗	X
Q7553X	HP LaserJet Q7553X Black Print Cartridge High Capacity cartridge prints approximately 7,000 pages using the ISO/IEC 19752 yield standard.	254	274		↗	X
Paper						
Q6544A	HP Laser Paper,Matte,A4 size 150 Sht Bright,heavy. Reliably produce rich, vibrant colors,crisp,sharp text in professional quality marketing materials including brochures	17	18		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet P2055

	HP LaserJet P2055
Print technology	Laser
Print speed	A4 black: Up to 33 ppm First page out black: < 8.0 sec (from "ready") Exact speed varies depending on the system configuration, software application, driver and document complexity.
Processor	600 MHz, Feroceon ARM dual-issue CPU
Memory	P2055d: 64 MB; P2055dn: 128 MB; P2055d: Expandable to 320 MB through 1 open, 144-pin DIMM slot; P2055dn: Expandable to 384 MB through 1 open, 144-pin DIMM slot;
Print resolution	Up to 1200 x 1200 dpi
Print quality	HP ProRes 1200, HP FastRes 1200
Printer languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation with automatic language switching
Economical printing	Economode (saves toner), automatic two-sided printing (saves paper)
Typefaces/fonts	45 scalable TrueType fonts and 35 Postscript, 11 scalable TrueType fonts and 11 non-scalable Line Printer fonts (PCL 5c only)
Duty cycle (monthly, A4)	Up to 50'000 pages
Recommended Monthly Page	750 to 3'000
Print margins	top: 4 mm, left: 4 mm, right: 4 mm, bottom: 4 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 / sheets: 50, envelopes: 5, transparencies: 75 / 60 to 163 g/m² (straight through paper path for special media) / A4, A5, A6, B5, envelopes (C5, DL); 76 x 127 to 216 x 356 mm Tray 2 / sheets: 250 / 60 to 120 g/m² (using the standard output bin) / A4, A5, A6, B5, envelopes (C5, DL); 105 x 148 to 216 x 356 mm Tray 3 (optional) / sheets: 500 / 60 to 120 g/m² (using the standard output bin) / A4, A5, A6, B5, envelopes (C5, DL); 105 x 148 to 216 x 356 mm **Output:** Sheets: Up to 150. Envelopes: Up to 5. Transparencies: Up to 75 **Duplex printing:** Automatic (standard), A4, 60 to 105g/m²
Media types	Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, cardstock, transparencies, heavy media
Interface and connectivity	P2055d: Hi-Speed USB 2.0; P2055dn: Hi-Speed USB 2.0, Gigabit Ethernet 10/100/1000Base-TX;
Software	HP printer software on CD-ROM: installer/uninstaller, drivers (HP PCL 6), HP Toolbox for diagnostic status and configuration, HP Embedded Web Server, help, documentation
Control panel	2-line, 16-character front-panel monochrome-LCD display, 6 buttons (Up arrow, Down arrow, Select, Return, Cancel), 2 LEDs (Attention, Ready)
Printer management	HP Toolbox, HP Embedded Web Server, print drivers
Power consumption	570 watts (active/printing), 8 watts (ready/sleep), 0.4 watts (off)
Dimensions (w x d x h)	Out of package: 365 x 368 x 268 mm Packaged: 481 x 330 x 465 mm
Weight	Out of package: 10.7 kg Packaged: 13.1 kg
Warranty	One-year, return to authorised service centre, limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CE457A	"HP LaserJet P2055d, Up to 35 ppm (letter)/30 ppm (A4/), 600 MHz processing speed and 64MB memory, automatic two-sided printing (duplexer), 300 sheets input capacity"	398	428	**N**	
CE459A	"HP LaserJet P2055d, Up to 35 ppm (letter)/30 ppm (A4/), 600 MHz processing speed and 64MB memory, automatic two-sided printing (duplexer), 300 sheets input capacity, Gigabit Ethernet"	528	568	**N**	

HP LaserJet P2055 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			P2055
HP Memory						
CB420A	HP 32MB DDR2 144pin SDRAM DIMM	329	354			**X**
CB421A	HP 64MB DDR2 144pin SDRAM DIMM	642	691			**X**
CB422A	HP 128MB 144pin SDRAM DIMM	855	920			**X**
CB423A	HP 256MB DDR2 144pin SDRAM DIMM	1'070	1'151			**X**
HP Connectivity-JetDirect						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			**X**
Q6275A	HP USB Network Print Adapter	95	102			**X**
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425			**X**
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			**X**
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			**X**
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			**X**

HP LaserJet P2055 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			P2055
Toner Cartridges						
CE505A	HP LaserJet Black Print Cartridge Contains 1 HP LaserJet CE505A std cap black pt crtg. Prints apx 2,300 pgs using ISO/IEC 19752 yield std. Compatible w/ LJ P2035 & LJ P2055.	137	147	**N**	↗	**X**
CE505X	HP LaserJet Black Print Prints apx 6,500 pgs using ISO/IEC 19752 yield std. Compatible w/ LJ P2055 only.	250	269	**N**	↗	**X**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet P3005 Printer Series

	HP LaserJet P3005
Print technology	Monochrome Laser
Print speed	A4 black: Up to 33 ppm First page out black: Less than 9.5 sec (from powersave and ready mode) Exact speed varies depending on the system configuration, software application, and document complexity.
Processor	400 MHz, Motorola ColdFire® V5
Memory	LJ P3005: 48 MB; LJ P3005d: 64 MB; LJ P3005n: 80 MB; LJ P3005dn: 80 MB; LJ P3005x: 80 MB; Expandable to 304 / 320 MB through 1 industry-standard, 144-pin DIMM slot
Print resolution	Up to 1200 x 1200 dpi
Print quality	HP ProRes 1200, HP FastRes 1200, 600 dpi
Printer languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation, direct PDF printing v1.4 (with at least 128 MB of printer memory)
Economical printing	Economode (saves toner), return to PowerSave mode after print job due to instant-on fuser technology (saves electricity), duplex and N-up printing (saves paper)
Typefaces/fonts	PCL: 103 internal font set (plus Greek, Hebrew, Cyrillic, Arabic); PS: 93 internal font set (plus Greek, Hebrew, Cyrillic, Arabic)
Duty cycle	Up to 100'000 pages per month
Print margins	top: 5 mm, left: 5 mm, right: 5 mm, bottom: 5 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 / sheets: 100 / 60 to 200 g/m² (straight through paper path for special media and heavier stock) / A4, A5, B5 (JIS), envelopes, letter, legal, executive, 76 x 127 to 216 x 356 mm Tray 2 / sheets: 500 / 60 to 120 g/m² / A4, A5, B5 (JIS), letter, legal, executive Tray 3 (optional) / sheets: 500 / 60 to 120 g/m² / A4, A5, B5 (JIS), letter, legal, executive **Output:** Sheets:Up to 250. Envelopes:Up to 10. Transparencies:Up to 75; 250-sheet output bin, 100-sheet rear output bin **Duplex printing:** LJ P3005: Manual (driver support provided); LJ P3005d: Automatic (standard); LJ P3005n: Manual (driver support provided); LJ P3005dn: Automatic (standard); LJ P3005x: Automatic (standard)
Media types	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough), envelopes, labels, cardstock, transparencies, user-defined
Interface and connectivity	LJ P3005: IEEE 1284-B compliant parallel port, Hi-Speed USB 2.0 port, 1 open EIO slot; LJ P3005d: IEEE 1284-B compliant parallel port, Hi-Speed USB 2.0 port, 1 open EIO slot; LJ P3005n: Hi-Speed USB 2.0 port, 1 open EIO slot, HP Jetdirect fast Ethernet integrated print server; LJ P3005dn: Hi-Speed USB 2.0 port, 1 open EIO slot, HP Jetdirect fast Ethernet integrated print server; LJ P3005x: Hi-Speed USB 2.0 port, 1 open EIO slot, HP Jetdirect fast Ethernet integrated print server; optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, HP wireless print servers
Software	Print drivers and installation software on CD-ROM; Microsoft® Windows® Installer; Macintosh Installer; HP PCL 5e, HP PCL 6 print drivers for Windows® 98 SE, 2000, Me, XP Home, XP Professional; HP Postscript Level 3 emulation for Windows® 98 SE, 2000, Me, XP Home, XP Professional
Control panel	Graphical display with up to 2 lines of text; Help button to provide information about the message on the display; Back button to back up in menus or exit menus; Pause/Resume button to pause and resume printing; Up Arrow button to navigate to previous item in list or increase value of numerical items; Down Arrow button to navigate to next item in list or decrease value of numerical items; Select button to open and navigate menus, clear error conditions, save selected items, and perform action highlighted; Cancel Job button to cancel print jobs; Ready, Data, and Attention lights to provide status
Printer management	HP Web Jetadmin, HP LaserJet Utility, HP Embedded Web Server, Easy Printer Care
Power consumption	0.2 watts maximum (off), 9 watts maximum (ready), 600 watts maximum (active)
Dimensions (w x d x h)	Out of package: LJ P3005: 425 x 410 x 310 mm; LJ P3005d: 425 x 410 x 310 mm; LJ P3005n: 425 x 410 x 310 mm; LJ P3005dn: 425 x 410 x 310 mm; LJ P3005x: 425 x 410 x 474 mm Packaged: LJ P3005: 600 x 500 x 430 mm; LJ P3005d: 600 x 500 x 430 mm; LJ P3005n: 600 x 500 x 430 mm; LJ P3005dn: 600 x 500 x 430 mm; LJ P3005x: 600 x 500 x 720 mm

Weight	Out of package: LJ P3005: 16.2 kg; LJ P3005d: 16.2 kg; LJ P3005n: 16.2 kg; LJ P3005dn: 16.2 kg; LJ P3005x: 21.3 kg Packaged: LJ P3005: 20.29 kg; LJ P3005d: 20.29 kg; LJ P3005n: 20.29 kg; LJ P3005dn: 20.29 kg; LJ P3005x: 26.45 kg
Warranty	One-year warranty, return to HP authorised service centre

Prod-No.	Description	VAT excl.	VAT incl.		
Q7812A	HP LaserJet P3005 Printer Single function, mono, laser printer, designed to support small work teams	737	793		
Q7813A	HP LaserJet P3005d Printer Single function, mono, laser printer, designed to support small work teams	890	958		
Q7814A	HP LaserJet P3005n Printer Single function, mono, laser printer, designed to support small work teams	1'130	1'216		
Q7815A	HP LaserJet P3005dn Printer Single function, mono, laser printer, designed to support small work teams	1'296	1'395		
Q7816A	HP LaserJet P3005x Printer Single function, mono, laser printer, designed to support small work teams	1'444	1'554		

HP LaserJet P3005 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ P3005
HP Paper Trays						
Q7817A	HP LaserJet 500 Sheet Accessory Tray Compatable with the HP LaserJet P3005, LJ M3035 MFP, and LJ M3027 MFP	216	232			X
HP Connectivity-JetDirect						
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
HP Hard Disk Drives						
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X

HP LaserJet P3005 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ P3005
Toner Cartridges						
Q7551A	HP LaserJet P3005/M3035 mfp Black Crtg Prints approximately 6,500 pages using the ISO/IEC 19752 yield standard. Cartridge will also be leveraged in the HP LaserJet M3027 mfp	222	239		↗	X
Q7551X	HP LaserJet P3005/M3027/M3035 Black Crtg Prints approximately 13,000 pages using the ISO/IEC 19752 yield standard. Cartridge will also be leveraged in the HP LaserJet M3027 mfp	373	401		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet P4014

	HP LaserJet P4014	
	HP LaserJet P4014	**HP LaserJet P4014n**
Print speed	Up to 45 ppm, letter; up to 43 ppm, A4	
Document delivery speed	First page out: as fast as 8.5 sec from Ready mode; Time To Completion for a typical office print job: as fast as 16.5 seconds (letter/A4)	
Print resolution	Up to 1200 by 1200 dpi; HP REt, HP 300 dpi, HP 600 dpi, HP FastRes 1200, HP ProRes 1200	
Processor	540 MHz	
Memory	96 MB, expandable to 608 MB via one open 144-pin 32 bit DDR2 DIMM slot	128 MB, expandable to 640 MB via one open 144-pin 32 bit DDR2 DIMM slot
Recommended monthly volume	3'000 to 12'000 pages	
Duty cycle	Up to 175'000 pages	
Paper		
Input	100-sheet multipurpose tray 1, 500-sheet tray 2	
Output	100-sheet rear output bin, 500-sheet top output bin	
Two-sided printing	Manual (optional accessory available for automatic two-sided printing)	
Sizes	Multipurpose tray 1: letter, legal, executive, statement; A4, A5, B5 (JIS), double postcard (JIS), 16K, executive (JIS), envelope (Com 10, Monarch No. 7 3/4, DL ISO, C5 ISO, B5 ISO); custom: 76 x 127 mm to 216 x 356 mm Input tray 2 and optional input tray 3: letter, legal, executive, statement; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm to 216 x 356 mm Optional automatic duplexer for two-sided printing: letter, legal, executive; A4, A5, B5 (JIS), executive (JIS), 16K; custom: 148 by 210 mm to 216 x 356 mm Optional 500-sheet 5-bin mailbox: letter, legal, executive, statement; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm to 216 x 356 mm	
Weights	Multipurpose tray 1: 60 to 200 g/ m^2 Input tray 2, optional input tray 3, optional 500-sheet feeder, optional high capacity input tray, optional automatic duplexer for two-sided printing: 60 to 120 g/ m^2 Optional envelope feeder: 75 to 105 g/m^2	
Types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, user-defined	
Connectivity		
Interfaces	1 Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection	1 Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection, HP Jetdirect Gigabit Ethernet embedded print server
Languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, direct PDF (v1.4) printing (192 MB printer memory recommended)	
Fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)	
Dimensions (w x d x h)	419 x 450 x 393 mm	
Weight (includes print cartridge)	25.82 kg	
What's in the box	Printer, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print cartridge, Getting Started Guide, support flyer	
Warranty	One-year, return to HP authorized service center, limited warranty	

Prod-No.	Description	VAT excl.	VAT incl.		
CB506A	HP LaserJet P4014 Printer	1'070	1'151		
CB507A	HP LaserJet P4014n Printer	1'450	1'560		
CB512A	HP LaserJet P4014dn Printer	1'825	1'964		

HP LaserJet P4014 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			P4014
HP Paper Trays						
CB518A	HP LaserJet Input Tray for P4010/P4510 Printer Series.	425	457			X
CB524A	HP LaserJet Envelope Feeder for P4010/P4510 Printer Series.	580	624			X
CB523A	HP LaserJet HCI Tray for P4010/P4510 Printer Series.	920	990			X
CB519A	HP LaserJet Duplexer for P4010/P4510 Printer Series.	425	457			X
CB520A	HP LaserJet Multi-Bin Mailbox for P4010/P4510 Printer Series.	735	791			X
CB521A	HP LaserJet Stacker for P4010/P4510 Printer Series.	385	414			X
CB522A	HP LaserJet Stapler/Stacker for P4010/P4510 Printer Series.	825	888			X
HP Memory						
CC413A	HP 64MB DDR2 144pin x32 DIMM	571	614			X
CC414A	HP 128MB DDR2 144pin x32 DIMM	913	982			X
CC415A	HP 256MB DDR2 144pin x32 DIMM	951	1'023			X
CE483A	HP 512MB DDR2 144pin x32 DIMM	1'141	1'228			X
HP Hard Disk Drives						
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X
HP Connectivity-JetDirect						
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Svr Share printers and MFP's over iPv4 networks with this high performance print server.	700	753			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
J8007G	HP Jetdirect 690n Wireless Print Server The HP Jetdirect 690n allows you to reliably and affordably share supported peripherals over a network with robust security - wired or wirelessly.	730	785			X
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7972G	HP 1284B Parallel Eio Card	152	164			X
HP Other Accessories						
CB525A	HP LaserJet Stand for P4010/P4510 Printer Series.	550	592			X

HP LaserJet P4014 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			P4014
Toner Cartridges						
CC364A	HP LaserJet 10K Black Toner Cartridge Contains one HP LaserJet CC364A standard capacity black print cartridge. Prints approximately 10,000 pages using the ISO/IEC 19752 yield standard.	265	285		↗	X
Other Supplies Products						
Q3216A	HP 1000-staples cartridge (LJ4200/4300) The HP 1000-staples cartridge pack contains 3 easy-to-replace staple cartridges for the HP 500-sheet stapler/stacker	36	39			X
CB389A	HP LaserJet 220V PM Kit	533	574			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet P4015

	HP LaserJet P4015		
	HP LaserJet P4015n Printer	**HP LaserJet P4015tn Printer**	**HP LaserJet P4015x Printer**
Print speed	Up to 52 ppm, letter; up to 50 ppm, A4		
Document delivery speed	First page out: as fast as 8.5 sec from Ready mode; Time To Completion for a typical office print job: as fast as 16.5 seconds (letter/A4)		
Print resolution	Up to 1200 by 1200 dpi; HP REt, HP 300 dpi, HP 600 dpi, HP FastRes 1200, HP ProRes 1200		
Processor	540 MHz		
Memory	128 MB, expandable to 640 MB via one open 144-pin 32 bit DDR2 DIMM slot		
Durability ratings	Recommended monthly volume: 3'000 to 15'000 pages; Duty cycle: up to 225,000 pages		
Paper			
Input	100-sheet multipurpose tray 1, 500-sheet tray 2	100-sheet multipurpose tray 1, 500-sheet tray 2, 500-sheet tray 3	
Output	100-sheet rear output bin, 500-sheet top output bin		
Two-sided printing	Manual (optional accessory available for automatic two-sided printing)		Automatic
Sizes	Multipurpose tray 1: letter, legal, executive, statement; A4, A5, B5 (JIS), double postcard (JIS), 16K, executive (JIS), envelope (Com 10, Monarch No. 7 3/4, DL ISO, C5 ISO, B5 ISO); custom: 76 x 127 mm to 216 x 356 mm Input trays 2 and 3: letter, legal, executive, statement; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm to 216 x 356 mm Automatic duplexer for two-sided printing: letter, legal, executive; A4, A5, B5 (JIS), executive (JIS), 16K; custom: 148 x 210 mm to 216 x 356 mm Optional 500-sheet 5-bin mailbox: letter, legal, executive, statement; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm to 216 x 356 mm		
Weights	Multipurpose tray 1: 60 to 200 g/ m^2 Input trays 2 and 3, optional 500-sheet feeder, optional high-capacity input tray, automatic duplexer for two-sided printing: 60 to 120 g/ m^2 Optional envelope feeder: 75 to 105 g/m^2		
Types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, user-defined		
Connectivity			
Interfaces	1 Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection, HP Jetdirect Gigabit Ethernet embedded print server		
Languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, direct PDF (v1.4) printing (192 MB printer memory recommended)		
Fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)		
Dimensions (w x d x h)	419 by 450 by 393 mm	419 by 450 by 546 mm	419 by 508 by 546 mm
Weight (includes print cartridge)	25.82 kg	32.47 kg	35.12 kg
What's in the box	Printer, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print cartridge, Getting Started Guide, support flyer		
ALso includes		500-sheet input tray 3	500-sheet input tray 3, automatic duplexer for two-sided printing
Warranty	One-year, return to HP authorized service center, limited warranty		

Prod-No.	Description	VAT excl.	VAT incl.		
CB509A	HP LaserJet P4015n Printer	1'735	1'867		
CB510A	HP LaserJet P4015tn Printer	2'100	2'260		
CB526A	HP LaserJet P4015dn Printer	2'100	2'260		
CB511A	HP LaserJet P4015x Printer	2'475	2'663		

HP LaserJet P4015 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			P4015
HP Paper Trays						
CB518A	HP LaserJet Input Tray for P4010/P4510 Printer Series.	425	457			X
CB523A	HP LaserJet HCI Tray for P4010/P4510 Printer Series.	920	990			X
CB524A	HP LaserJet Envelope Feeder for P4010/P4510 Printer Series.	580	624			X
CB519A	HP LaserJet Duplexer for P4010/P4510 Printer Series.	425	457			X
CB520A	HP LaserJet Multi-Bin Mailbox for P4010/P4510 Printer Series.	735	791			X
CB521A	HP LaserJet Stacker for P4010/P4510 Printer Series.	385	414			X
CB522A	HP LaserJet Stapler/Stacker for P4010/P4510 Printer Series.	825	888			X
HP Memory						
CC413A	HP 64MB DDR2 144pin x32 DIMM	571	614			X
CC414A	HP 128MB DDR2 144pin x32 DIMM	913	982			X
CC415A	HP 256MB DDR2 144pin x32 DIMM	951	1'023			X
CE483A	HP 512MB DDR2 144pin x32 DIMM	1'141	1'228			X
HP Hard Disk Drives						
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X
HP Connectivity-JetDirect						
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Svr Share printers and MFP's over iPv4 networks with this high performance print server.	700	753			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
J8007G	HP Jetdirect 690n Wireless Print Server The HP Jetdirect 690n allows you to reliably and affordably share supported peripherals over a network with robust security - wired or wirelessly.	730	785			X
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7972G	HP 1284B Parallel Eio Card	152	164			X
HP Other Accessories						
CB525A	HP LaserJet Stand for P4010/P4510 Printer Series.	550	592			X

HP LaserJet P4015 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			P4015
Toner Cartridges						
CC364A	HP LaserJet 10K Black Toner Cartridge Contains one HP LaserJet CC364A standard capacity black print cartridge. Prints approximately 10,000 pages using the ISO/IEC 19752 yield standard.	265	285		↗	X
CC364X	HP LaserJet 24K Black Toner Cartridge Contains one HP LaserJet CC364X standard capacity black print cartridge. Prints approximately 24,000 pages using the ISO/IEC 19752 yield standard.	472	508		↗	X
Other Supplies Products						
Q3216A	HP 1000-staples cartridge (LJ4200/4300) The HP 1000-staples cartridge pack contains 3 easy-to-replace staple cartridges for the HP 500-sheet stapler/stacker	36	39			X
CB389A	HP LaserJet 220V PM Kit	533	574			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet P4515

	HP LaserJet P4510			
	HP LaserJet P4515x			
	HP LaserJet P4515n	**HP LaserJet P4515tn**	**HP LaserJet P4515x**	**HP LaserJet P4515xm**
Print speed	Up to 62 ppm, letter; up to 60 ppm, A4			
Document delivery speed	First page out: as fast as 8.5 seconds from Ready mode; Time To Completion for a typical office print job: as fast as 15.5 seconds, letter (as fast as 16 seconds, A4)			
Print resolution	UP to 1200 by 1200 dpi; HP REt, HP 300 dpi, HP 600 dpi, HP FastRes 1200, HP ProRes 1200			
Processor	540 MHz			
Memory	128 MB, expandable to 640 MB via one open 144-pin 32 bit DDR2 DIMM slot			
Durability ratings	Recommended monthly volume: 5'000 to 20'000 pages; Duty cycle: up to 275'000 pages			
Paper				
Input	100-sheet multipurpose tray 1, 500-sheet tray 2	100-sheet multipurpose tray 1, 500-sheet tray 2, 500-sheet tray 3		
Output	100-sheet rear output bin, 500-sheet top output bin			100-sheet rear output bin, 500-sheet top output bin, 500-sheet 5-bin mailbox
Two-sided printing	Manual (optional accessory available for automatic two-sided printing)		Automatic	
Sizes	Multipurpose tray 1: letter, legal, executive, statement; A4, A5, B5 (JIS), double postcard (JIS), 16K, executive (JIS), envelope (Com 10, Monarch No. 7 3/4, DL ISO, C5 ISO, B5 ISO); custom: 76 x 127 mm to 216 x 356 mm Input trays 2 and 3: letter, legal, executive, statement; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm to 216 x 356 mm Automatic duplexer for two-sided printing: letter, legal, executive; A4, A5, B5 (JIS), executive (JIS), 16K; custom: 148 x 210 mm to 216 x 356 mm 500-sheet 5-bin mailbox: letter, legal, executive, statement; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm to 216 x 356 mm			
Weights	Multipurpose tray 1: 60 to 200 g/ m^2 Input trays 2 and 3, optional 500-sheet feeder, optional high-capacity input tray, automatic duplexer for two-sided printing: 60 to 120 g/ m^2 Optional envelope feeder: 75 to 105 g/m^2			
Types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, user-defined			
Connectivity				
Interfaces	1 Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection, HP Jetdirect Gigabit Ethernet embedded print server			
Languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, direct PDF (v1.4) printing (192 MB printer memory recommended)			
Fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)			
Dimensions (w x d x h)	419 by 450 by 393 mm	419 by 450 by 546 mm	419 by 508 by 546 mm	419 by 508 by 977 mm
Weight (includes print cartridge)	25.82 kg	32.47 kg	35.12 kg	41.91 kg
What's in the box	Printer, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print cartridge, Getting Started Guide, support flyer			
ALso includes		500-sheet input tray 3	500-sheet input tray 3, automatic duplexer for two-sided printing	500-sheet input tray 3, automatic duplexer for two-sided printing, 500-sheet 5-bin mailbox
Warranty	One-year, return to HP authorized service center, limited warranty			

Prod-No.	Description	VAT excl.	VAT incl.		
CB514A	HP LaserJet P4515n Printer	2'400	2'582		
CB515A	HP LaserJet P4515tn Printer	2'770	2'981		
CB516A	HP LaserJet P4515x Printer	3'140	3'379		
CB517A	HP LaserJet P4515xm Printer	3'800	4'089		

HP LaserJet P4515 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			P4515
HP Paper Trays						
CB518A	HP LaserJet Input Tray for P4010/P4510 Printer Series.	425	457			X
CB523A	HP LaserJet HCI Tray for P4010/P4510 Printer Series.	920	990			X
CB524A	HP LaserJet Envelope Feeder for P4010/P4510 Printer Series.	580	624			X
CB519A	HP LaserJet Duplexer for P4010/P4510 Printer Series.	425	457			X
CB520A	HP LaserJet Multi-Bin Mailbox for P4010/P4510 Printer Series.	735	791			X
CB521A	HP LaserJet Stacker for P4010/P4510 Printer Series.	385	414			X
CB522A	HP LaserJet Stapler/Stacker for P4010/P4510 Printer Series.	825	888			X
HP Memory						
CC413A	HP 64MB DDR2 144pin x32 DIMM	571	614			X
CC414A	HP 128MB DDR2 144pin x32 DIMM	913	982			X
CC415A	HP 256MB DDR2 144pin x32 DIMM	951	1'023			X
CE483A	HP 512MB DDR2 144pin x32 DIMM	1'141	1'228			X
HP Hard Disk Drives						
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X
HP Connectivity-JetDirect						
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Svr Share printers and MFP's over iPv4 networks with this high performance print server.	700	753			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
J8007G	HP Jetdirect 690n Wireless Print Server The HP Jetdirect 690n allows you to reliably and affordably share supported peripherals over a network with robust security - wired or wirelessly.	730	785			X
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7972G	HP 1284B Parallel Eio Card	152	164			X
HP Other Accessories						
CB525A	HP LaserJet Stand for P4010/P4510 Printer Series.	550	592			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet P4515 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			P4515
Toner Cartridges						
CC364A	HP LaserJet 10K Black Toner Cartridge Contains one HP LaserJet CC364A standard capacity black print cartridge. Prints approximately 10,000 pages using the ISO/IEC 19752 yield standard.	265	285		↗	X
CC364X	HP LaserJet 24K Black Toner Cartridge Contains one HP LaserJet CC364X standard capacity black print cartridge. Prints approximately 24,000 pages using the ISO/IEC 19752 yield standard.	472	508		↗	X
Other Supplies Products						
Q3216A	HP 1000-staples cartridge (LJ4200/4300) The HP 1000-staples cartridge pack contains 3 easy-to-replace staple cartridges for the HP 500-sheet stapler/stacker	36	39			X
CB389A	HP LaserJet 220V PM Kit	533	574			X

HP LaserJet M3027 MFP

	HP LaserJet M3027 MFP			
Print technology	Monochrome Laser			
Print speed	A4: Up to 25 ppm. First page out black: Less than 10 sec Speed specifications have been updated to reflect current industry testing methods.			
Processor	400 MHz. MIPS embedded in custom HP ASIC			
Memory	256 MB. Expandable to 512 MB through one 100-pin DDR DIMM slot. Hard Disk Capacity: Standard, 40 GB			
Print	Quality	HP ProRes 1200, HP FastRes 1200, 600 dpi, 170 lpi		
	Resolution	Up to 1200 x 1200 dpi		
	Printer languages	HP Postscript Level 3 emulation, PCL 6, PCL 5, PDF 1.4		
	Economical printing	Economode (saves up to 50% toner from 600 dpi), immediate return to Power-safe mode after each print job due to Instant-on fuser technology (saves electricity), optional automatic two-sided printing and N-up printing (saves paper)		
	Typefaces/fonts	80 scalable TrueType fonts		
	Duty cycle	Up to 75'000 pages per month		
	Print margins (mm)	Top: 1 mm. Left: 1 mm. Right: 1 mm. Bottom: 2 mm		
Fax	Telecom compliance	Telecom: TBR-21:1998; EG 201 121:1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002:2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong), YD514, YD/T589, YD703, GB3382 (China)		
	Fax memory	Dependent on the amount of available disk space		
	Fax resolution	Standard: 200 x 200 dpi. Superfine: 300 x 300 dpi. Photo: 200 x 200 dpi		
Digital sending	File formats	PDF, JPG, TIFF, MTIFF		
	Installation	Via HP Jetdirect embedded networking, HP Jetdirect internal print servers, HP Jetdirect external print servers, HP wireless print servers, and HP connectivity cards		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 1200 dpi		
	Grey scale levels	256		
	Scannable area	Maximum media size: 21.6 x 29.7 cm		
	Margins for scanned items	Left: 4.2 mm. Top: 4.2 mm. Right: 4.2 mm. Bottom: 4.2 mm		
Copy	Copy speed	Up to 25 cpm		
	Copy resolution	600 dpi		
	Multiple copies:	Up to 1000		
	Reduce/enlarge:	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	Sheets: 100, transparencies: 50, envelopes: 10, labels 50	60 to 199 g/m²	A4, A5, B5 (JIS), executive (JIS), 76 x 127 mm to 216 x 356 mm
	Tray 2	Sheets: 500	60 to 120 g/m²	A4, A5, B5 (JIS), executive (JIS)
	Tray 3	Sheets: 500	60 to 120 g/m²	A4, A5, B5 (JIS), executive (JIS)
	ADF	Sheets: 50	60 to 105 g/m²	
	Output: Sheets: Up to 250. Envelopes: Up to 10. Transparencies: Up to 50			
Media types	Paper (plain, photo, banner), envelopes, labels, cards (index, greeting), overhead transparencies			
Interface and connectivity	Optional: HP Jetdirect 635n IPv6/IPsec Print Server J7961A, HP Jetdirect 625n Gigabit Ethernet Print Server J7960A, HP Jetdirect 620n Fast Ethernet Print Server J7934A, HP Jetdirect ew2400 802.11g Wireless Print Server J7951A, HP Jetdirect en3700 Fast Ethernet Print Server J7942A, HP Jetdirect 175x Fast Ethernet Print Server J6035D, HP High Performance Serial ATA Hard Disk J7989G, HP 1284B Parallel Card J7972G, HP Jetdirect Connectivity Card J4135A, HP bt450 Bluetooth Wireless Printer and PC Adapter Q6398A, HP bt400 Bluetooth Wireless Printer Adapter Q6399A			
Control panel	CCFL backlit STN LCD 640 x 240 with analog touch screen, contrast/adjust thumbwheel, 5 LEDs (Attention, Data, Ready, Sleep, Start), 13-key numeric keypad, 4 keys (Reset, Sleep, Start, Stop)			
Power consumption	0.1 watts maximum (off), 24 watts maximum (sleep), 280 watts maximum (ready), 600 watts maximum (printing), 1265 watts maximum (copying)			
Dimensions (w x d x h)	Out of package: 426 x 485 x 530 mm. Packaged: 600 x 630 x 670 mm			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Weight	Out of package: 27.56 kg. Packaged: 31.88 kg
Warranty	One-year, on-site warranty; 24-hour, 7-days-a-week phone support

Prod-No.	Description	VAT excl.	VAT incl.		
CB417A	HP LaserJet M3027x MFP Printer A4 Mono MFP, 27 ppm, x bundle. Base plus duplexing and fax.	2'820	3'034		
CB416A	HP LaserJet M3027 MFP Printer A4 Mono MFP, 27 ppm, base model	2'020	2'174		

HP LaserJet M3027 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M3027 MFP
HP Memory						
Q7718A	HP 128MB 100Pin DDR DIMM DRAM DIMM 128 MB (RoHS Compliant)	1'027	1'105			X
Q7719A	HP 256MB 100Pin DDR DIMM DRAM DIMM 256 MB (RoHS Compliant)	1'065	1'146			X
HP Paper Trays						
Q7817A	HP LaserJet 500 Sheet Accessory Tray Compatable with the HP LaserJet P3005, LJ M3035 MFP, and LJ M3027 MFP	216	232			X
HP Connectivity-JetDirect						
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
HP Other Accessories						
J7972G	HP 1284B Parallel Eio Card	152	164			X
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X

HP LaserJet M3027 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M3027 MFP
Toner Cartridges						
Q7551A	HP LaserJet P3005/M3035 mfp Black Crtg Prints approximately 6,500 pages using the ISO/IEC 19752 yield standard. Cartridge will also be leveraged in the HP LaserJet M3027 mfp	222	239		↗	X
Q7551X	HP LaserJet P3005/M3027/M3035 Black Crtg Prints approximately 13,000 pages using the ISO/IEC 19752 yield standard. Cartridge will also be leveraged in the HP LaserJet M3027 mfp	373	401		↗	X

HP LaserJet M3035 MFP

	HP LaserJet M3035 MFP			
Print technology	Monochrome Laser			
Print speed	A4: Up to 33 ppm. First page out black: Less than 10 sec Speed specifications have been updated to reflect current industry testing methods.			
Processor	400 MHz. MIPS embedded in custom HP ASIC			
Memory	256 MB. Expandable to 512 MB through one 100-pin DDR DIMM slot. Hard Disk Capacity: Standard, 40 GB			
Print	Quality	HP ProRes 1200, HP FastRes 1200, 600 dpi, 170 lpi		
	Resolution	Up to 1200 x 1200 dpi		
	Printer languages	HP Postscript Level 3 emulation, PCL 6, PCL 5, PDF 1.4		
	Economical printing	Economode (saves up to 50% toner from 600 dpi), immediate return to Power-safe mode after each print job due to Instant-on fuser technology (saves electricity), optional automatic two-sided printing and N-up printing (saves paper)		
	Typefaces/fonts	80 scalable TrueType fonts		
	Duty cycle	Up to 75'000 pages per month		
	Print margins (mm)	Top: 1 mm. Left: 1 mm. Right: 1 mm. Bottom: 2 mm		
Fax	Telecom compliance	Telecom: TBR-21:1998; EG 201 121:1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002:2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong), YD514, YD/T589, YD703, GB3382 (China)		
	Fax memory	Dependent on the amount of available disk space		
	Fax resolution	Standard: 200 x 200 dpi. Superfine: 300 x 300 dpi. Photo: 200 x 200 dpi		
Digital sending	File formats	PDF, JPG, TIFF, MTIFF		
	Installation	Via HP Jetdirect embedded networking, HP Jetdirect internal print servers, HP Jetdirect external print servers, HP wireless print servers, and HP connectivity cards		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 1200 dpi		
	Grey scale levels	256		
	Scannable area	Maximum media size: 21.6 x 29.7 cm		
	Margins for scanned items	Left: 4.2 mm. Top: 4.2 mm. Right: 4.2 mm. Bottom: 4.2 mm		
Copy	Copy speed	Up to 33 cpm		
	Copy resolution	600 dpi		
	Multiple copies:	Up to 1000		
	Reduce/enlarge:	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	Sheets: 100, transparencies: 50, envelopes: 10, labels 50	60 to 199 g/m²	A4, A5, B5 (JIS), executive (JIS), 76 x 127 mm to 216 x 356 mm
	Tray 2	Sheets: 500	60 to 120 g/m²	A4, A5, B5 (JIS), executive (JIS)
	Tray 3	Sheets: 500	60 to 120 g/m²	A4, A5, B5 (JIS), executive (JIS)
	ADF	Sheets: 50	60 to 105 g/m²	
	Output: Sheets: Up to 250. Envelopes: Up to 10. Transparencies: Up to 50 **Duplex printing**: Automatic (standard)			
Media types	Paper (plain, photo, banner), envelopes, labels, cards (index, greeting), overhead transparencies			
Interface and connectivity	Optional: HP Jetdirect 635n IPv6/IPsec Print Server J7961A, HP Jetdirect 625n Gigabit Ethernet Print Server J7960A, HP Jetdirect 620n Fast Ethernet Print Server J7934A, HP Jetdirect ew2400 802.11g Wireless Print Server (USB 2.0) J7951A, HP Jetdirect en3700 Fast Ethernet Print Server (USB 2.0) J7942A, HP Jetdirect 175x Fast Ethernet Print Server (USB 1.1) J6035D, HP High Perfomance Serial ATA Hard Disk J7989G, HP 1284B Parallel Card J7972G, HP Jetdirect Connectivity Card J4135A, HP bt450 Bluetooth Wireless Printer and PC Adapter Q6398A, HP bt400 Bluetooth Wireless Printer Adapter Q6399A			
Control panel	CCFL backlit STN LCD (640 x 240) with analog touch screen; contrast adjust thumbwheel; device status LEDs: Ready, Data, Attention, Start, Sleep; hard keys: 13-key numeric keypad; Sleep key; Reset key; Stop key; Start key			
Power consumption	0.1 watts maximum (off), 24 watts maximum (sleep), 280 watts maximum (ready), 600 watts maximum (printing), 1265 watts maximum (copying)			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Dimensions (w x d x h)	Out of package: M3035 MFP: 426 x 485 x 530 mm; M3035xs MFP: 426 x 485 x 670 mm. Packaged: M3035 MFP: 600 x 630 x 670 mm; M3035xs MFP: 600 x 630 x 950 mm
Weight	Out of package: M3035 MFP: 27.56 kg; M3035xs MFP: 33.44 kg. Packaged: M3035 MFP: 31.88 kg; M3035xs MFP: 40.65 kg
Warranty	One-year, on-site warranty; 24-hour, 7-days-a-week phone support

Prod-No.	Description	VAT excl.	VAT incl.			
CB414A	HP LaserJet M3035 MFP Printer A4 Mono MFP, 35 ppm, Base Model	3'100	3'336			
CB415A	HP LaserJet M3035xs MFP Printer A4 Mono MFP, 35 ppm, Base Model	3'900	4'196			

HP LaserJet M3035 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M3035 MFP
HP Memory						
Q7718A	HP 128MB 100Pin DDR DIMM DRAM DIMM 128 MB (RoHS Compliant)	1'027	1'105			X
Q7719A	HP 256MB 100Pin DDR DIMM DRAM DIMM 256 MB (RoHS Compliant)	1'065	1'146			X
HP Paper Trays						
Q7817A	HP LaserJet 500 Sheet Accessory Tray Compatable with the HP LaserJet P3005, LJ M3035 MFP, and LJ M3027 MFP	216	232			X
HP Connectivity-JetDirect						
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
HP Other Accessories						
J7972G	HP 1284B Parallel Eio Card	152	164			X
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X
Q7432A	HP Staple Cartridge Pack Staple cartridge pack for the HP LaserJet 3392 All-in-One Printer. Contains 2 cartridges with 1500 staples each.	46	50			X

HP LaserJet M3035 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M3035 MFP
Toner Cartridges						
Q7551A	HP LaserJet P3005/M3035 mfp Black Crtg Prints approximately 6,500 pages using the ISO/IEC 19752 yield standard. Cartridge will also be leveraged in the HP LaserJet M3027 mfp	222	239		↗	X
Q7551X	HP LaserJet P3005/M3027/M3035 Black Crtg Prints approximately 13,000 pages using the ISO/IEC 19752 yield standard. Cartridge will also be leveraged in the HP LaserJet M3027 mfp	373	401		↗	X

HP LaserJet M4345mfp Multifunction Printer Series

	HP LaserJet M4345mfp			
Print technology	Monochrome Laser			
Print speed	A4: Up to 43 ppm. First page out black: Less than 10 sec			
Processor	480 MHz. MIPS processor in HP custom ASIC			
Memory	256 MB. Expandable to 512 MB through one 100-pin DDR DIMM slot. Hard Disk Capacity: Standard, 40 GB			
Print	Quality	HP FastRes 1200, HP ProRes 1200, 600 dpi, 170 lpi		
	Resolution	Up to 1200 x 1200 dpi (with HP FastRes 1200)		
	Printer languages	HP Postscript Level 3 emulation, PCL 6, PCL 5, PDF 1.4		
	Economical printing	Econo mode (saves up to 50% toner from 600 dpi), immediate return to Power-safe mode after each print job due to Instant-on Technology (saves electricity), optional automatic two-sided printing and N-up printing (saves paper)		
	Duty cycle	Up to 200'000 pages per month		
	Print margins (mm)	Top: 4.2 mm. Left: 4.2 mm. Right: 4.2 mm. Bottom: 4.2 mm		
Fax	Telecom compliance	Telecom: TBR-21:1998; EG 201 121:1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002:2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong), YD514, YD/T589, YD703, GB3382 (China)		
	Fax memory	Dependent on the amount of available disk space		
	Fax resolution	Standard: 200 x 200 dpi. Superfine: 300 x 300 dpi. Photo: 200 x 200 dpi		
Digital Sending	File formats	PDF, TIFF, JPG, MTIFF		
	Installation	Via HP Jetdirect Embedded Network Print Server, HP Jetdirect internal print servers, HP Jetdirect external print servers, HP wireless print servers,		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 600 dpi		
	Bit depth	30-bit		
	Grey scale levels	256		
	Scannable area	Maximum media size: 22.7 x 30.2 cm		
	Margins for scanned items	Left: 4.2. Top: 4.2. Right: 4.2. Bottom: 4.2		
Copy	Copy speed	Up to 43 cpm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies	Up to 1000		
	Reduce/enlarge	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	Sheets: 100, transparencies: 50, envelopes: 10	60 to 200 g/m²	A4, A5, B5 (JIS), executive (JIS), 16K, D postcard (JIS), letter, legal, executive, statement, 8.5 x 13 in, envelopes (DL, C5, B5, No. 10, Commercial), custom 76 x 127 to 216 x 356 mm
	Tray 2	Sheets: 500, tranparencies: 100	60 to 120 g/m²	A4, A5, B5 (JIS), executive (JIS), 16K, letter, legal, executive, 8.5 x 13 in, custom 148 x 210 to 216 x 356 mm
	Tray 3	Sheets: 500, tranparencies: 100	60 to 120 g/m²	A4, A5, B5 (JIS), executive (JIS), 16K, letter, legal, executive, 8.5 x 13 in, custom 148 x 210 to 216 x 356 mm
	ADF	Sheets: 50	60 to 120 g/m²	
	Output:	Envelopes: Up to 100		
	Duplex printing:	None (not supported)		
Media types	Paper (plain, preprinted, letterhead, prepunched, bond, recycled, colour, rough), transparencies, labels, envelopes, card stock			
Interface and connectivity	Optional: HP Jetdirect 635n IPv6/IPsec Print Server J7961A, HP Jetdirect 625n Gigabit Ethernet Print Server J7960A, HP Jetdirect 620n Fast Ethernet Print Server J7934A, HP Jetdirect ew2400 802.11g Wireless Print Server J7951A, HP Jetdirect en3700 Fast Ethernet Print Server J7942A, HP Jetdirect 175x Fast Ethernet Print Server J6035D, HP High Performance Serial ATA Hard Disk J7989G, HP 1284B Parallel Card J7972G, HP Jetdirect Connectivity Card J4135A, HP bt450 Bluetooth Wireless Printer and PC Adapter Q6398A, HP bt400 Bluetooth Wireless Printer Adapter Q6399A			
Control panel	VGA graphical touch screen, contrast control dial, numeric keypad, sleep button, reset button, stop button, start button, attention light, data light, ready light			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Dimensions (w x d x h)	Out of package: M4345 MFP: 760 x 566 x 549 mm; M4345x MFP: 760 x 566 x 669 mm; M4345xs MFP: 1020 x 646 x 1074 mm; M4345xm MFP: 1020 x 646 x 1074 mm. Packaged: M4345 MFP: 802 x 648 x 715 mm; M4345x MFP: 802 x 648 x 1052 mm; M4345xs MFP: 1200 x 1000 x 1440 mm; M4345xm MFP: 1200 x 1000 x 1440 mm
Weight	Out of package: M4345 MFP: 51.6 kg; M4345x MFP: 54.6 kg; M4345xs MFP: 69.4 kg; M4345xm MFP: 69.3 kg. Packaged: M4345 MFP: 62.1 kg; M4345x MFP: 74.4 kg; M4345xs MFP: 171 kg; M4345xm MFP: 171 kg
Warranty	One-year, on-site limited warranty

Prod-No.	Description	VAT excl.	VAT incl.		
CB425A	HP LaserJet M4345 MFP Printer A4 Mono MFP, 45 ppm, Base Model	4'100	4'412		
CB426A	HP LaserJet M4345x MFP Printer A4 Mono MFP, 45 ppm, Base plus additional 500-sheet input tray, automatic two-sided printing unit, plus analog fax	5'400	5'810		
CB427A	HP LaserJet M4345xs MFP Printer A4 Mono MFP, 45 ppm, Base plus addtl. 500-sheet input tray, auto. two-sided printing unit, analog fax, stand w/storage cabinet, stapler/stacker.	6'900	7'424		
CB428A	HP LaserJet M4345xm MFP Printer A4 Mono MFP, 45 ppm, Base plus addtl. 500-sheet input tray, auto. two-sided printing unit, analog fax, stand w/storage cabinet, plus 3 bin mailbox.	6'900	7'424		

HP LaserJet 4345mfp - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			4345mfp
HP Paper Trays						
Q5968A	HP LaserJet 4345MFP 500-Sheet Feeder 500 sheet input feeder,can add up to 3 additional feeders to a base configuration	452	486			X
Q2438B	75 Sheet Envelope Feeder 75 Sheet Envelope Feeder LJ4250/LJ4350/LJ4200/LJ4300	667	718			X
Q5691A	HP 500-sheet stapler/stacker Works with the MFP Q3942. Compatible with HP LJ 4345 MFP series	678	730			X
Q5692A	HP 3 bin mailbox Multiple (three) output bins that allows job separation by function, user or job. Compatible with HP LJ 4345 MFP series	527	567			X
HP Other Accessories						
Q5969A	HP LaserJet 4345MFP Duplexer Duplex printing accessory for two side printing	567	610			X
Q5970A	HP LJ 4345MFP stand w/ storage cabinet Stand with storage cabinet that will work with any HP LaserJet 4345 mfp configuration	980	1'054			X
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			X

HP LaserJet 4345mfp - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			4345mfp
Toner Cartridges						
Q5945A	HP Laserjet 4345 mfp Print Cartridge HP LaserJet Smart Print Cartridge. Average Cartridge Yield 18,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.	349	376		↗	X
Other Supplies Products						
Q6496A	ADF mylar sheets; package of 3 mylar sheets	30	32			X
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X
Q5997A	HP LaserJet 4345MFP ADF Maintenance Kit ADF maintenance kit required at every 90,000 pages	136	146			X
Q5999A	HP LaserJet 4345MFP 220v maintenance kit 220v engine maintenance kit is needed every 225,000 pages	452	486			X

HP LaserJet M5025 MFP

	HP LaserJet M5025 MFP			
Print technology	Monochrome Laser			
Print speed	A3: Up to 13 ppm. A4: Up to 25 ppm. First page out black: Less than 10 sec			
Processor	460 MHz. MIPS embedded in HP Custom ASIC			
Memory	256 MB. Expandable to 512 MB through one 100-pin DDR DIMM slot. Hard Disk Capacity: Standard, 40 GB			
Print	Quality	HP ProRes 1200, HP FastRes 1200, 600 dpi, 170 lpi		
	Resolution	Up to 1200 x 1200 dpi		
	Printer languages	HP Postsript Level 3 Emulation, PCL 6, PCL 5, PDF 1.4		
	Economical printing	Economode (saves up to 50% toner from 600 dpi), immediate return to Power safe mode after each print job due to Instant-on fuser technology (saves electricity), optional automatic two-sided printing and N-up printing (saves paper)		
	Duty cycle	Up to 200'000 pages per month		
	Print margins (mm)	Top: 2 mm. Left: 2 mm. Right: 2 mm. Bottom: 2 mm		
Fax	Fax memory	Dependent on available free disk space		
Digital sending	File formats	PDF, JPG, TIFF, MTIFF		
	Installation	Via HP Jetdirect embedded networking, HP Jetdirect internal print servers, HP Jetdirect external print servers, HP wireless print servers, and HP connectivity cards		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 600 dpi		
	Grey scale levels	256		
	Scannable area	Maximum media size: 29.7 x 42.0 cm		
	Margins for scanned items	Left: 5 mm. Top: 6 mm. Right: 5 mm. Bottom: 6 mm		
Copy	Copy speed	Up to 25 cpm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies:	Up to 1000		
	Reduce/enlarge:	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	Sheets: 100, envelopes: 10	60 to 199 g/m²	67.2 x 127 mm postcards, A5, A4, A3, B4, B5, EXE, LTR, LGL, LGR, 76 x 127 mm to 312 x 469.9 mm
	Tray 2	Sheets: 250	60 to 120 g/m²	A4, B4, B5, LTR, LGL, EXE, A5, 215.9 x 330.2 mm
	Tray 3	Sheets: 250	60 to 120 g/m²	A4, B4, B5, LTR, LGL, EXE, A5, A3, LGR, 215.9 x 330.2 mm
	ADF	Sheets: 50	60 to 120 g/m²	
	Output: Sheets: Up to 250. Envelopes: Up to 25. Transparencies: Up to 200			
	Duplex printing: Automatic (optional)			
Media types	Paper (plain, photo, banner), envelopes, labels, cards (index, greeting), transparencies			
Interface and connectivity	HP Jetdirect Fast Ethernet embedded print server, Foreign Interface Harness (FIH), USB (compatible with USB 2.0 specifications) type A port, USB (compatible with USB 2.0 specifications) type B port, open EIO slot, optional analog fax. Optional: HP Jetdirect 635n IPv6/IPsec Print Server J7961A, HP Jetdirect 625n Gigabit Ethernet Print Server J7960A, HP Jetdirect 620n Fast Ethernet Print Server J7934A, HP Jetdirect ew2400 802.11g Wireless Print Server J7951A, HP Jetdirect en3700 Fast Ethernet Print Server J7942A, HP Jetdirect 175x Fast Ethernet Print Server J6035D, HP High Performance Serial ATA Hard Disk J7989G, HP 1284B Parallel Card J7972G, HP Jetdirect Connectivity Card J4135A, HP bt450 Bluetooth Wireless Printer and PC Adapter Q6398A, HP bt400 Bluetooth Wireless Printer Adapter Q6399A			
Standard software	Drivers on the web: Printing system, PCL 6 driver only, PCL 5 driver only, PS driver only, WJA applet, UPD PCL 5, UPD PS, HP Easy Printer Care Software, PC fax driver			
Control panel	4 job control buttons, 13 button numeric keypad, touch screen graphical display, 3 status lights, 1 display contrast knob			
Power consumption	0.1 watts maximum (off), 24 watts maximum (sleep), 280 watts maximum (ready), 600 watts maximum(printing), 1265 watts maximum (copying)			
Dimensions (w x d x h)	Out of package: 610 x 571 x 584 mm. Packaged: 766 x 721 x 852 mm			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Weight	Out of package: 55 kg. Packaged: 61.1 kg
Warranty	One-year, next-day, next-business-day-on-site warranty with free phone support during warranty period

Prod-No.	Description	VAT excl.	VAT incl.			
Q7840A	HP LaserJet M5025 MFP Printer A3 Mono MFP, 25 ppm, base model	4'620	4'971			

HP LaserJet M5025 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M5025 MFP
HP Memory						
Q7719A	HP 256MB 100Pin DDR DIMM DRAM DIMM 256 MB (RoHS Compliant)	1'065	1'146			X
HP Connectivity-JetDirect						
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
HP Other Accessories						
J7972G	HP 1284B Parallel Eio Card	152	164			X
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X
Q7549A	HP LaserJet Auto Duplex Accessory Automatic duplexer unit for the LJ5200 printer series (35ppm (Letter) A3 monochrome laser printer)	734	790			X
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			X
Q7834A	HP Lj M5035 1-tray Cabinet 500-sheet input tray with integrated storage cabinet for the HP LaserJet M5035 MFP and HP LaserJet M5025 MFP	646	695			X
Q7835A	HP Lj M5035 3-tray Cabinet 3x500 sheet integrated input trays for the HP LaserJet M5035 MFP and HP LaserJet M5025 MFP	1'441	1'551			X
Q7833A	HP Lj M5035 MFP 220V PM Kit 220V preventative maintenance kit for the HP LaserJet M5035 MFP and HP LaserJet M5025 MFP	500	538			X
Q7842A	HP M5035 MFP ADF PM Kit ADF maintenance kit for the HP LaserJet M5035 MFP and HP LaserJet 5025 MFP	141	152			X

HP LaserJet M5025 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M5025 MFP
Toner Cartridges						
Q7570A	HP LaserJet M5035 mfp Black Cartridge prints approximately 15,000 pages using the ISO/IEC 19752 yield Standard. Cartridge is also leveraged in the HP LaserJet M5025 mfp	296	319		↗	X

HP LaserJet M5035 MFP

	HP LaserJet M5035 MFP			
Print technology	Monochrome Laser			
Print speed	A3: Up to 18 ppm. A4: Up to 35 ppm. First page out black: Less than 10 sec			
Processor	460 MHz. MIPS embedded in HP Custom ASIC			
Memory	256 MB. Expandable to 512 MB through one 100-pin DDR DIMM slot. Hard Disk Capacity: Standard, 40 GB			
Print	Quality	HP ProRes 1200, HP FastRes 1200, 600 dpi, 170 lpi		
	Resolution	Up to 1200 x 1200 dpi		
	Printer languages	HP Postsript Level 3 Emulation, PCL 6, PCL 5, PDF 1.4		
	Economical printing	Economode (saves up to 50% toner from 600 dpi), immediate return to Power safe mode after each print job due to Instant-on fuser technology (saves electricity), optional automatic two-sided printing and N-up printing (saves paper)		
	Duty cycle	Up to 200'000 pages per month		
	Print margins (mm)	Top: 2 mm. Left: 2 mm. Right: 2 mm. Bottom: 2 mm		
Fax	Telecom compliance	Telecom: TBR-21:1998; EG 201 121:1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002:2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong), YD514, YD/T589, YD703, GB3382 (China)		
	Fax memory	Dependent on available free disk space		
	Fax resolution	Standard: 200 x 200 dpi. Superfine: 300 x 300 dpi. Photo: 200 x 200 dpi		
Digital sending	File formats	PDF, JPG, TIFF, MTIFF		
	Installation	Via HP Jetdirect embedded networking, HP Jetdirect internal print servers, HP Jetdirect external print servers, HP wireless print servers, and HP connectivity cards		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 1200 dpi		
	Grey scale levels	256		
	Scannable area	Maximum media size: 29.7 x 42.0 cm		
	Margins for scanned items	Left: 5 mm. Top: 6 mm. Right: 5 mm. Bottom: 6 mm		
Copy	Copy speed	Up to 35 cpm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies:	Up to 1000		
	Reduce/enlarge:	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	Sheets: 100, envelopes: 10	60 to 199 g/m²	67.2 x 127 mm postcards, A5, A4, A3, B4, B5, EXE, LTR, LGL, LGR, 76 x 127 mm to 312 x 469.9 mm
	Tray 2	Sheets: 250	60 to 120 g/m²	A4, B4, B5, LTR, LGL, EXE, A5, 215.9 x 330.2 mm
	Tray 3	Sheets: 250	60 to 120 g/m²	A4, B4, B5, LTR, LGL, EXE, A5, A3, LGR, 215.9 x 330.2 mm
	ADF	Sheets: 50	60 to 120 g/m²	
	Output: Sheets: Up to 250. Envelopes: Up to 25. Transparencies: Up to 200			
Media types	Paper (plain, photo, banner), envelopes, labels, cards (index, greeting), transparencies, letter, pre-punched, recycled			
Interface and connectivity	HP Jetdirect Fast Ethernet embedded print server, Foreign Interface Harness (FIH), USB (compatible with USB 2.0 specifications) type A port, USB (compatible with USB 2.0 specifications) type B port, open EIO slot, optional analog fax. Optional: HP Jetdirect 635n IPv6/IPsec Print Server J7961A, HP Jetdirect 625n Gigabit Ethernet Print Server J7960A, HP Jetdirect 620n Fast Ethernet Print Server J7934A, HP Jetdirect ew2400 802.11g Wireless Print Server) J7951A, HP Jetdirect en3700 Fast Ethernet Print Server J7942A, HP Jetdirect 175x Fast Ethernet Print Server J6035D, HP High Performance Serial ATA Hard Disk J7989G, HP 1284B Parallel Card J7972G, HP Jetdirect Connectivity Card J4135A, HP bt450 Bluetooth Wireless Printer and PC Adapter Q6398A, HP bt400 Bluetooth Wireless Printer Adapter Q6399A			
Standard software	Drivers on the web: Printing system, PCL 6 driver only, PCL 5 driver only, PS driver only, WJA applet, UPD PCL 5, UPD PS, HP Easy Printer Care Software, PC fax driver			
Control panel	4 job control buttons, 13 button numeric keypad, touch screen graphical display, 3 status lights, 1 display contrast knob			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Power consumption	0.1 watts maximum (off), 24 watts maximum (sleep), 280 watts maximum (ready), 600 watts maximum (printing), 1265 watts maximum (copying)
Dimensions (w x d x h)	Out of package: M5035 MFP: 610 x 571 x 584 mm; M5035x MFP: 743 x 743 x 997 mm; M5035xs MFP: 743 x 743 x 1183 mm. Packaged: M5035 MFP: 766 x 721 x 852 mm; M5035x MFP: 900 x 900 x 1418 mm; M5035xs MFP: 900 x 900 x 1567 mm
Weight	Out of package: M5035 MFP: 55 kg; M5035x MFP: 93 kg; M5035xs MFP: 97 kg. Packaged: M5035 MFP: 61.1 kg; M5035x MFP: 100 kg; M5035xs MFP: 104.3 kg
Warranty	One-year, next-day, next-business-day-on-site warranty with free phone support during warranty period

Prod-No.	Description	VAT excl.	VAT incl.		
Q7829A	HP LaserJet M5035 MFP Printer A3 Mono MFP, 35 ppm, Base Model	5'300	5'703		
Q7830A	HP LaserJet M5035x MFP Printer A3 Mono MFP, 35 ppm, Base plus 500-sheet input tray with storage cabinet, analog fax, automatic two-sided printing unit.	6'300	6'779		
Q7831A	HP LaserJet M5035xz MFP Printer A3 Mono MFP, 35 ppm, Base plus integrated 3x500-sheet input tray, analog fax, automatic two-sided printing, plus 30 page stapler/stacker	7'700	8'285		

HP LaserJet M5035 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M5035 MFP
HP Memory						
Q7718A	HP 128MB 100Pin DDR DIMM DRAM DIMM 128 MB (RoHS Compliant)	1'027	1'105			X
Q7719A	HP 256MB 100Pin DDR DIMM DRAM DIMM 256 MB (RoHS Compliant)	1'065	1'146			X
HP Connectivity-JetDirect						
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
HP Other Accessories						
J7972G	HP 1284B Parallel Eio Card	152	164			X
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X
Q7549A	HP LaserJet Auto Duplex Accessory Automatic duplexer unit for the LJ5200 printer series (35ppm (Letter) A3 monochrome laser printer)	734	790			X
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			X
Q7834A	HP Lj M5035 1-tray Cabinet 500-sheet input tray with integrated storage cabinet for the HP LaserJet M5035 MFP and HP LaserJet M5025 MFP	646	695			X
Q7835A	HP Lj M5035 3-tray Cabinet 3x500 sheet integrated input trays for the HP LaserJet M5035 MFP and HP LaserJet M5025 MFP	1'441	1'551			X

HP LaserJet M5035 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M5035 MFP
Toner Cartridges						
Q7570A	HP LaserJet M5035 mfp Black Cartridge prints approximately 15,000 pages using the ISO/IEC 19752 yield Standard. Cartridge is also leveraged in the HP LaserJet M5025 mfp	296	319		↗	X

HP LaserJet 5200

	HP LaserJet 5200
Print technology	Monochrome Laser
Print speed	A4: Up to 35 ppm. A3: Up to 18.5 ppm First page out: Less than 10 sec. (Instant-on Technology virtually eliminating warm-up time - from cold or warm start) Exact speed varies depending on the system configuration, software program and document complexity.
Processor	460 MHz. MIPS
Memory	5200: 48 MB. 5200tn: 64 MB. 5200dtn: 128 MB. Expandable to 512 MB RAM via a single industry-standard 100-pin DDR DIMM slot Optional, 20 GB HP High-performance EIO hard disk
Print quality	Best/normal: Up to 1200 x 1200 dpi. Draft: Up to 600 x 600 dpi
Printer languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation
Economical printing	Economode (saves toner), return to powersave mode after print job with the instant-on fuser technology (saves electricity), duplex and N-up printing (saves paper)
Typefaces/fonts	103 built-in scalable PCL, 93 internal PS
Duty cycle	Up to 65'000 pages per month
Print margins	top: 3 mm. left: 3.4 mm. right: 4.9 mm. bottom: 6 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 / up to 100 sheets / 60 to 199 g/m^2 / A3, A4, A5, A6, B4, B5, B6, RA3, 8K, 16K, envelopes (Monarch, C5, DL, B5, #10), custom: 76.2 x 127 mm to 312 x 470 mm Tray 2 / up to 250 sheets / 60 to 120 g/ m^2 / A3, A4, A5, B5, B4, custom: 76.2 x 127 mm to 297 x 431.8 mm Tray 3 / up to 500 sheets / 60 to 120 g/ m^2 / A3, A4, A5, B5, B4, custom: 76.2 x 127 mm to 297 x 431.8 mm **Output:** Up to 250 sheets. Up to 50 envelopes. Up to 250 transparencies **Duplex printing:** 5200: Automatic (optional). 5200tn: Automatic (optional). 5200dtn: Automatic (standard)
Media types	Paper (plain, preprinted, letterhead, prepunched, bond, recycled, colour, rough, toughpaper), transparencies, labels, envelopes, cardstock, vellum
Interface and connectivity	5200: Hi-Speed USB 2.0 port, IEEE-1284 parallel port, one open EIO slot. 5200tn: Hi-Speed USB 2.0 port, IEEE-1284 parallel port, one open EIO slot, HP Jetdirect Fast Ethernet embedded print server. 5200dtn: Hi-Speed USB 2.0 port, IEEE-1284 parallel port, one open EIO slot, HP Jetdirect Fast Ethernet embedded print server. Optional: HP Jetdirect Internal Print Servers, HP Jetdirect External Print Servers, HP Wireless Print Servers
Software	Print drivers and installation software on CD-ROM (HP PCL 6, HP PCL 5e, HP Postscript Level 3 Emulation, Macintosh software, PostScript Printer Description)
Control panel	32 x 160 backlit graphical display; 8 buttons (Back arrow, Down arrow, Help, Menu, Pause job, Start, Status, Up arrow); 3 LEDs (Attention, Data, Ready)
Printer management	HP Embedded Web Server, HP Web Jetadmin, HP Easy Printer Care Software, HP Universal Print Driver Series
Power consumption	5200: 550 watts maximum (printing), 27 watts (standby), 7 watts (powersave), 0.5 watts (off). 5200tn: 600 watts maximum (printing), 27 watts (standby), 7.5 watts (powersave), 0.5 watts (off). 5200dtn: 600 watts maximum (printing), 27 watts (standby), 7.5 watts (powersave), 0.5 watts (off)
Dimensions (w x d x h)	Out of package: 5200: 490 x 563 x 275 mm. 5200tn: 490 x 600 x 405 mm. 5200dtn: 490 x 600 x 405 mm Packaged: 5200: 799 x 598 x 497 mm. 5200tn: 799 x 600 x 731 mm. 5200dtn: 799 x 600 x 1026 mm
Weight (out of package/packaged)	Out of package: 5200: 20.2 kg. 5200tn: 30.2 kg. 5200dtn: 33.1 kg Packaged: 5200: 28.9 kg. 5200tn: 42.7 kg. 5200dtn: 51.6 kg
Warranty	One-year next business day on-site warranty

Prod-No.	Description	VAT excl.	VAT incl.		
Q7545A	HP LaserJet 5200tn Printer 35ppm (Letter) A3 monochrome laser printer - TN Bundle	3'687	3'967		
Q7546A	HP LaserJet 5200dtn Printer 35ppm (Letter) A3 monochrome laser printer - DTN Bundle	4'209	4'529		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet 5200 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			5200
HP Paper Trays						
Q7548A	HP 500 Sheet Input Tray 500-sheet input tray for the LJ5200 printer series (35ppm (Letter) A3 monochrome laser printer)	533	574			X
Q7549A	HP LaserJet Auto Duplex Accessory Automatic duplexer unit for the LJ5200 printer series (35ppm (Letter) A3 monochrome laser printer)	734	790			X
HP Memory and Hard Disks						
Q7713A	HP 32MB 100Pin DDR DIMM DRAM DIMM 32 MB (RoHS Compliant)	330	355			X
Q7715A	HP 64MB 100Pin DDR DIMM DRAM DIMM 64 MB (RoHS Compliant)	642	691			X
Q7718A	HP 128MB 100Pin DDR DIMM DRAM DIMM 128 MB (RoHS Compliant)	1'027	1'105			X
Q7719A	HP 256MB 100Pin DDR DIMM DRAM DIMM 256 MB (RoHS Compliant)	1'065	1'146			X
Q7720A	HP 512MB 100Pin DDR DIMM DRAM DIMM 512 MB (RoHS Compliant)	1'284	1'382			X
J6073G	HP High Performance Hard Disk For EIO peripherals. High peformance storage memory product for HP LaserJet printers with an EIO slot.	845	909			X
HP Connectivity-JetDirect						
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X

HP LaserJet 5200 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			5200
Toner Cartridges						
Q7516A	HP LaserJet 5200 Black Print Cartridge Prints approximately 12,000 pages using the ISO/IEC 19752 yield standard.	312	335		↗	X

HP LaserJet 9040

	HP LaserJet 9040 series
	HP LaserJet 9040 including 8-bin mailbox
Print technology	Laser
Print speed	A4: up to 40 ppm A3: up to 26 ppm First page out: less than 8 secs
Processor	533 MHz, 20KC MIPS Microprocessor
Memory	Base models: 64 MB RAM, n/dn models: 128 MB RAM Expandable to 512 MB through 2 DDR DIMM slots using Double Data Rate memory technology Optional, 20 GB HP High-performance EIO hard disk
Print quality	Best: FastRes 1200 (1200 dpi quality), draft: up to 600 x 600 dpi
Printer languages	HP PCL 5e, HP PCL 6, HP Postscript Level 3 emulation, PDF v 1.3 emulation, XHTML-Print v 0.95, HP PJL (Printer Job Language), PML (Printer Management Language)
Economical printing	Economode, duplex and N-up printing
Typefaces/fonts	80 scalable TrueType fonts
Duty cycle	Up to 300,000 pages per month
Print margins	A4 and A3: top: 1 mm, left: 1 mm, right: 1 mm, bottom, 1 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1* / 100 sheet / 64 to 216 g/m2 / A4, B4, B5, A3, A5, custom: 99 x 191 to 297 x 432mm Tray 2/3 / 500 sheet / 64 to 199 g/m2 / A4, B4, B5, A3, A5, custom: 148 x 210 to 297 x 432mm Duplex Unit / – / 64 to 199 g/m2 / – **Output:** Sheets: up to 600, envelopes: up to 60 (top and side bins), transparencies: up to 100 (top and side bins) **Duplex printing:** Base/n models: Automatic (optional with purchase of an automatic duplex unit), dn models: Automatic (standard) * 100-sheet multipurpose tray : optional with 9040/9050, standard with 9040n/dn and 9050n/dn.
Interface and connectivity	**Standard:** base models: IEEE 1284-B compliant parallel port, 2 open EIO slots, n/dn models: IEEE 1284-B compliant parallel port, HP Jetdirect Fast Ethernet Internal Print Server, 2 open EIO slots **Optional:** HP Jetdirect Internal Print Servers, external print servers, connectivity card for USB/serial/LocalTalk, and wireless connectivity. Optional HP Jetdirect 625n EIO Internal Print Server; HP Jetdirect 620n Fast Ethernet EIO Internal Print Server; HP Jetdirect 680n 802.11b Wireless EIO Internal Print Server; HP Jetdirect EIO Connectivity Card; HP Jetdirect 300x External Print Server (parallel port); HP Jetdirect 500x External Print Server (3 parallel ports); HP bt1300 Bluetooth® Wireless Print Adapter (for USB 1.1 or parallel)
Standard software	Print drivers and installation software on CD-ROM (HP PCL 5e, HP PCL 6, HP Postscript Level 3 emulation)
Control panel	3 light-emitting diode (LED) indicator lights, 4 navigation buttons, dedicated Help button, dedicated Menu button, 10-key numeric pad, 4-line display, dedicated Stop button
Power consumption	Consumption: Printing: 1000 watts, Off: 0.7 watts (base), 0.3 watts (n/dn), Powersave: 18 watts (base), 36 watts (n/dn), Standby: 197 watts (base), 205 watts (n/dn)
Dimensions (w x d x h)	Out of package: 638 x 600 x 633 mm; packaged: 911.9 x 789.9 x 721.4 mm
Weight (out of package/packaged**)**	Base models: 63.5 kg/79 kg, n models: 69.4 kg/83.1 kg, dn models: 76.2 kg/89.8 kg
Printer management	HP Web Jetadmin
Warranty	One-year next-day on-site warranty

Prod-No.	Description	VAT excl.	VAT incl.		
Q7699A	HP LaserJet 9040dn Printer Monochrome laser model prints up to 40 ppm,HP Jetdirect Fast Ethernet embedded print server,auto duplex,upto A3(B size media,128 MB RAM & 1100 sheet input	5'322	5'726		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet 9050 series

	HP LaserJet 9050 series
	HP LaserJet 9050 including mutifunction finisher
Print technology	Laser
Print speed	A4: up to 50 ppm A3: up to 28 ppm First page out: less than 8 secs
Processor	533 MHz, 20KC MIPS Microprocessor
Memory	HP LaserJet 9050 printer: 64 MB RAM, HP LaserJet 9050n/dn printer: 128 MB RAM Optional, 20 GB HP High-performance EIO hard disk, expandable to 512 MB through 2 DDR DIMM slots using Double Data Rate memory technology
Print quality	Best: FastRes 1200 (1200 dpi quality), draft: up to 600 x 600 dpi
Printer languages	HP PCL 5e, HP PCL 6, HP Postscript Level 3 emulation, PDF v 1.3 emulation, XHTML-Print v 0.95, HP PJL (Printer Job Language), PML (Printer Management Language)
Economical printing	Economode, duplex and N-up printing
Typefaces/fonts	80 scalable TrueType fonts
Duty cycle	Up to 300,000 pages per month
Print margins	A4 and A3: top: 1 mm, left: 1 mm, right: 1 mm, bottom, 1 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 / 100 sheet / 64 to 216 g/m2 / A4, B4, B5, A3, A5, custom: 99 x 191 to 297 x 432mm Tray 2/3 / 500 sheet / 64 to 199 g/m2 / A4, B4, B5, A3, A5, custom: 148 x 210 to 297 x 432mm Duplex Unit / – / 64 to 199 g/m2 / – **Output:** Sheets: up to 600, envelopes: up to 60 (top and side bins), transparencies: up to 100 (top and side bins) **Duplex printing:** HP LaserJet 9050/n printer: Automatic (optional with purchase of an automatic duplex unit), HP LaserJet 9050dn printer: Automatic (standard)
Interface and connectivity	Standard: HP LaserJet 9050 printer: IEEE 1284-B compliant parallel port, 2 open EIO slots, HP LaserJet 9050n/dn printer: IEEE 1284-B compliant parallel port, HP Jetdirect Fast Ethernet internal print server, 2 open EIO slots Optional: HP Jetdirect internal print servers, external print servers, connectivity card for USB/serial/LocalTalk, and wireless connectivity. Optional HP Jetdirect 625n EIO internal print server; HP Jetdirect 620n Fast Ethernet EIO internal print server; HP Jetdirect 680n 802.11b wireless EIO internal print server; HP Jetdirect EIO Connectivity Card; HP Jetdirect 300x external print server (parallel port); HP Jetdirect 500x external print server (3 parallel ports); HP bt1300 Bluetooth wireless printer adapter (for USB 1.1 or parallel)
Standard software	Print drivers and installation software on CD-ROM (HP PCL 5e, HP PCL 6, HP Postscript Level 3 emulation)
Control panel	3 light-emitting diode (LED) indicator lights, 4 navigation buttons, dedicated Help button, dedicated Menu button, 10-key numeric pad, 4-line display, dedicated Stop button
Power consumption	Printing: 1000 watts HP LaserJet 9050: Off: 0.7 watts, Powersave: 18 watts, Standby: 197 watts HP LaserJet 9050n/dn: Off: 0.3 watts, Powersave: 36 watts, Standby: 205 watts Values current as of April 12, 2004. Power reported is the hi ghest values measured using all s tandard voltages. See www.hp.com/support/lj9050 for current information.
Dimensions (w x d x h)	Out of package: 638 x 600 x 633 mm; packaged: 911.9 x 789.9 x 721.4 mm
Weight (out of package/packaged**)**	HP LaserJet 9050 printer: 63.5 kg/79 kg, HP LaserJet 9050n printer: 69.4 kg/83.1 kg, HP LaserJet 9050dn printer: 76.2 kg/89.8 kg
Printer management	HP Web Jetadmin
Warranty	One-year next-day on-site warranty

Prod-No.	Description	VAT excl.	VAT incl.		
Q3723A	HP LaserJet 9050dn Printer Monochrome laser model prints up to 50 ppm,HP Jetdirect Fast Ethernet embedded print server,auto duplex,up to A3(B size)media,128 MB RAM & 1,100 sheet input	6'649	7'154		

HP LaserJet 9040/9050 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			9040	9050
HP Paper Trays							
C8531A	HP 2000 sheet feeder	1'947	2'095			X	X
C8568A	HP LJ9000 Multipurpose Tray MP tray (tray 1) for the LJ9000 series	663	713			X	X
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X	X
C8532A	HP LaserJet 9000 duplex unit	893	961			X	X

HP LaserJet 9040/9050 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			9040	9050
Toner Cartridges							
C8543X	HP Smart toner cartridge, approx. 30'000 pages (5% coverage)	473	509		↗	X	X
Other Supplies Products							
C9153A	HP maintenance kit, 220V (needed after 350'000 pages)	937	1'008			X	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet M9040 / M9050 Multifunction Printer

	HP LaserJet M9040 / M9050 MFP			
Technoloome Lasergy	Monoch			
Print speed	A4: Up to 50 ppm (40 ppm with the HP LaserJet M9040mfp) A3: Up to 28 ppm (25 ppm with the HP LaserJet M9040mfp) First page out black: < 9.5 sec (from ready) All printed pages originate from the default tray of a HP LaserJet 9040/50mfp with a high-capacity input (HCI) Tray 4.			
Processor	533 MHz, MIPS 20KC Processor (Unity ASIC)			
Memory	384 MB. Expandable to 512 MB replacing 128 MB (DIMM Slot 2) with 256 MB. No open slot available. Hard Disk Capacity: Standard, 40 GB			
Print	Quality	Resolution Enhancement technology (REt)		
	Resolution	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi		
	Printer languages	HP PCL 6, HP PCL 5e, HP Postscript level 3 emulation, direct PDF printing (v 1.3) with at least 128 MB memory enabled, XHTML-Print v 0.95, HP PJL (Printer Job Language), PML (Printer Management Language)		
	Economical printing	Standard automatic two-sided printing and N-up printing (saves paper), Economode (saves toner)		
	Typefaces/fonts	80 internal TrueType fonts scalable in HP PCL and HP Postscript level 3 emulation; additional font solutions available		
	Recommended monthly page volume	15'000 to 5'0000		
	Print margins (mm)	Top: 2.1 mm. Left: 3.2 mm. Right: 3.7 mm. Bottom: 2.9 mm		
Fax	Modem speed	Up to 33.6 Kbps (with optional analog fax accessory)		
	Fax memory	Dependent upon available disk space		
	Fax resolution	Standard: 300 x 300 dpi (with optional analog fax accessory). Superfine: 300 x 300 dpi (with optional analog fax accessory). Photo: 200 x 100 dpi (with optional analog fax accessory)		
	Quick dialing	Up to 100		
Digital Sending	File formats	PDF, JPEG, TIFF, MTIFF		
	Features	Standard: Scan to e-mail, Desktop folder, Network folder. LDAP addressing. User Authentication: PIN, LDAP/Active Directory with Kerberos. Optional: Send to LAN Fax, Internet Fax, printer, application, FTP, workflow, OCR. Advanced user authentication solutions.		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 600 dpi		
	Bit depth	30-bit		
	Grey scale levels	256		
	Scannable area	Maximum media size: 279 x 432 mm		
	Margins for scanned items	Left: 4.2 (A4). Top: 4.2 (A4). Right: 4.2 (A4). Bottom: 4.2 (A4)		
Copy	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies	Up to 999		
	Reduce/enlarge	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 100, envelopes: 10	64 to 227 g/m²	A3 (ISO), A4 (ISO), A5 (ISO), B4 (JIS), B5 (JIS), letter, legal, executive, tabloid, JPostD, 98 x 191 to 312 x 470 mm
	Tray 2	sheets: 500	64 to 199 g/m²	A3 (ISO), A4 (ISO), A4-R (ISO), A5 (ISO) (except tray 4), B4 (JIS), B5 (JIS), letter, letter-R, legal, executive, tabloid, 148 x 210 to 297 x 432 mm
	Tray 3	sheets: 500	64 to 199 g/m²	A3 (ISO), A4 (ISO), A4-R (ISO), A5 (ISO) (except tray 4), B4 (JIS), B5 (JIS), letter, letter-R, legal, executive, tabloid, 148 x 210 to 297 x 432 mm
	ADF			A3 (ISO), A4 (ISO), A4-R (ISO), A5 (ISO), B4 (JIS), B5 (JIS), Executive, legal, letter, tabloid
	Output: Sheets: Up to 3'000 (with stacker or stapler/stacker). Envelopes: Up to 10 **Duplex printing:** Automatic (standard)			

Media types	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough), labels, cardstock, transparencies
Interface and connectivity	Hi-Speed USB (compatible with USB 2.0 specifications), HP Jetdirect Gigabit Ethernet Embedded Print Server, 1 open EIO slot, Jetlink connection for paper handling device, host USB port (compatible with USB 2.0 specifications) for additional functionality, 1 Foreign Interface Harness (FIH). Optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, Fast Infrared connect (FIR): Connectivity: HP Jetdirect en1700 USB 2.0 Print Server J7988G, HP Jetdirect en3700 USB 2.0 Print Server J7942G, HP Jetdirect ew2400 Wireless USB 2.0 Print Server J7951G, HP Jetdirect 510x Parallel Print Server J7983G, HP Jetdirect 300x Parallel Print Server J3263G, HP EIO 1284 adapter J7972G, HP Jetdirect 620n EIO print server J7934G, HP Jetdirect 635n EIO Print Server J7961G, HP Jetdirect 630n EIO Print Server J7997G, HP Jetdirect 690n Wireless print server J8007G
Standard software	Print drivers and installation software on CD-ROM: remote hardcopy management, HP disk management utility, HP common installer, HP Internet installer, HP disk image utility, HP common drivers, HP resource manager for Macintosh, HP common installer for Macintosh, HP Internet installer for Macintosh, HP disk image utility for Macintosh, HP common drivers Macintosh client, PPDS/PDES for Macintosh, HP LaserJet utility for Macintosh, fonts for Macintosh, help files for Macintosh (English only)
Control panel	3 light-emitting device (LED) indicator lights, 10-key numeric pad, graphical touchscreen display (193 x 72 mm)
Printer management	Embedded Web server, HP Web Jetadmin
Power consumption	Consumption: 1070 watts maximum (active/printing), 1120 watts maximum (scan), 340 watts maximum (ready), 179 watts maximum (sleep), 3 watts maximum (off)
Dimensions (w x d x h)	Out of package: With 8-bin mailbox: 1092 x 838 x 1219 mm, with stacker: 1168 x 787 by 1194 mm, with stapler/stacker: 1168 x 787 x 1194 mm, with multifunction finisher: 1295 x 787 x 1194 mm. Packaged: 978 x 914 x 1448 mm (without finishing output solution)
Weight	Out of package: With 8-bin mailbox: 1092 x 838 x 1219 mm, with stacker: 1168 x 787 by 1194 mm, with stapler/stacker: 1168 x 787 x 1194 mm, with multifunction finisher: 1295 x 787 x 1194 mm. Packaged: 978 x 914 x 1448 mm (without finishing output solution)
Warranty	One-year next business day on-site warranty

Prod-No.	Description	VAT excl.	VAT incl.		
CC394A	HP LaserJet M9040 MFP Printer	18'430	19'831		
CC395A	HP LaserJet M9050 MFP Printer	25'830	27'793		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet M9040 / M9050 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			M9040 / M9050
HP Memory						
Q7719A	HP 256MB 100Pin DDR DIMM DRAM DIMM 256 MB (RoHS Compliant)	1'065	1'146			X
HP Other Accessories						
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X
C8092A	HP 5000 Staple Cartridge Replacement for the Multifunction Finisher	54	58			X
C9153A	HP maintenance kit, 220V (needed after 350'000 pages)	937	1'008			X
Q5693A	HP 8-bin mail box (multibin) Provides multiple output trays for job separation. Compatible with LJ9050 series,LJ9050MFP,LJ9040MFP,LJ9500MFP. No backwards compatible.	4'775	5'138			X
C8084A	HP 3'000 sheet output stacker	4'969	5'347			X
C8085A	HP 3'000 sheet output stacker with stapler	5'551	5'973			X
C8088B	HP multifunction finisher Compatible with LJ9050 series,LJ 9050 MFP,LJ 9040 MFP,LJ9500 MFP & also backwards compatible with LJ9000 series,LJ 9000 MFP & LJ 9500.	6'769	7'283			X
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			X
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X
J7972G	HP 1284B Parallel Eio Card	152	164			X
HP Connectivity-JetDirect						
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Svr Share printers and MFP's over iPv4 networks with this high performance print server.	700	753			X
J3263G	HP Jet Direct 300X Print Server Single port external print server for 10/100Base-TX. Provides easy migration path for 10T environments today & 100TX environments in the future.	499	537			X
J7983G	HP Jetdirect 510X Print Server A low cost print sharing device which enables a parallel printer to be shared among users.	650	699			X

HP LaserJet M9040 / M9050 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			M9040 / M9050
Toner Cartridges						
C8543X	HP Smart toner cartridge, approx. 30'000 pages (5% coverage)	473	509		↗	X

HP LaserJet 9000mfp

Prod-No.	Description	VAT excl.	VAT incl.		
NOB8534A	ABMSync - Lotus Notes Release License ,1 CPU license 1 license and CD (Option UAU)	353	380		
NOB8534A	ABMSync - Lotus Notes Release License, 10 user license (Option 0A9)	3'394	3'652		
NOB8534A	ABMSync - Lotus Notes Release License, 50 user license (Option 0AA)	16'288	17'526		

HP LaserJet 9000 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			9000
HP Paper Trays						
C8531A	HP 2000 sheet feeder	1'947	2'095			X
C8532A	HP LaserJet 9000 duplex unit	893	961			X
HP Other Accessories						
C9153A	HP maintenance kit, 220V (needed after 350'000 pages)	937	1'008			X
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X
C8092A	HP 5000 Staple Cartridge Replacement for the Multifunction Finisher	54	58			X

HP LaserJet 9000 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			9000
Toner Cartridges						
C8543X	HP Smart toner cartridge, approx. 30'000 pages (5% coverage)	473	509		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet 8150 MFP

HP LaserJet 8150 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ 8150
HP Paper Trays						
C4787A	HP 5-Bin mailbox with stapler	3'483	3'748			X
C4788A	HP 3'000 sheet output tray with stapler	3'638	3'914			X
HP Other Accessories						
C4789A	HP Power Box Upgrade Kit	216	232			X
C3772A	HP staple cartridge refill (3 x 2000 staples)	49	53			X
C4791A	HP staples (cassette 3x 5'000) for C4788A HP 3'000 sheet output tray with stapler	97	104			X
C3915A	HP maintenance kit (220V, needed after 350'000 pages)	691	744			X
C9129A	HP LaserJet 8150 Web Access / Virtual Machine DIMM (included with 8150 N/DN/MFP)	734	790			X

HP LaserJet 8150 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 8150
Toner Cartridges						
C4182X	HP UltraPrecise toner cartridge, approx. 20'000 pages (5% coverage)	323	348		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

HP LaserJet 2300

HP LaserJet 2300 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 2300
Toner Cartridges						
Q2610A	HP LJ 2300/L Print Cartridge HP LaserJet Smart Print Cartridge. Average Cartridge Yield 6,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.	206	222		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

HP LaserJet 2400 Printer Series

HP LaserJet 2400 series - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			2400
HP Paper Trays						
Q5963A	HP LaserJet 2400 Series 500 sheet feeder 500 sheet paper feeder for the LaserJet 2400 Series Printers. Supports seven standard paper sizes. One 500 sheet feeder supported per printer.	275	296			X

HP LaserJet 2400 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			2400
Toner Cartridges						
Q6511A	HP Black Laserjet 2400 Series Cartridge HP LaserJet Print Cartridge. Average Cartridge Yield 6,000 pages. Declared yield value in accordance with ISO/IEC 19752.	213	229		↗	X
Q6511X	HP Black Laserjet 2400 Series Cartridge HP LaserJet Print Cartridge. Average Cartridge Yield 12,000 pages. Declared yield value in accordance with ISO/IEC 19752.	357	384		↗	X

HP LaserJet 4100mfp

HP LaserJet 4100 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			4100mfp
HP Other Accessories						
C8058A	HP LaserJet 4100 maintenance kit, 220 Volt (needed after 200'000 pages)	542	583			X

HP LaserJet 4100mfp - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			4100mfp
Toner Cartridges						
C8061A	HP UltraPrecise toner cartridge, approx. 6'000 pages (5% coverage)	171	184		↗	X
C8061X	HP UltraPrecise toner cartridge, approx. 10'000 pages (5% coverage)	219	236		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet 4300

HP LaserJet 4200/4300 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ 4200/430
HP Paper Trays						
Q3216A	HP 1000-staples cartridge (LJ4200/4300) The HP 1000-staples cartridge pack contains 3 easy-to-replace staple cartridges for the HP 500-sheet stapler/stacker	36	39			X

HP LaserJet 4200/4300 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 4200	LJ 4300
Toner Cartridges							
Q1338A	HP Monochrome LJ Print Crtg LJ 4200 Prints approximately 12,000 pages based on 5% coverage. HP LJ 4200 smart print cartridges are designed to provide excellent print quality.	263	283		↗	X	
Q1339A	HP Monochrome LJ Print Crtg LJ 4300 Prints approximately 18,000 pages based on 5% coverage. HP LJ 4300 smart print cartridges are designed to provide excellent print quality.	349	376		↗		X

HP LaserJet 4250/4350

HP LaserJet 4250/4350 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ 4250
HP Paper Trays						
Q2438B	75 Sheet Envelope Feeder 75 Sheet Envelope Feeder LJ4250/LJ4350/LJ4200/LJ4300	667	718			X
Q2439B	HP automatic duplex unit Duplexer Assembly LJ4250/LJ4350/LJ4200/LJ4300	584	628			X
Q2440B	500 Sheet Paper Feeder and Tray 500 Sheet Optional Paper Feeder and Tray LJ4250/LJ4350/LJ4200/LJ4300	527	567			X
Q2443B	HP 500 Sheet Stapler Stacker Stapler Stacker Accessory LJ4250/LJ4350/LJ4200/LJ4300	790	850			X
Q2444B	1500 sheet High Capacity Input Tray 1500 Sheet High Capacity Input Feeder LJ4250/LJ4350/LJ4200/LJ4300	892	960			X
HP Other Accessories						
Q2445B	Printer Stand with Storage Cabinet Printer Stand LJ4250/LJ4350/LJ4200/LJ4300	803	864			X

HP LaserJet 4250/4350 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 4250	LJ 4350
Toner Cartridges							
Q5942A	HP LaserJet 4250/4350/4240 Black Crtg HP LaserJet Print Cartridge. Average Cartridge Yield 10,000 pages. Declared yield value in accordance with ISO/IEC 19752.	256	275		↗	X	X
Q5942X	HP Black Laserjet 4250 / 4350 Cartridge HP LaserJet Print Cartridge. Average Cartridge Yield 20,000 pages. Declared yield value in accordance with ISO/IEC 19752.	387	417		↗	X	X
Other Supplies Products							
Q5422A	HP LaserJet 4250/4350 220v Main. Kit 220volt Printer Maintenance Kit for the HP LaserJet 4250 and HP LaserJet 4350 printer series	499	537			X	X
Q3216A	HP 1000-staples cartridge (LJ4200/4300) The HP 1000-staples cartridge pack contains 3 easy-to-replace staple cartridges for the HP 500-sheet stapler/stacker	36	39			X	X

HP LaserJet 5000/N/DN/GN

HP LaserJet 5000 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 5000
Toner Cartridges						
C4129X	HP UltraPrecise toner cartridge, approx. 18'000 pages (Dr. Grauert ECMA / 132 ISO10561)	281	303		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet 5100

HP LaserJet 5100 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ 5100
HP Paper Trays						
Q1865A	HP LaserJet 5100 250 sheet feeder	431	464			X

HP LaserJet 5100 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 5100
Toner Cartridges						
C4129X	HP UltraPrecise toner cartridge, approx. 18'000 pages (Dr. Grauert ECMA / 132 ISO10561)	281	303		↗	X
Transparencies						
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X

HP LaserJet 9040mfp / 9050mfp Multifunction Printer Series

HP LaserJet 9040/9050 mfp - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			9040/50 mfp
HP Other Accessories						
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			X

HP LaserJet 9040/9050 mfp - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			9040/50 mfp
Toner Cartridges						
C8543X	HP Smart toner cartridge, approx. 30'000 pages (5% coverage)	473	509		↗	X
Other Supplies Products						
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X
C8092A	HP 5000 Staple Cartridge Replacement for the Multifunction Finisher	54	58			X
C9153A	HP maintenance kit, 220V (needed after 350'000 pages)	937	1'008			X

HP Color LaserJet

HP Color LaserJet CP1515n

	HP Color LaserJet CP1515n			
Print technology	In-line colour laser printing technology			
Print speed	A4 black: Up to 12 ppm , colour: Up to 8 ppm First page out Black: As fast as 25.5 sec (from "ready"), colour: As fast as 31.5 sec (from "ready") Exact speed varies depending on the system configuration, software application, driver and document complexity.			
Processor	450 MHz , Motorola Coldfire® V5x			
Memory	96 MB , Expandable to 352 MB through addition of 256 MB DDR2 in the single available slot.			
Print resolution	Black: Up to 600 x 600 dpi Colour: Up to 600 x 600 dpi			
Pint quality	HP ImageREt 3600			
Printer languages	HP PCL 6, HP Postscript level 3 emulation			
Economical printing	Manual duplexing and N-up printing (multiple pages per sheet) features save paper.			
Typefaces/fonts	80 scalable TrueType fonts			
Duty cycle	Up to 30'000 pages per month			
Recommended monthly page volume	250 to 1'000			
Print margins	top: 3.5 mm , left: 3.5 mm , right: 3.5 mm , bottom: 3.5 mm			
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 1	60 to 176 g/m² (up to 200 g/m² with HP Laser Cover papers, up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (ISO, JIS), 76 x 127 to 216 x 356 mm
	Tray 2	sheets: 150, transparencies: 50, cards: 50, envelopes: 10	60 to 176 g/m² (up to 200 g/m² with HP Laser Cover papers, up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (ISO, JIS), 76 x 127 to 216 x 356 mm
	Duplex printing	Manual (driver support provided)		
	Output	Sheets: Up to 125. Envelopes: Up to 10. Transparencies: Up to 50		
Media types	Paper (bond, brochure, colour, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock			
Interface and connectivity	Hi-Speed USB (compatible with USB 2.0 specifications), 10/100Base-TX with RJ45 connector			
Software	Print drivers (HP PCL 6, HP Postscript level 3 emulation), Toolbox configuration utility, In-House Marketing Resource Software			
Control panel	2-line, 16-character front panel display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Reverse), 2 LEDs (Attention, Ready)			
Printer management	Toolbox, HP Web JetAdmin, embedded Web server			
Power consumption	295 watts (active/printing), 11.4 watts (ready), 4.7 watts (sleep), 0 watts (off)			
Dimensions (w x d x h)	Out of package: CP1515n: 399 x 453 x 254 mm Packaged: CP1515n: 598 x 498 x 367 mm			
Weight	Out of package: CP1515n: 18.2 kg Packaged: CP1515n: 23.5 kg			
Warranty	One-year, return to authorised service centre, limited warranty			

Prod-No.	Description	VAT excl.	VAT incl.		
CC377A	HP Color LaserJet CP1515n Printer Entry Level Color LaserJet	360	387		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet cp1515n - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CP1515n
HP Memory						
CB421A	HP 64MB DDR2 144pin SDRAM DIMM	642	691			X
CB422A	HP 128MB 144pin SDRAM DIMM	855	920			X
CB423A	HP 256MB DDR2 144pin SDRAM DIMM	1'070	1'151			X
HP Connectivity-JetDirect						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X
Q6259A	HP EMEA Wireless Printing Upgrade Kit	73	79			X

HP Color LaserJet CP1515n - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CP1515n
Toner Cartridges						
CB540A	HP Color LaserJet CP1215/1515 Black Crtg HP Black Print Cartridge with HP ColorSphere toner, for HP Color ColorLaserJet CP1215/1515/1518 and CM1312 printers	121	131		↗	X
CB541A	HP Color LaserJet CP1215/1515 Cyan Crtg HP Cyan Print Cartridge with HP ColorSphere toner, for HP Color ColorLaserJet CP1215/1515/1518 and CM1312 printers	111	119		↗	X
CB542A	HP LaserJet CP1215/1515 Yellow Crtg HP Yellow Print Cartridge with HP ColorSphere toner, for HP Color ColorLaserJet CP1215/1515/1518 and CM1312 printers	111	119		↗	X
CB543A	HP LaserJet CP1215/1515 Magenta Crtg HP Magenta Print Cartridge with HP ColorSphere toner, for HP Color ColorLaserJet CP1215/1515/1518 and CM1312 printers	111	119		↗	X

HP Color LaserJet 2600

	HP Color LaserJet 2600n
Print technology	In-line colour laser printing technology, direct-to-page printing
Print speed	Up to 8 ppm black/colour First page out colour: 20 sec Instant-on Technology for virtually no warm-up time
Processor	264 MHz, Custom RISC CPU
Memory	16 MB
Print quality	600 x 600 dpi with HP Imageret 2400
Colour technology	HP Imageret 2400
Languages	Host-based
Economical printing	Manual duplexing and N-up printing (multiple pages per sheet) features save paper.
Typefaces/fonts	Based on installed typefaces on host computer; print engine has fonts for internal pages and ASCII only
Duty cycle	Up to 35'000 pages per month
Print margins (mm)	Top: 3.5 mm; left: 3.5 mm; right: 3.5 mm; bottom: 3.5 mm
Media handling	**Input:** **Capacity** **Weight** **Size** Tray 1 1-sheet priority tray 60 to 176 g/m^2; up to 220 g/m^2 with HP Photo Laser Paper A4, A5, B5 (ISO, JIS), 76 x 127 to 216 x 356 mm Tray 2 250-sheet multipurpose tray 60 to 176 g/m^2; up to 220 g/m^2 with HP Photo Laser Paper A4, A5, B5 (ISO, JIS), 76 x 127 to 216 x 356 mm Tray 3[2] 250-sheet multipurpose tray 60 to 163 g/m^2 A4, A5, B5 (ISO, JIS), 76 x 127 to 216 x 356 mm **Output**: up to 125 sheets, 10 envelopes, 50 transparencies **Duplex printing**: Manual (driver support provided) A4, A5, B5 (ISO, JIS)
Interface and connectivity	Standard: 1 Hi-Speed USB (compatible with USB 2.0 specifications) port, 1 built-in Fast Ethernet Print Server (10/100Base-TX, RJ-45)
Media types	Paper (plain, letterhead, prepunched, bond, colour, rough, preprinted, recycled), HP Glossy Media, HP Cover Paper[2], HP Color LaserJet Transparencies[2], labels[2], envelopes[2], cardstock[2], HP Photo Laser Paper[2]
Standard software	Toolbox configuration software and status application
Control panel	2-line, 16-character front-panel LCD display (for printer and print cartridge supplies status), 4 buttons (Cancel job, Select, Right arrow, Left arrow), 2 LEDs (Ready, Attention)
Dimension (w x d x h)	Out of package: 407 x 453 x 370 mm; packaged: 598 x 523 x 498 mm
Product weight	Out of package: 18.4 kg (with supplies); packaged: 23 kg
Printer management	Toolbox, embedded Web server
Warranty	One-year, return to bench, limited warranty

[2] Not usable in tray 3

Prod-No.	Description	VAT excl.	VAT incl.		
Q7821A	HP Color LaserJet 2605 Printer 10ppm color/12 ppm black,desktop color LJ Win/Mac,USB only,(3) 2K color/(1) 2.5K blk cartridge (cyan, magenta,yellow & blk),64MB b/memory/300MHz processor	436	469		
Q7822A	HP Color LaserJet 2605dn Printer 10ppm color/12 ppm black,desktop color LJ Win/Mac,USB only,(3) 2K color/(1) 2.5K blk cartridge (cyan, magenta,yellow & blk),64MB b/memory/300MHz processor	611	657		
Q7823A	HP Color LaserJet 2605dtn Printer 10ppm color/12 ppm blk, desktop color LJ,USB and NW, auto duplex (3) 2K /(1)2.5K blk cartridges (cyan, magenta, yellow & blk),64MB base memory/300MHz processor	804	865		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet 2600 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 2600
HP Paper Trays						
Q6459A	HP 250 Sheet Paper Tray Accessory Color LaserJet 2600n 250 sheet paper tray accessory	229	246			X

HP Color LaserJet 2600 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 2600
Toner Cartridges						
Q6000A	HP LaserJet 2600/2605/1600 Black Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2500 pages based on 5% coverage.	130	140		↗	X
Q6001A	HP LaserJet 2600/2605/1600 Cyan Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X
Q6002A	HP LaserJet 2600/2605/1600 Yellow Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X
Q6003A	HP LaserJet 2600/2605/1600 Magenta Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X

HP Color LaserJet CM1312 MFP

	HP Color LaserJet CM1312 MFP
Print and copy speed	Black-and-white: up to 12 ppm, color: up to 8 ppm (letter/A4)
Document delivery speed	First page out from Ready mode: as fast as 26 seconds (black-and-white); as fast as 32 seconds (color) Time To Completion for a typical office print job: as fast as 54 seconds (letter and A4)
Resolution	Printing: up to 600 by 600 dpi; HP ImageREt 3600, ColorSphere toner, HP edge-enhancement technologies; Scanning: up to 1'200 dpi optical resolution, up to 19'200 enhanced resolution
Features	
Copying	Up to 99 multiple copies, reduce/enlarge from 25 to 400%, contrast (lighter/darker), quality (copy optimize), number of copies, paper size, paper type, multi-page copy, collation, copy draft, image adjustment (lightness, contrast, sharpen, background removal, color balance, grayness)
Scanning	Color flatbed scanner, 54 by 70 mm to 216 by 297 mm; Remote initiated scanning via HP Director, TWAIN-compliant or WIA-compliant software, HP Solution Center software; file types: BMP, GIF, JPG, PNG, TIF, PDF
Processor	450 MHz
Memory	128 MB
Recommended monthly volume	250 to 1'500 pages
Duty cycle	Up to 30'000 pages
Paper	
Input	150-sheet multipurpose input tray
Output	125-sheet face-down output bin
Two-sided printing	Manual
Sizes	76 by 127mm to 216 by 356mm; A4, A5, B5 (ISO, JIS); letter, legal, executive, envelopes (No. 10, Monarch)
Weights	60 to 176 g/m^2, up to 200 g/m^2 with HP laser cover papers, up to 220 g/m^2 with HP laser glossy photo papers
Types	Paper (bond, brochure, color, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Connectivity	
Interfaces	Hi-Speed USB 2.0 port
Languages and fonts	Languages: HP PCL 6, HP postscript Level 3 emulation, HP PCL5c emulation; Fonts: 80 TrueType PCL 6, 80 TrueType PostScript
Dimensions (w x d x h)	437 x 455 x 405 mm
Weight (includes print cartridge)	21.2 kg
What's in the box	MFP, preinstalled introductory 750-page black, cyan, magenta, and yellow HP Color LaserJet print cartridges with ColorSphere toner9; in-box documentation (Getting Started Guide, support flyer); CD (User's Guide and device software); power cable; control panel faceplate; Readiris PRO OCR software and registration card, Marketing Starter Kit (specialty media samples, discounts to partner offerings, document templates)
Warranty	One-year, return to authorized service center, limited hardware warranty; telephone and Web support (varies according to region)

Prod-No.	Description	VAT excl.	VAT incl.		
CC430A	HP CLJ CM1312 MFP Printer Entry Level AiO Color LaserJet	484	521		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CM1312nfi MFP	
Print and copy speed	Black-and-white: up to 12 ppm, color: up to 8 ppm (letter/A4)
Document delivery speed	First page out from Ready mode: as fast as 26 seconds (black-and-white); as fast as 32 seconds (color) Time To Completion for a typical office print job: as fast as 54 seconds (letter and A4)
Resolution	Printing: up to 600 by 600 dpi; HP ImageREt 3600, ColorSphere toner, HP edge-enhancement technologies; Scanning: up to 1'200 dpi optical resolution, up to 19'200 enhanced resolution
Features	
Copying	Up to 99 multiple copies, reduce/enlarge from 25 to 400%, contrast (lighter/darker), quality (copy optimize), number of copies, paper size, paper type, multi-page copy, collation, copy draft, image adjustment (lightness, contrast, sharpen, background removal, color balance, grayness)
Scanning	Color flatbed scanner and ADF,102 by 152 mm to 216 by 356 mm; remote initiated scanning via HP Director, TWAIN-compliant or WIA-compliant software, HP Solution Center software; walk-up initiated scanning via front control panel (preconfiguration via software required); file types: BMP, GIF, JPG, PNG, TIF, PDF
Faxing	Up to 36.6 kbps, auto fax reduction, fax forwarding, fax polling (receive only), broadcasting (to up to 120 locations), speed dial (up to 120 numbers), auto redialing, PC faxing supported, delayed sending, distinctive ring, phone TAM interface, telephone mode supported, up to 250 pages fax memory7
Photo memory cards supported	CompactFlash Type I and II, Memory Stick, Memory Stick PRO, Memory Stick Duo, Secure Digital, MultimediaCard, xD-Picture Card
Processor	450 MHz
Memory	160 MB
Recommended monthly volume	250 to 1'500 pages
Duty cycle	Up to 30'000 pages
Paper	
Input	150-sheet multipurpose input tray
Output	125-sheet face-down output bin
Two-sided printing	Manual
Sizes	76 by 127mm to 216 by 356mm; A4, A5, B5 (ISO, JIS); letter, legal, executive, envelopes (No. 10, Monarch)
Weights	60 to 176 g/m^2, up to 200 g/m^2 with HP laser cover papers, up to 220 g/m^2 with HP laser glossy photo papers
Types	Paper (bond, brochure, color, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Connectivity	
Interfaces	Hi-Speed USB 2.0 port, 10/100 Base TX with RJ-45 connector, 2 RJ-11 ports, photo memory card slots
Languages and fonts	Languages: HP PCL 6, HP postscript Level 3 emulation, HP PCL5c emulation; Fonts: 80 TrueType PCL 6, 80 TrueType PostScript
Dimensions (w x d x h)	497 by 490 by 485 mm
Weight (includes print cartridge)	24.7 kg
What's in the box	MFP; preinstalled introductory 750-page black, cyan, magenta, and yellow HP Color LaserJet print cartridges with ColorSphere toner11; in-box documentation (Getting Started Guide, support flyer); CD (User's Guide and device software); power cable; control panel faceplate; Readiris PRO OCR software and registration card, Marketing Starter Kit (specialty media samples, discounts to partner offerings, document templates)
Warranty	One-year, return to authorized service center, limited hardware warranty; telephone and Web support (varies according to region)

Prod-No.	Description	VAT excl.	VAT incl.		
CC431A	HP CLJ CM1312 MFP Printer Entry Level AiO Color LaserJet	622	669		

HP Color LaserJet CM1312 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CM1312 MFP
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Color LaserJet CM1312 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CM1312 MFP
Toner Cartridges						
CB540A	HP Color LaserJet CP1215/1515 Black Crtg HP Black Print Cartridge with HP ColorSphere toner, for HP Color ColorLaserJet CP1215/1515/1518 and CM1312 printers	121	131		↗	X
CB541A	HP Color LaserJet CP1215/1515 Cyan Crtg HP Cyan Print Cartridge with HP ColorSphere toner, for HP Color ColorLaserJet CP1215/1515/1518 and CM1312 printers	111	119		↗	X
CB542A	HP LaserJet CP1215/1515 Yellow Crtg HP Yellow Print Cartridge with HP ColorSphere toner, for HP Color ColorLaserJet CP1215/1515/1518 and CM1312 printers	111	119		↗	X
CB543A	HP LaserJet CP1215/1515 Magenta Crtg HP Magenta Print Cartridge with HP ColorSphere toner, for HP Color ColorLaserJet CP1215/1515/1518 and CM1312 printers	111	119		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CM2320

	HP Color LaserJet CM2320 MFP	
Print technology	Laser	
Print speed	A4 black: Up to 20 ppm. Colour: Up to 20 ppm. First page out black: < 17.8 sec (from ready mode). Colour: < 18.2 sec (from ready mode). Exact speed varies depending on the system configuration, software program, and document complexity.	
Processor	450 MHz. Freescale Coldfire® V5X embedded processor	
Memory	160 MB. Expandable to 416 MB through 1 DDR2 (SO-DIMM) slot	
Print	Quality	HP ImageREt 3600
	Resolution	A4 black: Up to 600 x 600 dpi. Colour: Up to 600 x 600 dpi
	Printer languages	HP PCL 6, HP Postscript level 3 emulation, HP PCL 5c
	Typefaces/fonts	80 TrueType internal scalable PCL 6, 80 TrueType internal scalable Postscript
	Duty cycle	Up to 40000 pages
	Recommended monthly page volume	1'000 to 2'500
	Print margins (mm)	Top: 3.5 mm. Left: 3.5 mm. Right: 3.5 mm. Bottom: 3.5 mm
Fax	Modem speed	33.6 kbps (3 sec per page)
	Telecom compliance	Telecom: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe), FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002: 2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-
	Fax memory	Up to 250
	Fax resolution	Standard: 203 x 98 dpi. Fine: 203 x 196 dpi. Superfine: 300 x 300 dpi (no halftone)
	Quick dialing	Up to 120.
	Fax Smart Software Features	Up to 33.6 kbps, duplex fax receive (CM2320fxi), Fax Setup Wizard, FaxTel, private fax receive, auto fax reduction, fax forwarding, fax polling (receive only), fax confirmation report, junk fax blocking, broadcasting (to up to 119 locations), 120-entry phone book, auto redialing, delayed sending, distinctive ring, digital storage of up to 250 fax pages (some features network, system, and software installation dependant)
Scan	Type	Flatbed; ADF. Colour scanning: Yes. File Formats: BMP, GIF, JPG, PNG, TIF, PDF
	Scan resolution	Optical: Up to 1200 dpi. Enhanced: Up to 19200 dpi
	Bit depth	42-bit
	Grey scale levels	256
	Twain version	TWAIN compatible Version 1.9
	Scan input modes	Remote initiated scanning via HP Director, TWAIN-compliant or WIA-compliant software, HP Solution Center software Walk-up initiated scanning via front control panel (preconfiguration via software required)
	Scannable area	Maximum media size: 21.6 x 29.7 cm
	Margins for scanned items	Left: 3.5 mm. Top: 3.5 mm. Right: 3.5 mm. Bottom: 3.5 mm
	Scanner smart software features	High depth-of-focus CCD scanner with instant-on LED illumination captures high quality images, 3-D objects and double page spreads minimising visible black lines at the binding, Scan-to e-mail, scan-to folder, scan-to PC, scan-to network folder, (some features network, system, and software installation dependant)

Copy	Copy speed	Black: Up to 20 cpm. Colour: Up to 20 cpm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies	Up to 99		
	Reduce/enlarge	25 to 400%		
	Copier smart software features	CM2320nf: Instant-on copy, 50-sheet Automatic Document Feeder (ADF), up to 99 multiple copies, scan once print many, collation, reduce/enlarge from 25 to 400% (with page-size presets), fit to page, two or four pages to one page, customisable copy presets, contrast (lighter/darker), resolution (copy quality), optimise copy selection (with presets-autoselect, mixed, printed picture, photograph, text), Colour Lockout - Turn colour copy off/on and password protect - some features system and software installation dependant CM2320fxi: Auto-duplex copy, Instant-on copy, 50-sheet Automatic Document Feeder (ADF), up to 99 multiple copies, scan once print many, collation, reduce/enlarge from 25 to 400% (with page-size presets), fit to page, two or four pages to one page, customisable copy presets, contrast (lighter/darker), resolution (copy quality), optimise copy selection (with presets-autoselect, mixed, printed picture, photograph, text), Turn colour copy and photo card slots off/on and password protect - some features system and software installation dependant		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 50, transparencies: 50, envelopes: 10	60 to 176 g/m² (up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, envelopes (ISO DL, ISO C5, ISO B5), post cards (Standard #10, JIS Single, JIS Double), 76 x 127 to 216 x 356 mmCM2320nf: A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, envelopes (ISO DL, ISO C5, ISO B5), post cards (Standard #10, JIS Single, JIS Double), 76 x 127 to 216 x 356 mm; CM2320fxi: A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, envelopes (ISO DL, ISO C5, ISO B5), post cards (Standard #10, JIS Single, JIS Double), 76 x 127 to 216 x 356 mm
	Tray 2	sheets: 250, envelopes: 10	60 to 163 g/m² (up to 176 g/m² with postcards, up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, envelopes (ISO DL, ISO C5, ISO B5), post cards (JIS Single, JIS Double), 100 x 148 to 216 x 356 mm
	Tray 3	sheets: 250, envelopes: 10 (CM2320fxi)	60 to 163 g/m² (up to 176 g/m² with postcards, up to 220 g/m² with HP Color Laser Glossy Photo papers) (CM2320fxi)	A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, envelopes (ISO DL, ISO C5, ISO B5), post cards (JIS Single, JIS Double), 100 x 148 to 216 x 356 mm (CM2320fxi)
	ADF	sheets: 50	60 to 90 g/m²	A4 (ISO), A5 (ISO), B5 (JIS), Executive, legal, letter, personal, 127 x 127 mm to 215.9 x 355.6 mm
	Output: Sheets: Up to 150. Envelopes: Up to 20. Transparencies: Up to 50			
Media types	Paper (bond, brochure, colour, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes			
Interface and connectivity	Built-in 10/100 wired Ethernet network connectivity with 1 RJ-45 port; 1 Hi-Speed USB 2.0 port			
Memory card compatibility	CompactFlash™ Type I and II, Memory Stick®, Secure Digital, MultiMediaCard, xD-Picture Card			
Standard software	HP Toolbox FX, HP LaserJet Scan, TWAIN 1.9 or WIA scanner drivers, HP LaserJet Fax, HP Fax Setup Wizard, HP Fax software, Readiris PRO text recognition software (not installed with other software, separate installation required), printer drivers (HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation), installer/uninstaller, HP Director (Macintosh). Drivers on the web: CM2320nf: Installer, print drivers, HP Send Fax, HP Scan software, HP Toolbox FX for management and support, Readiris PRO text recognition software, HP Software Update, HP Web Jetadmin, Enterprise Installer; CM2320fxi: Installer, print drivers, HP Send Fax, HP Scan software, HP Toolbox FX for management and support, Readiris PRO text recognition software, HP SoftwareUpdate, HP Web Jetadmin, Enterprise Installer			
Control panel	CM2320nf: Intuitive control panel with 2.4''/6 cm colour graphic rotating display, alternating message screen, device/supplies status view, Ready LED, Error LED, Copy controls, Scan controls, Fax controls, Black/Colour controls, Photo controls, Numeric, Setup, Cancel, Help, and Back buttons.; CM2320fxi: Intuitive control panel with 2.4''/6 cm colour graphic rotating display, alternating message screen, device/supplies status view, Ready LED, Error LED, Copy controls, Scan controls, Fax controls,Black/Colour controls, Photo controls, Numeric, Setup, Cancel, Help, and Back buttons.			
Printer management	HP Toolbox FX, HP Web Jetadmin, HP Embedded Web Server, Easy Printer Care			
Power consumption	460 watts maximum (active), 425 watts (copy/scan), 27 watts (ready), 9.2 watts maximum (sleep), 0.5 watts (off)			
Dimensions (w x d x h)	Out of package: CM2320nf: 497 x 492 x 550 mm; CM2320fxi: 497 x 492 x 650 mm. Packaged: CM2320nf: 600 x 600 x653 mm; CM2320fxi: 800 x 600 x 653 mm			
Weight	Out of package: CM2320nf: 26.9 kg; CM2320fxi: 32.3 kg. Packaged: CM2320nf: 39.18 kg; CM2320fxi: 52.24 kg			
Warranty	One-year, on-site repair, limited hardware HP warranty, telephone and Web support (Warranty and support options vary by product, country and local legal requirements).			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
CC436A	CM2320nf - Print/Copy/Scan/Fax, 21/21 ppm Ltr; 20/20 ppm A4; USB 2.0 High Speed, 10/100 networking	928	999		
CC435A	CM2320fxi - Print/Copy/Scan/Fax, 21/21 ppm Ltr; 20/20 ppm A4; USB 2.0 High Speed, 10/100 networking, duplex, photocard slots, extra 250 sheet input tray.	1'139	1'226		

HP Color LaserJet CM2320 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CM2320
HP Memory and Hard Disks						
CB421A	HP 64MB DDR2 144pin SDRAM DIMM	642	691			X
CB422A	HP 128MB 144pin SDRAM DIMM	855	920			X
CB423A	HP 256MB DDR2 144pin SDRAM DIMM	1'070	1'151			X
HP Paper Trays						
CB500A	HP LaserJet 250 Sheet Input Tray Final units.	212	228			X
HP Cables						
Q6264A	HP USB 2.0 A to B 6 Foot Printer Cable For USB print devices.	8	9			X

HP Color LaserJet CM2320 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CM2320
Toner Cartridges						
CC530A	HP Color LaserJet CP2025 Black Crtg prints approximately 3,500 pages using the ISO/IEC 19798 yield standard.prints approximately 3,500 pages using the ISO/IEC 19798 yield standard.	187	202		↗	X
CC531A	HP Color LaserJet CP2025 Cyan Crtg Prints approximately ,2800 pages using the ISO/IEC 19798 yield standard.prints approximately 2,800 pages using the ISO/IEC 19798 yield standard.	188	202		↗	X
CC532A	HP Color LaserJet CP2025 Yellow Crtg Prints approximately ,2800 pages using the ISO/IEC 19798 yield standard. prints approximately 2,800 pages using the ISO/IEC 19798 yield standard.	188	202		↗	X
CC533A	HP Color LaserJet CP2025 Magenta Crtg HP Magenta Print Cartridge with HP ColorSphere Toner prints approximately 2,800 pages using the ISO/IEC 19798 yield standard.	188	202		↗	X

HP Color LaserJet CP2025

	HP Color LaserJet cp2025			
Print technology	Laser			
Print speed	A4 black: Up to 20 ppm, colour: Up to 20 ppm First page out black: < 17.8 sec (from "ready"), colour: < 18 sec (from "ready") Exact speed varies depending on the system configuration, software application, driver and document complexity.			
Processor	540 MHz, Motorola Coldfire® V5x			
Memory	128 MB DDR2 RAM + 4 MB internal flash memory, Expandable to 384 MB through addition of 256 MB DDR2 in the single available slot.			
Print resolution	Black: Up to 600 x 600 dpi Colour: Up to 600 x 600 dpi			
Print quality	HP ImageREt 3600			
Printer languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation			
Typefaces/fonts	84 scalable TrueType fonts			
Duty cycle	Up to 40'000 pages per month			
Recommended monthly page volume	750 to 2'000			
Print margins	top: 4.23 mm, left: 4.23 mm, right: 4.23 mm, bottom: 4.23 mm			
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 50, transparencies: 50, envelopes: 10	60 to 176 g/m² (up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (JIS), 10 x 15 cm, 16K, envelopes (ISO DL, ISO C5, ISO B5), post cards (Standard #10, JIS Single, JIS Double), 76 x 127 to 216 x 356 mm
	Tray 2	sheets: 250, envelopes: 10	60 to 163 g/m² (up to 176 g/m² with postcards, up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (JIS), 10 x 15 cm, 16K, envelopes (ISO DL, ISO C5, ISO B5), post cards (JIS Single, JIS Double), 100 x 148 to 216 x 356 mm
	Tray 3	sheets: 250, envelopes: 10	60 to 163 g/m² (up to 176 g/m² with postcards, up to 220 g/m² with HP Color Laser Glossy Photo papers)	A4, A5, A6, B5 (JIS), 10 x 15 cm, 16K, envelopes (ISO DL, ISO C5, ISO B5), post cards (JIS Single, JIS Double), 100 x 148 to 216 x 356mm
	Duplex printing			A4
	Output	Sheets: Up to 150. Envelopes: Up to 20. Transparencies: Up to 50		
Media types	Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes			
Interface and connectivity	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX			
Network capabilities	Via On-board internal networking			
Software	Print driver (HP PCL 6), Toolbox configuration utility, SNP alerts, DTSS, media educator video, and installation software on CD-ROM.			
Control panel	Backlit, 2-line, 16-character front panel display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back); 2 LEDs (Attention, Ready)			
Printer management	Toolbox (recommended install) or SNP (express install)			
Upgradability	Memory upgradeable to 384 MB, optional 250-sheet tray, one additional tray may be added			
Power consumption	445 watts maximum (active), 18 watts maximum (ready), 6.7 watts maximum (sleep), 0.48 watts maximum (off)			
Warranty	One-year, return to authorised service centre, limited warranty. Warranty and support options vary by product, country and local legal requirements.			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
CB494A	"HP Color LaserJet CP2025n Printer - 21/21ppm Letter, 20/20ppm A4, Simplex, 250 sheet input tray, 50 sheet MP tray, 2 line, 16 character display (backlit), USB 2.0 Hi Speed, extra 250 sheet input tray (optional)10/100 Base-T networking"	638	686		
CB495A	"HP Color LaserJet CP2025dn Printer - 21/21ppm Letter, 20/20ppm A4, Simplex, 250 sheet input tray, 50 sheet MP tray, 2 line, 16 character display (backlit), USB 2.0 Hi Speed, extra 250 sheet input tray (optional)10/100 Base-T networking, automatic duplex"	851	916		

HP Color LaserJet C2025 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CP2025
Toner Cartridges						
CC530A	HP Color LaserJet CP2025 Black Crtg prints approximately 3,500 pages using the ISO/IEC 19798 yield standard.prints approximately 3,500 pages using the ISO/IEC 19798 yield standard.	187	202		↗	X
CC531A	HP Color LaserJet CP2025 Cyan Crtg Prints approximately ,2800 pages using the ISO/IEC 19798 yield standard.prints approximately 2,800 pages using the ISO/IEC 19798 yield standard.	188	202		↗	X
CC532A	HP Color LaserJet CP2025 Yellow Crtg Prints approximately ,2800 pages using the ISO/IEC 19798 yield standard. prints approximately 2,800 pages using the ISO/IEC 19798 yield standard.	188	202		↗	X
CC533A	HP Color LaserJet CP2025 Magenta Crtg HP Magenta Print Cartridge with HP ColorSphere Toner prints approximately 2,800 pages using the ISO/IEC 19798 yield standard.	188	202		↗	X

HP Color LaserJet 3600

HP Color LaserJet 3600			
Print speed First page out from "Warm" and "Powersave"	Up to 17 ppm mono and colour Black/colour (A4): less than 14 secs Print speed will be affected by media type, paper size, job complexity, host operating system and performance, connectivity and cable type.		
Processor	360 MHz Fujitsu FRV555 VLIW		
Memory	Base/n: 64 MB, dn: 128 MB Not user upgradeable		
Print technology	Laser		
Print quality	HP Imageret 3600 with up to 600 dpi		
Printer languages	HP JetReady 4.2 Page Description Language (host-based printing)		
Typefaces/fonts	80 built-in fonts available for both PCL and Postscript emulation, printer-matching screen fonts in TrueType format available with the software solution		
Duty cycle	Up to 50'000 pages		
Print margins	Top: 5 mm, left: 5 mm, right: 5 mm, bottom: 5 mm. Maximum print area: 207.4 x 347.5 mm		
Paper handling	Input	Capacity	Weight	Size
	Tray 1	Sheets: 100; labels, transparencies, cardstock: 50; envelopes: 10	60 to 220 g/m^2	A4, A5, B5 (JIS), executive (JIS), envelopes (DL, C5, B5), 76 x 127 to 216 x 356 mm
	Tray 2	Sheets: 250; labels, transparencies: 100	60 to 120 g/ m^2	A4, A5, B5 (JIS), 148 x 210 to 216 x 356 mm
	Tray 3 (optional)	Sheets: 500; labels, transparencies: 100	60 to 120 g/ m^2	A4, A5, B5 (JIS), 148 x 210 to 216 x 356 mm
	Output	Sheets: up to 250 sheets, 10 envelopes, 50 transparencies		
	Duplex printing: base/n	Manual (driver support provided)		
	dn/dtn	Automatic (standard)		
Media types	Paper (plain, glossy), envelopes, transparencies, labels, cardstock			
Interface and connectivity	Base	Hi-Speed USB 2.0 port (compatible with USB 2.0 specifications		
	Network models	Hi-Speed USB 2.0 port (compatible with USB 2.0 specifications), HP Jetdirect Fast Ethernet Embedded Print Server		
	Optional	HP wireless print servers, Bluetooth® wireless printer adapter		
Control panel	2-line graphical display, 4 lights (Attention, Data, Ready, Toner), 4 buttons (Help, Menu, Select, Stop), 3 navigation arrow buttons (Back, Down, Up)			
Printer management	HP Web Jetadmin, HP Easy Printer Care Software, HP Embedded Web Server			
Power consumption	0.5 watts (off), 15 watts (sleep), 51 watts (ready), 337 watts (active)			
Dimensions (w x d x h) (out of package)	Base/n: 400 x 450 x 400 mm; dn: 400 x 450 x 423 mm; dtn: 400 x 450 x 563 mm			
Weight (out of package)	Base/n: 27.1 kg; dn: 28 kg; dtn: 33.7 kg			
Warranty	One year, next day on-site limited warranty.			

Prod-No.	Description	VAT excl.	VAT incl.		
Q5987A	HP Color LaserJet 3600n Printer 17/17 ppm letter/A464 MB RAMhigh- speed USB 2.0on-board 10/100 baseTx (proactive) 250 sheet tray and 100 sheet MP	970	1'044		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CP3505

	HP Color LaserJet cp3505			
Print technology	Laser			
Print speed	A4 black: Up to 21 ppm, colour: Up to 21 ppm First page out Black: < 12.5 sec, colour: < 12.5 sec, From Ready Mode Exact speed varies depending on the system configuration, software application, driver and document complexity.			
Processor	450 MHz, Motorola Coldfire V5x Embedded			
Memory	CP3505: 256 MB; CP3505n: 256 MB; CP3505dn: 384 MB; CP3505x: 384 MB; Expandable to 1024 MB through DDR2 SDRAM SODIMM slot			
Print resolution	Black: Up to 1200 x 600 dpi Colour: Up to 1200 x 600 dpi			
Print quality	HP ImageREt 3600			
Printer languages	HP PCL 6, HP PCL 5c, HP Postscript Level 3 emulation, direct PDF printing v 1.4			
Typefaces/fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)			
Duty cycle	Up to 65'000 pages per month			
Print margins	top: 5 mm, left: 5 mm, right: 5 mm, bottom: 5 mm			
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 100, labels, transparencies, cardstock: 50, envelopes: 10	60 to 160 g/m²	A4, A5, B5 (JIS), executive (JIS), envelopes (DL, C5, B5), 76 x 127 to 216 x 356 mm
	Tray 2	sheets: 250, labels: 100	60 to 120 g/m²	A4, A5, B5 (JIS), 148 x 210 to 216 x 356 mm
	Tray 3	sheets: 500, labels: 100	60 to 120 g/m²	A4, A5, B5 (JIS), 148 x 210 to 216 x 356 mm
	Duplex printing	CP3505 and CP3505n: Manual (driver support provided); CP3505dn and CP3505x: Automatic (standard)	60 to 120 g/m²	A4, B5, B5 (JIS)
	Output	Sheets: Up to 250. Envelopes: Up to 10. Transparencies: Up to 50		
Media types	Paper (bond, colour, glossy, letterhead, plain, preprinted, prepunched, recycled, rough, tough), labels, envelopes, cardstock, transparencies, user-defined			
Interface and connectivity	CP3505: Hi-Speed USB 2.0 port (compatible with USB 2.0 specifications), Host-USB accessory slot, 1 available EIO slot (for optional network adapters, IEEE 1284B parallel port or hard disk); CP3505n, CP3505dn, CP3505x: Hi-Speed USB 2.0 port (compatible with USB 2.0 specifications), HP Jetdirect Fast Ethernet embedded print server, Host-USB accessory slot, 1 available EIO slot (for optional network adapters, IEEE 1284B parallel port or hard disk);			
Software	Print drivers and installation software on CD-ROM: HP PCL 5, HP PCL 6, HP Postscript level 3 emulation; Macintosh software: HP Printer utility, Postscript Printer Description files			
Control panel	2-line graphical display, 4 lights (Attention, Data, Ready, Toner), 4 buttons (Help, Menu, Select, Stop), 3 navigation arrow buttons (Back, Down, Up)			
Printer management	HP Embedded Web Server, HP Web Jetadmin, HP Easy Printer Care, HP Universal Print Driver, HP Colour Access Control			
Dimensions (w x d x h)	Out of package: CP3505: 413 x 510 x 430 mm; CP3505n: 413 x 510 x 430 mm; CP3505dn: 413 x 510 x 430mm; CP3505x: 413 x 510 x 570 mm Packaged: CP3505: 575 x 570 x 516 mm; CP3505n: 575 x 570 x 516 mm; CP3505dn: 575 x 570 x 538 mm; CP3505x: 575 x 570 x 810 mm			
Weight	Out of package: CP3505: 27.1 kg; CP3505n: 27.1 kg; CP3505dn: 28.0 kg; CP3505x: 33.7 kg Packaged: CP3505: 30.1 kg; CP3505n: 30.1 kg; CP3505dn: 31 kg; CP3505x: 38.7 kg			
Warranty	One-year, next-day, onsite limited warranty			

Prod-No.	Description	VAT excl.	VAT incl.		
CB442A	HP Color LaserJet CP3505n Printer 22/22 ppm letter,21/21 ppm A4256 MB RAMhigh-speed USB 2.0on-board 10/100 baseTx (proactive)250 sheet tray + 100 sheet MP.	1'194	1'285		
CB443A	HP Color LaserJet CP3505dn Printer 22/22 ppm letter,21/21 ppm A4256 MB RAMhigh-speed USB 2.0on-board 10/100 baseTx (proactive)duplexing standard 250 sheet tray + 100 sheet MP.	1'493	1'606		
CB444A	HP Color LaserJet CP3505x Printer 22/22 ppm letter,21/21 ppm A4256 MB RAMhigh-speed USB 2.0,on-board 10/100 baseTx (proactive)duplexing standard 250 sheet tray + 100 sheet MP.	1'867	2'009		

HP Color LaserJet CP3505 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CP3505
HP Paper Trays						
Q5985A	HP CLJ3000/3600/3800 500 Sheet Tray For Color Laser Jet 3000, 3600 or 3800 printers	620	667			X
HP Connectivity-JetDirect						
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Svr Share printers and MFP's over iPv4 networks with this high performance print server.	700	753			X
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425			X
J7972G	HP 1284B Parallel Eio Card	152	164			X
HP Other Accessories						
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X

HP Color LaserJet CP3505 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CP3505
Toner Cartridges						
Q6470A	HP LaserJet 3505/3600/3800 Black Crtg Contains one HP Color LaserJet Black Print Cartridge for HP Color LaserJet 3600 and 3800 printers. Average Cartridge Yield 6,000 pages	227	244		↗	X
Q7581A	HP Color LaserJet 3505/3800 Cyan Crtg Contains one HP Color LaserJet 3800 Cyan Cartridge. Average Cartridge Yield 6,000 pages.	292	314		↗	X
Q7582A	HP Color LaserJet 3505/3800 Yellow Crtg Contains one HP Color LaserJet 3800 Yellow Cartridge. Average Cartridge Yield 6,000 pages.	292	314		↗	X
Q7583A	HP Color LaserJet 3505/3800 Magenta Crtg Contains one HP Color LaserJet 3800 Magenta Cartridge. Average Cartridge Yield 6,000 pages.	292	314		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CP3525

	HP Color LaserJet cp3525
Print technology	Laser
Print speed	A4black: Up to 30 ppm, colour: Up to 30 ppm First page outBlack: As fast as 11 sec (from "ready"), colour: As fast as 11 sec (from "ready") Exact speed varies depending on the system configuration, software application, driver and document complexity.
Processor	515 MHz, Motorola Coldfire® V5x Embedded
Memory	CP3525n: 256 MB; CP3525dn: 384 MB; CP3525x: 512 MB, Expandable up to 1024 MB through one industry-standard DIMM slot
Print resolution	Black: Up to 1200 x 600 dpi Colour: Up to 1200 x 600 dpi
Print quality	HP ImageREt 3600 (600 x 600 dpi)
Printer languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, direct PDF printing v 1.4
Typefaces/fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)
Duty cycle (monthly, A4)	Up to 75'000
Recommended Monthly Page Volume	1'500 to 5'000
Print margins	top: 2 mm absolute/5 mm assured image, left: 2 mm absolute/5 mm assured image, right: 2 mm absolute/5 mm assured image, bottom: 2 mm absolute/5 mm assured image
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 / sheets (75 g/m² paper): 100; labels, transparencies, cardstock (163 g/m²): 50, cardstock (216 g/m²): 30, envelopes: 10 / 60 to 216 g/m² (plain paper), 105 to 220 g/m² (glossy paper) / Letter, legal, executive, 8.5 x 13, A4, A5, B5 (JIS), envelopes (No. 10, Monarch (7 3/4), C5, B5, DL), 98.4 x 148 to 215.9 x 355.6 mm Tray 2 / sheets (75 g/m² paper): 250, cardstock (163 g/m²): 100, transparencies: 100 / 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper) / Letter, executive, A4, A5, B5 (JIS), 148 x 210 to 215.9 x 297 mm Tray 3 / sheets (75 g/m² paper): 500, cardstock (163 g/m²); labels, transparencies: 200, glossy media with adapter (220 g/m², 10 x 15 cm): 100 / 60 to 176 g/m² (plain paper), 105 to 220 g/m² (glossy paper) (CP3525x) / A4, A5, B5 (JIS), executive, 148 x 210 to 215.9 x 355.6 mm Duplex printing / CP3525n: Manual (driver support provided); CP3525dn: Automatic (standard); CP3525x: Automatic (standard) / 60 to 163 g/m² (automatic), 60 to 220 g/m² (manual) / A4, B5, B5 (JIS) **Output** Sheets: Up to 250. Envelopes: Up to 10. Transparencies: Up to 100
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy) colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film
Interface and connectivity	One embedded HP Jetdirect 10/100/1000 Base-T Ethernet port, one Hi-Speed USB 2.0 port, one available EIO slot
Software	Software for Microsoft® Windows®: Desktop SureSupply, HP Update. Macintosh: HP Postscript 3 driver software (v4.3.1) and HP Printer Utility for Mac OS X
Control panel	4-line graphical colour display, 3 lights (Attention, Data, Ready), 7 buttons (Help, Menu, OK, Stop, Back, Down, Up)
Printer management	HP Web Jetadmin, HP Easy Printer Care Software, HP Sure Supply, HP Colour Access Controls, HP Embedded Web Server
Power consumption	643 watts (active/printing), 60 watts (ready), 35.1 watts (sleep 1), 10 watts (sleep 2), 0.48 watts (off)

Dimensions (w x d x h)	Out of package: CP3525n: 514 x 491 x 358 mm; CP3525dn: 514 x 491 x 358 mm; CP3525x: 514 x 491 x 520 mm Packaged: CP3525n: 755 x 600 x 530 mm; CP3525dn: 755 x 600 x 530 mm; CP3525x: 755 x 600 x 725 mm
Weight	Out of package: CP3525n: 32.9 kg; CP3525dn: 33.4 kg; CP3525x: 40.5 kg Packaged: CP3525n: 39 kg; CP3525dn: 39.5 kg; CP3525x: 48 kg
Warranty	One-year on-site, limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CC468A	HP Color LaserJet CP3525, Up to 30/30 ppm (A4/letter), 515 MHz processing speed and 256MB memory, 350 sheets input capacity.	939	1'010		
CC469A	HP Color LaserJet CP3525n, Up to 30/30 ppm (A4/letter), 515 MHz processing speed and 256MB memory, 350 sheets input capacity.	1'088	1'171		
CC470A	HP Color LaserJet CP3525dn Printer HP Color LaserJet CP3525dn,Up to 30/30 ppm (A4/letter),515 MHz processing speed and 384MB memory, automatic two-sided printing (duplexer),350 sheets	1'327	1'428		
CC471A	HP Color LaserJet CP3525x Printer HP Color LaserJet CP3525dn, Up to 30/30 ppm (A4/letter), 515 MHz processing speed and 512MB memory, automatic two-sided printing (duplexer), 850 sheets input	1'708	1'838		

HP Color LaserJet CP3525 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CP3525
HP Paper Trays						
CE522A	HP 500 Sheet Heavy Media Paper Tray Optional tray 3 for use with general office media and heavy media types.	539	580			X
HP Memory						
CC411A	HP 512 MB DDR2 200-pin DIMM HP 512 MB DDR2 200pin DIMM	1'273	1'370			X
CC412A	HP 1GB DDR2 200-pin DIMM	1'527	1'643			X
J8019A	HP High-Performance Secure EIO Hard Disk EIO version - with AEP encryption.	900	968			X
HP Connectivity-JetDirect						
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
J7972G	HP 1284B Parallel Eio Card	152	164			X
HP Other Accessories						
CE506A	HP Fuser 220V Preventative Maint Kit	263	283			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CP3525 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CP3525
Toner Cartridges						
CE254A	HP LaserJet CP3525 Toner Collection Unit Contains 1 HP LaserJet CP3525/CM3530 mfp Toner Collection Unit with approximately 36,000 page capacity.	21	23			X
CE250A	HP CP3525/CM3530 MFP Black 5K Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp standard capacity black cartridge prints approximately 5,000 pages using ISO/IEC 19798 yield standard	207	223		↗	X
CE250X	HP CP3525/CM3530 MFP Black Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp high capacity black cartridge prints approximately 10,500 pages using ISO/IEC 19798 yield standard	301	324		↗	X
CE251A	HP CP3525/CM3530 MFP Cyan Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp standard capacity cyan cartridge prints approximately 7,000 pages using ISO/IEC 19798 yield standard	408	439		↗	X
CE252A	HP CP3525/CM3530 MFP Yellow Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp standard capacity yellow cartridge prints approximately 7,000 pages using ISO/IEC 19798 yield standard	408	439		↗	X
CE253A	HP CP3525/CM3530 MFP Magenta Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp standard capacity magenta cartridge prints approximately 7,000 pages using ISO/IEC 19798 yield standard	408	439		↗	X
Paper						
Q2552A	HP Professional Laser Paper A4 250 Sht Contains 250 sheets of A4 size HP Professional laser 130 glossy paper.	29	31		↗	X
Q6550A	HP Laser Photo Paper,Matte,A4,100 Sht Sturdy,bright,super smooth. Reliably produce rich,vibrant,color photos, image intensive documents,postcards, marketing materials.	26	28		↗	X
Q6614A	HP Glossy Photo Laser Paper 100 Sht This photo paper is 220 glossy, A4 Size, 220 gsm, and 100 sheets	31	33		↗	X

HP Color LaserJet CM3530 MFP

	HP Color LaserJet CM3530 MFP			
Print technology	Laser			
Print speed	A4 black: Up to 30 ppm, color: Up to 30 ppm. First page out black,< 11.3 sec (from ready), colour: < 12.5 sec (from ready) Exact speed varies depending on the system configuration, software application, driver and document complexity.			
Processor	515 MHz. Embedded Freescale Coldfire® V5x Superscalar Processor			
Memory	512 MB. Expandable to 1 GB through 1 available DIMM slot. Hard Disk Capacity: Standard, 80 GB HP high-performance embedded hard disk			
Print	Quality	HP ImageREt 3600		
	Resolution	Black: Up to 600 x 600 dpi, Color: Up to 600 x 600 dpi		
	Printer languages	HP PCL 6, HP PCL 5, HP Postscript level 3 emulation, direct PDF printing v 1.4		
	Economical printing	Return to Powersave mode after each print job due to Instant-on Fuser Technology (saves electricity), automatic two-sided printing and N-up printing (saves paper)		
	Typefaces/fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)		
	Duty cycle (monthly, A4)	Up to 75'000 pages		
	Recommended monthly page volume	2'000 to 6'000		
	Maximum print area	207.4 x 347.1 mm		
Fax	Modem speed	33.6 kbps (3 sec per page)		
	Fax resolution	Standard: 200 x 100 dpi. Superfine: 300 x 300 dpi (400 x 400 dpi for Received faxes only)		
	Quick dialing	Up to 100 numbers (each with 100 destinations)		
Digital sending	File formats	PDF, JPEG, TIFF, MTIFF		
	Features	Standard: Embedded scan to e-mail, send to network folder, LDAP. Optional: Optional via HP Digital Sending Software (HP DSS), secondary e-mail, send to folder, send to workflow, send to printer, authentication, digital fax (send to LAN, Windows 2000, Internet)		
Scan	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi		
	Grey scale levels	256		
	Scannable area	Minimum media size: 14.8 x 21 cm. Maximum media size: 21.6 x 35.6 cm		
Copy	Copy speed	Up to 30 cpm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies	Up to 999		
	Reduce/enlarge	25 to 400%		
Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets: 100, envelopes: 10, transparencies: 10 mm stack	60 to 220 g/m²	A4, A5, B5 (JIS), B6 (JIS), A6, double postcard (JIS), 16K; envelopes (No. 9, No. 10, Monarch, C5, C6, DL, B5); letter, legal, executive, statement; 98.4 x 148 mm to 216 x 356 mm
	Tray 2	sheets: 250	60 to 220 g/m²	A4, A5, B5 (JIS), 16K; letter, executive; 148 x 210 mm to 216 x 297 mm
	Tray 3	sheets: 500 (optional)	60 to 220 g/m² (optional)	A4, A5, B5 (JIS), 16K; letter, legal, executive; 148 x 210 mm to 216 x 356 mm (optional)
	ADF	sheets: 50	60 to 105 g/m²	A4, A5, letter, legal, custom
	Output: Sheets: Up to 250. Envelopes: Up to 10. Transparencies: Up to 15 **Duplex printing**: Automatic (standard)			
Media types	Paper (plain, preprinted, letterhead, prepunched, bond, recycled, colour, light, intermediate, heavy, extra heavy, rough, glossy, heavy glossy, tough), transparencies, labels, envelopes, card stock			

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Interface and connectivity	Optional: HP Jetdirect 630n IPv6 Gigabit Ethernet Print Server J7997G, HP Jetdirect 635n IPv6/IPSec Print Server J7961G, HP Jetdirect en3700 Fast Ethernet Print Server, HP Jetdirect en1700 IPv4/IPv6 Print Server, HP 1284B Parallel Card J7972G
Standard software	Microsoft® Windows® Installer (Microsoft® Windows® 2000, XP, Server 2003, Windows Vista® and Server 2008), x86 and x64, Mac Installer (OS X v10.3, v10.4, v10.5), HP PCL 6 Universal Printer Driver and HP Universal PostScript Printer level 3 drivers for Microsoft® Windows®; Macintosh: HP Postscript 3 driver software (v 4.3.1) and HP Printer Utility for Mac OS X
Control panel	20.6 cm (8.1 inch) touchscreen colour LCD graphical display, job control buttons, numeric keypad, LED status lights, Hardware Integration Pocket
Printer management	HP Web Jetadmin; HP Easy Printer Care (Neither is shipped in box)
Power consumption	652 watts maximum (active/printing); 666 watts maximum (active/copy or scan); 72.2 watts maximum (Sleep 1), 18.1 watts maximum (Sleep 2); 87.4 watts maximum (ready); 0.84 watts maximum (off);
Dimensions (w x d x h)	Out of package: CM3530: 515 x 519 x 560.5 mm; CM3530fs: 543 x 519 x 560.5 mm. Packaged: 813 x 661 x 875 mm
Weight	Out of package: CM3530: 43.18 kg; CM3530fs: 44.03 kg. Packaged: CM3530: 62 kg; CM3530fs: 63 kg
Warranty	1 year Next Business Day On-Site standard. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
CC519A	HP Color LaserJet CM3530, Up to 31/30ppm(letter/A4) desktop color MFP; base= duplex & 250 sheet tray	3'690	3'970	**N**	
CC520A	HP Color LaserJet CM3530fs, Up to 31/30ppm(letter/A4) desktop color MFP; base (duplex & 250 sheet input tray) plus fax and convienence stapler	4'260	4'584	**N**	

HP Color LaserJet CM3530 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CM3530 MFP
HP Paper Trays						
CE522A	HP 500 Sheet Heavy Media Paper Tray Optional tray 3 for use with general office media and heavy media types.	539	580			**X**
HP Memory						
CC411A	HP 512 MB DDR2 200-pin DIMM HP 512 MB DDR2 200pin DIMM	1'273	1'370			**X**
J8018A	HP High-Performance Secure Hard Disk Internal disk drive with AEP encryption.	800	861			**X**
J8019A	HP High-Performance Secure EIO Hard Disk EIO version - with AEP encryption.	900	968			**X**
HP Connectivity-JetDirect						
J8007G	HP Jetdirect 690n Wireless Print Server The HP Jetdirect 690n allows you to reliably and affordably share supported peripherals over a network with robust security - wired or wirelessly.	730	785			**X**
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			**X**
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Svr Share printers and MFP's over iPv4 networks with this high performance print server.	700	753			**X**
J7972G	HP 1284B Parallel Eio Card	152	164			**X**
HP Other Accessories						
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			**X**
CC487A	HP LaserJet MFP Analog 500 Fax Accessory	570	613	**N**		**X**
CE506A	HP Fuser 220V Preventative Maint Kit	263	283			**X**
Q7432A	HP Staple Cartridge Pack Staple cartridge pack for the HP LaserJet 3392 All-in-One Printer. Contains 2 cartridges with 1500 staples each.	46	50			**X**

HP Color LaserJet CM3530 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CM3530 MFP
Toner Cartridges						
CE250A	HP CP3525/CM3530 MFP Black 5K Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp standard capacity black cartridge prints approximately 5,000 pages using ISO/IEC 19798 yield standard	207	223		↗	X
CE250X	HP CP3525/CM3530 MFP Black Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp high capacity black cartridge prints approximately 10,500 pages using ISO/IEC 19798 yield standard	301	324		↗	X
CE251A	HP CP3525/CM3530 MFP Cyan Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp standard capacity cyan cartridge prints approximately 7,000 pages using ISO/IEC 19798 yield standard	408	439		↗	X
CE252A	HP CP3525/CM3530 MFP Yellow Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp standard capacity yellow cartridge prints approximately 7,000 pages using ISO/IEC 19798 yield standard	408	439		↗	X
CE253A	HP CP3525/CM3530 MFP Magenta Print Crtg Contains 1 HP LaserJet CP3525/CM3530 mfp standard capacity magenta cartridge prints approximately 7,000 pages using ISO/IEC 19798 yield standard	408	439		↗	X
CE254A	HP LaserJet CP3525 Toner Collection Unit Contains 1 HP LaserJet CP3525/CM3530 mfp Toner Collection Unit with approximately 36,000 page capacity.	21	23			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet 4700 Printer

	HP Color LaserJet 4700
	HP color LaserJet 4700 base
Print technology	In-line colour laser
Print speed at best print quality	Black/colour: up to 30 ppm; transparency: up to 4 ppm First page out: 10 sec from "Ready", 16.5 sec from "Powersave", 142 sec from "Cold start" Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Processor	533 MHz MIPS processor
Print quality	HP Imageret 3600 with up to 600 dpi (high resolution laser imaging system, accurate print mechanism, superior image enhancements, intelligent colour control, adaptive gloss finish, smart printing supplies with HP ColorSphere Toner)
Memory	Standard: 4700/n: 128 MB DDR RAM + 32 MB internal flash memory; 4700dn/dtn: 256 MB DDR RAM + 32 MB internal flash memory; 4700ph+: 512 MB DDR RAM + 32 MB internal flash memory; 4700/n/dn/dtn: expandable to 544 MB through 1 available DDR SODIMM slot, 2 available flash memory card slots for fonts or third party solutions using Memory Enhancement technology (MEt)
Duty cycle	Up to 100'000 pages per month
Printer languages	Standard: HP PCL 6, HP PCL 5c, HP Postscript Level 3 Emulation, direct PDF printing
Typefaces/fonts	93 internal TrueType fonts scalable in HP PCL and HP Postscript Level 3 Emulation; additional font solutions available via flash memory
Media handling	Input / Capacity / Weight / Size Tray 1: 100 sheets, 60 transparencies, 20 envelopes; 60 to 220 g/m^2; A4, A5, B5 (JIS), envelopes (DL, C5, B5), 76 x 127 to 216 x 356 mm Tray 2-5: 500 sheets; 60 to 120 g/m^2; A4, A5, B5 (JIS) Output: Up to 500 sheets (4700ph+: up to 750 sheets), Duplex: Automatic, 30 images per minute (standard with the 4700dn/dtn/ph+; 4700/n not upgradeable, manual duplex available) Duplex media size: A4, B5 Duplex media weight: 120 g/m^2
Print margins (mm)	Top: 5 mm, left: 5 mm, right: 5 mm, bottom: 5 mm
Interface and connectivity	Standard: 4700: IEEE 1284-C compliant bi-directional parallel port, 1 USB 2.0 port, 1 auxiliary port, 1 accessory port; 4700n/dn/dtn: as base plus HP Jetdirect Embedded Print Server; 4700ph+: as base plus HP Jetdirect Embedded Print Server, HP EIO hard disk, 40 GB 2 open EIO slots on all bundles
Standard software	Print drivers and installation software on CD-ROM (HP PCL 6, HP PCL 5c, HP Postscript Level 3 Emulation, Macintosh software, PostScript Printer Description)
Control panel	LCD backlit panel display with up to 4 lines of text and animated graphics. 3 LED status lights. Menu, Select, Stop, Back/Exit buttons.
Printer management	HP Embedded Web Server, HP Web Jetadmin, HP Easy Printer Care Software
Dimensions (w x d x h) (out of package/packaged)	4700/n: 521 x 598 x 582 mm/813 x 661 x 853 mm; 4700dn: 521 x 598 x 628.6 mm/813 x 661 x 853 mm; 4700dtn: 630 x 715 x 1010.6 mm/1200 x 1000 x 936 mm; 4700ph+: 630 x 715 x 1375.5 mm/1200 x 1000 x 1363 mm
Weight (out of package/packaged)	4700/n: 47.85 kg/66.45 kg; 4700dn: 49.21 kg/66.45 kg; 4700dtn: 99.56 kg/146.99 kg; 4700ph+: 125.19 kg/179.95 kg
Warranty	One-year, next day, onsite warranty. Optional HP Care Pack services

Prod-No.	Description	VAT excl.	VAT incl.		
Q7492A	HP Color LaserJet 4700n Printer 31/31ppm-letter 30/30ppm-A4 w/160MB RAM,1X500 sheet tray+100 MP tray, manual,duplex,HP Jetdirect Embedded print server 10/100 Base-TX	2'800	3'013		
Q7493A	HP Color LaserJet 4700dn Printer 31/31ppm-letter 30/30ppm-A4 w/288MB RAM,1X500 sheet tray+100 MP tray, auto duplex,HP Jetdirect Embedded print server 10/100 Base-TX	3'270	3'519		
Q7494A	HP Color LaserJet 4700dtn Printer 31/31ppm-letter 30/30ppm-A4 w/288MB RAM,3X500 sheet tray+100 MP tray, auto duplex,HP Jetdirect Embedded print server 10/100 Base-TX	4'820	5'186		

HP Color LaserJet 4700 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 4700
HP Other Accessories						
Q7003A	HP 750-Sheet Stapler Stacker Staples up to 30 sheets, output capacity max to 750 sheets, auto offset each job, compatible only w/ the HP LaserJet 4700 DN & DTN bundle.	795	855			X
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X
Q7499A	HP 500 Sheet Paper Feeder 500 sheet feeder optional assembly, stackable up to 4,supports HP Color LaserJet 4700 printers.	554	596			X
Q7501A	HP Color LaserJet Printer Stand HP Color LaserJet printer stand for the HP Color LaserJet 4700 printers; standard on HP Color LaserJet 4700 DTN & PH+ bundles.	554	596			X

HP Color LaserJet 4700 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 4700
Toner Cartridges						
Q5950A	HP Color LaserJet 4700 Black Cartridge HP Color LaserJet Print Cartridge. Average Cartridge Yield 11,000 pages.	305	328		↗	X
Q5951A	HP Color LaserJet 4700 Cyan Cartridge HP Color LaserJet Print Cartridge. Average Cartridge Yield 10,000 pages.	433	466		↗	X
Q5952A	HP Color LaserJet 4700 Yellow Cartridge HP Color LaserJet Print Cartridge. Average Cartridge Yield 10,000 pages.	433	466		↗	X
Q5953A	HP Color LaserJet 4700 Magenta Cartridge HP Color LaserJet Print Cartridge. Average Cartridge Yield 10,000 pages.	433	466		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CM4730mfp Multifunction Printer Series

HP Color LaserJet 4730mfp Multifunction Printer Series	
Print technology	Laser
Print speed	A4: Up to 30 ppm. First page out black: < 11 sec (from ready) Colour: < 11 sec (from ready). Warm-up time: less than < 165 sec Exact speed varies depending on the system configuration, software program and document complexity.
Processor	533 MHz. RISC
Memory	448 MB: 384 MB RAM and 64 MB fixed memory. Expandable to 512 MB RAM, 2 available Flash memory slots for font cards or third-party solutions. Hard Disk Capacity: Standard, 40 GB
Print	Quality: HP ImageREt 3600 Resolution: Up to 600 x 600 dpi Economical printing: Economode, immediate return to Power-safe mode after each print job due to Instant-on fuser technology (saves electricity). Standard automatic two-sided printing and N-up printing (saves paper) Languages: HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, direct PDF printing (v 1.4), PML (Printer Management Language) Typefaces/fonts: 80 internal TrueType fonts scalable in HP PCL and HP Postscript Level 3 emulation; additional font solutions available via Flash memory Duty cycle: Up to 175000 pages per month Margins: Top: 4.2 mm. Left: 4.2 mm. Right: 4.2 mm. Bottom: 4.2 mm
Fax	Modem speed: Up to 33.6 kbps Telecom compliance: Telecom: TBR-21:1998; EG 201 121:1998, FCC Part 68; CIT certificate per TBR-21 (Croatia); Spec. for Terminal Equipment No. 023/96 (Israel); MoC Tec. Requirements plus GOST Telecom series (Russia); TE001, 003, 006 (South Africa) Resolution: Standard: 200 x 100 dpi. Superfine: 300 x 300 dpi. Photo: 300 x 300 dpi
Scan	Type: Flatbed, ADF. Colour scanning: Yes Resolution: Optical: Up tp 600 dpi. Enhanced: Up tp 600 dpi Grayscale: 256 Scannable area: Minimum media size: 14.8 x 12.7 cm (from ADF). Maximum media size: 12.7 x 14.8 cm (Letter size via the glass), 21.6 x 29.7 cm (Legal size via the ADF) Margins for scanned items: Left: 4.2. Top: 4.2. Right: 4.2. Bottom: 4.2
Copy	Speed: Up to 30 cpm Resolution: 600 x 600 dpi Multiple copies: Up to 999 copies Reduce/enlarge: 25 to 400%, 25 to 200% (ADF)
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 — Sheets: 100, envelopes: 20, transparencies: 10 mm stack — 60 to 220 g/m² — A4, A5, B5 (JIS), executive (JIS), 16K, D Postcard (JIS), envelopes (DL, C5, B5), custom 76 x 127 to 216 x 356 mm Tray 2 — Sheets: 500, transparencies: 56 mm stack — 60 to 120 g/m² — A4, A5, B5 (JIS), executive (JIS), 16K, custom 148 x 210 to 216 x 356 mm Tray 3 — Sheets: 500, transparencies: 56 mm stack — 60 to 120 g/m² — A4, A5, B5 (JIS), executive (JIS), 16K, custom 148 x 210 to 216 x 356 mm ADF — Sheets: 50 — 60 to 120 g/m² Output — Sheets: Up to 500. Envelopes: Up to 20 Duplex printing: Automatic (standard)
Media types	Paper (plain, preprinted, letterhead, prepunched, bond, recycled, colour, light, intermediate, heavy, extra heavy, rough, glossy, heavy glossy, tough), transparencies, labels, envelopes, card stock
Interface and connectivity	Bidirectional IEEE-1284C parallel port, Hi-Speed USB port (compatible with USB 2.0 specifications), HP Jetdirect Fast Ethernet Embedded Print Server, 1 open EIO slot, foreign interface harness, host USB accessory port. Optional: HP Jetdirect internal and external print servers, HP wireless print servers, Bluetooth wireless printer adapter

Standard software	Windows® Installer for 2000 and up x86 and x64; Mac Installer for OS 10.2 and higher. Drivers on the web: Printing system; PCL 6 driver only, PCL 5 driver only, Postscript driver only; WJA applet; UPD PCL 6; UPD PCL 5, UPD Postscript; Easy printer care; PC Fax Driver
Control panel	Touch screen graphical display, job control buttons, numeric keypad, LED status lights
Printer management	HP Embedded Web Server, HP Web Jetadmin, HP Easy Printer Care Software (Web only), HP LaserJet Utility, HP Universal Print Driver
Dimensions (w x d x h)	Out of package: CM4730: 788 x 639 x 1153 mm; CM4730f: 788 x 639 x 1153 mm; CM4730fsk: 1106 x 639 x 1153 mm; CM4730fm: 1106 x 639 x 1153 mm. Packaged: CM4730: 900 x 815 x 1518 mm; CM4730f: 900 x 815 x 1518 mm; CM4730fsk: 900 x 815 x 1636 mm; CM4730fm: 900 x 815 x 1636 mm
Weight	Out of package: CM4730: 124 kg; CM4730f: 124 kg; CM4730fsk: 136 kg; CM4730fm: 136 kg. Packaged: CM4730: 154.2 kg; CM4730f: 154.2 kg; CM4730fsk: 169.43 kg; CM4730fm: 169.43 kg
Warranty	One-year warranty

Prod-No.	Description	VAT excl.	VAT incl.		
CB480A	HP Color LaserJet CM4730 MFP Printer A4 Color MFP,30/30 PPM,Base Model.	7'400	7'962		
CB481A	HP Color LaserJet CM4730f MFP Printer F Bundle	7'750	8'339		
CB482A	HP Color LaserJet CM4730fsk MFP Printer FSK Bundle	9'100	9'792		
CB483A	HP Color LaserJet CM4730fm MFP Printer FM Bundle	9'100	9'792		
T1936AA	HP Digital Sending Software 4.0 - 1 device license (option UA0)	533	574		
T1936AA	HP Digital Sending Software 4.0 - 5 device licenses (option 0AD)	2'268	2'440		
T1936AA	HP Digital Sending Software 4.0 - 10 device licenses (option 0A9)	4'269	4'593		
T1936AA	HP Digital Sending Software 4.0 - 50 device licenses (option 0AA)	7'339	7'897		
T1936AA	HP Digital Sending Software 4.0 - 250 device licenses (option UD6)	20'014	21'535		

HP Color LaserJet CM4730mfp - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CM4730 mfp
HP Memory						
Q7722A	HP 256MB DDR 200Pin SDRAM DIMM 256MB DDR 200 Pin SDRAM DIMM (RoHS Compliant)	1'123	1'208			X
HP Other Accessories						
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			X
Q7521A	HP 500 Sheet Stapler Stacker&Bridge Unit HP 500 sheet stapler/stacker works w/ HP CLJ4730 mfp series.Allows auto job finishing.This P/N includes the stapler/stacker and a bridge IPTU required	1'790	1'926			X
Q7523A	HP 3 Bin Mailbox & Bridge Unit HP 500 sheet stapler/stacker works w/ HP CLJ4730 mfp series.Allows auto job finishing.This P/N includes the stapler/stacker and a bridge IPTU required	1'790	1'926			X
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X
Q5997A	HP LaserJet 4345MFP ADF Maintenance Kit ADF maintenance kit required at every 90,000 pages	136	146			X
Q7504A	HP CLJ4730 Image Transfer Kit, 120'000 pages	305	328			X
Q7503A	HP CLJ4730 220 Volt Image Fuser Kit, 120'000 pages	381	410			X
HP Connectivity-JetDirect						
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CM4730mfp - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CM4730 mfp
Toner Cartridges						
Q6460A	HP Color LaserJet 4730 MFP Black Crtg Contains one HP color LaserJet 4730 MFP black print cartridge. Average yield if 12,000 pages.	241	260		↗	X
Q6461A	HP Color LaserJet 4730 MFP Cyan Crtg Contains one HP color LaserJet 4730 MFP cyan print cartridge. Average yield if 12,000 pages.	519	558		↗	X
Q6462A	HP Color LaserJet 4730 MFP Yellow Crtg Contains one HP color LaserJet 4730 MFP Magenta print cartridge. Average yield if 12,000 pages.	519	558		↗	X
Q6463A	HP Color LaserJet 4730 MFP Magenta Crtg Contains one HP color LaserJet 4730 MFP Magenta print cartridge. Average yield if 12,000 pages.	519	558		↗	X

HP Color LaserJet CP6015

	HP Color LaserJet CP6015		
	Model shown: CP 6015n		
Model	**HP Color LaserJet CP6015n printer (Q3931A)**	**HP Color LaserJet CP6015dn printer (Q3932A)**	**HP Color LaserJet CP6015xh printer (Q3934A)**
Print speed	Up to 41 ppm, A4 (up to 40 ppm, letter)		
Document delivery speed	First page out: less than 11 seconds, black-and-white (less than 11.5 seconds, color)		
Print resolution	HP ImageREt 4800 technology, 600 by 600 dpi and 1200 by 600 dpi for fine details and line art		
Processor	835 MHz		
Memory	512 MB		
Durability ratings	Recommended monthly volume: 4,000 to 17,000 pages; Duty cycle: 175,000 pages		
Paper			
Input	100-sheet multipurpose tray 1, 500-sheet tray 2		100-sheet multipurpose tray 1, 500-sheet trays 2, 3, 4, and 5
Output	500-sheet top (face-down) bin; optional HP 3-bin stapler/stacker or HP booklet maker/finisher		
Two-sided printing	Manual	Automatic	
Sizes	Multipurpose tray 1: 99 by140 mm to 320 by 457 mm, plus banner printing: 99 by 320 mm to up to 915 mm; A3, A4, A4-R, executive (JIS), A5, B4 (JIS), RA3, SRA3, B5 (JIS), 8K, 16K; letter, letter-R, legal, executive, 8k, 16k, envelopes (#9, #10, DL, C5, B5, C6, Monarch), post cards (European, double), US index cards; Input tray 2: 148 by 210 mm to 297 by 432 mm; A3, A4, A4-R, executive (JIS), A5, B4 (JIS), B5 (JIS), 8K, 16K; letter, letter-R, legal, executive, 8k, 16k Input trays 3, 4, and 5: 148 by 210 mm to 305 by 457 mm; A3, A4, A4-R, A5, executive (JIS), B4 (JIS), RA3, SRA3, B5 (JIS), 8K, 16K; letter, letter-R, legal, executive, 8k, 16k		
Weights	Multipurpose tray 1: 60 to 220 g/m^2; banner media: 75 to 220 g/m^2; Input trays 2, 3, 4, and 5: 60 to 220 g/m^2		
Types	Paper, transparencies, labels, envelopes, cardstock, tough paper, banner, user-defined		
Connectivity			
Interfaces	Two USB-like host ports for third-party connections, Hi-Speed USB 2.0 device port, two EIO slots, HP Jetdirect Gigabit Ethernet Print Server, Jetlink		
Languages and fonts	HP PCL6, HP PCL5, HP postscript level 3 emulation; 93 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)		
Power consumption	Active: 1,195 watts (CP6015n, CP6015dn); 1,200 watts (CP6015xh) Ready: 207 watts (CP6015n); 207.5 watts (CP6015dn); 211.4 watts (CP6015xh) Sleep: 18.9 watts (CP6015n, CP6015dn); 19.4 watts (CP6015xh); Off: 0.1 watts (all models)		
Dimensions (w x d x h)	580 by 635 by 704 mm		972.8 by 635 by 704 mm
Weight (includes print cartridge)	86.2 kg		119.6 kg
What's in the box	Printer; preinstalled 16,500-page black and 21,000-page cyan, magenta, and yellow HP Color LaserJet print cartridges with HP ColorSphere toner; in-box documentation: Getting Started Guide, software drivers, and documentation on CD-ROM; power cable;100-sheet multipurpose tray; 500-sheet input tray		
Also includes		Built-in two-sided printing	Built-in two-sided printing, three 500-sheet input trays, and an HP embedded hard disk
Warranty	One-year limited hardware warranty backed by HP Customer Care, service and support; one-year technical phone support		

Prod-No.	Description	VAT excl.	VAT incl.		
Q3931A	HP Color LaserJet CP6015n Printer EMU2 Build for Seabiscuit N	6'690	7'198		
Q3932A	HP Color LaserJet CP6015dn Printer EMU2 Build for Seabiscuit DN	7'376	7'937		
Q3934A	HP Color LaserJet CP6015xh Printer EMU2 Build for Seabiscuit xh	10'293	11'075		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CP6015 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CP6015
HP Memory						
J7989G	HP High Performance EIO ATA Hard Disk Lets you securely control when and how documents are printed on your EIO- equipped HP peripherals.	845	909			X
HP Paper Trays						
CB473A	HP Color LaserJet 1x 500 Paper Feeder HP 500 sheet paper feeder and cabinet, this accessory is necessary to add finishing devices the CP6015 Series.	783	843			X
CB474A	HP Color LaserJet 3 x 500 Paper Feeder HP 3x500 sheet paper feeder, this accessory is necessary to add finishing devices the CP6015 Series.	1'960	2'109			X
Q6998A	HP 3-bin Stapler/Stacker Accessory	2'613	2'812			X
Q6999A	HP Booklet Maker/Finisher Accessory	3'921	4'219			X
HP Connectivity-JetDirect						
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785			X
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Svr Share printers and MFP's over iPv4 networks with this high performance print server.	700	753			X
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X
J7972G	HP 1284B Parallel Eio Card	152	164			X

HP Color LaserJet CP6015 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CP6015
Toner Cartridges						
CB380A	HP CP6015 Black Print Cartridge Contains 1 HP LaserJet CP6015 standard capacity black cartridge prints approximately 16,500 pages using ISO/IEC 19798 yield standard	349	376		↗	X
CB381A	HP CP6015/CM6040mfp Cyan Print Crtg Contains 1 HP LaserJet CP6015 standard capacity cyan cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
CB382A	HP CP6015/CM6040mfp Yellow Print Crtg Contains 1 HP LaserJet CP6015 standard capacity yellow cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
CB383A	HP CP6015/CM6040mfp Magenta Print Crtg Contains 1 HP LaserJet CP6015 standard capacity magenta cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
Other Supplies Products						
CB384A	HP CP6015/CM6040mfp Black Image Drum HP CP6015/CM6030/CM6040mfp Black Image Drum. Contains 1 HP LaserJet CP6015 standard capacity black drum prints approximately 35,000 pages	202	217		↗	X
CB385A	HP CP6015/CM6040mfp Cyan Image Drum HP CP6015/CM6030/CM6040mfp Cyan Image Drum. Contains 1 HP LaserJet CP6015 standard capacity cyan drum prints approximately 35,000 pages	569	612		↗	X
CB386A	HP CP6015/CM6040mfp Yellow Image Drum HP CP6015/CM6030/CM6040mfp Yellow Image Drum. Contains 1 HP LaserJet CP6015 standard capacity yellow drum prints approximately 35,000 pages	569	612		↗	X
CB387A	HP CP6015/CM6040mfp Magenta Image Drum HP CP6015/CM6030/CM6040mfp Magenta Image Drum. Contains 1 HP LaserJet CP6015 standard capacity magenta drum prints approximately 35,000 pages	569	612		↗	X

HP Color LaserJet CM6030 MFP

	HP Color LaserJet CM6030 MFP	
Print technology	Laser	
Print speed	A3: Up to 17 ppm . A4: Up to 31 ppm. First page out black: < 15.5 sec (from ready) Colour: < 15.8 sec (from ready). Warm-up time: less than 125 sec Exact speed varies depending on the system configuration, software program and document complexity.	
Processor	835 MHz . PMC-Sierra RM7965 64-bit Microprocessor	
Memory	512 MB. Expandable to 1GB via one DDR SODIMM slot: 128 MB (Q7557A), 256 MB (Q7558A), 512 MB (Q7559A), all memories being 167 MHz 200-pin DDR DIMM. Hard Disk Capacity: Standard, 80 GB	
Print	Quality	HP ImageREt 4800
	Resolution	Up to 1200 x 600 dpi
	Printer languages	HP PCL 5, HP PCL 6, HP Postscript level 2 emulation (default), HP Postscript level 3 emulation is supported
	Economical printing	Two-sided printing and N-up printing/copying (saves paper), Colour Access Control (printing/copying in black saves toner)
	Typefaces/fonts	Set of 80 HP fonts (plus Greek, Hebrew, Cyrillic, Arabic)
	Recommended monthly page volume	5'000 to 10'000
	Print margins (mm)	Top: 4.2 mm . Left: 4.2 mm . Right: 4.2 mm . Bottom: 4.2 mm
	Maximum print area	316 x 453.2 mm
Fax	Modem speed	13 sec per page
	Telecom compliance	CM6030f: ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe), FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002: 2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong SAR), YD514, YD/T589, YD703, GB3382 (China) other Telecom approvals as required by individual countries
	Fax resolution	Standard: 100 x 100 dpi. Superfine: 300 x 300 dpi
Digital sending	File formats	PDF, JPEG, TIFF, or MTIFF. (OCR supports PDF, TEXT, RTF (Microsoft® Word® Compatible), XML, HTML; send to workflow (DSS) supported file types include XML, searchable PDF, TXT, RTF (Microsoft® Word® Compatible), HTML, PDF, JPEG, TIFF, and MTIFF
	Installation	Fast Ethernet, Gigabit Ethernet, 802.11b wireless
	Features	Standard: Scan to folder (includes shared address book for fax), scan direct to e-mail server, send to e-mail, analog fax, LDAP e-mail addressing; authentication: Windows® negotiated (Kerberos and NTLM), group 1 and group 2 PIN, LDAP, authentication manager. Optional: Advanced digital sending capabilities via optional HP Digital Sending Software
Scan	Type	Flatbed, ADF . Colour scanning: Yes
	Scan resolution	Optical: Up to 600 dpi
	Grey scale levels	256
	Scannable area	Minimum media size: Flatbed: No Minimum, ADF: 127 x 127 mm. Maximum media size: 297 x 432 mm
	Margins for scanned items	Left: 4.2. Top: 4.2. Right: 4.2. Bottom: 4.2
Copy	Copy speed	Up to 31 cpm
	Copy resolution	Up to 600 x 600 dpi
	Multiple copies	Up to 999
	Reduce/enlarge	25 to 200%

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets 100, envelopes 10	60 to 220 g/m²	A3, A4, A4-R, A5, A6, RA3, SRA3, B4 (JIS), B5 (JIS), B6 (JIS), 8K, 16K, D postcard, envelopes (#9, #10, Monarch, B5, C5, C6, DL); 99 x 140 mm to 320 x 457 mm
	Tray 2	sheets: 500	60 to 220 g/m²	A3, A4, A4-R, A5, B4 (JIS), B5 (JIS), 8K, 16K; 148 x 210 mm to 297 x 432 mm
	Tray 3	sheets: 500	60 to 220 g/m²	A3, A4, A4-R, A5, RA3, SRA3, B4 (JIS), B5 (JIS), 8K, 16K; 148 x 210 mm to 320 x 457 mm
	ADF	sheets: 50	60 to 220 g/m²	A3, A4, B4, B6
	Output: Sheets: Up to 500			
	Duplex printing: Automatic (standard)			
Media types	Paper (bond, recycled, glossy, mid-weight, heavy, heavy glossy, extra heavy, extra heavy glossy, tough, rough), transparencies, labels, envelopes, cardstock			
Interface and connectivity	Hi-Speed USB (compatible with USB 2.0 specifications) device port, one open EIO slot, HP Jetdirect Gigabit Ethernet embedded print server, fax port, Foreign Interface Harness (FIH) port, PCI express. Optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, wireless print server, printer adapter			
Standard software	Print drivers and installation software on CD-ROM: HP common installer, HP Internet installer, HP common drivers, HP Installation Wizard, Postscript Printer Description (PPD) files, Printer Dialog Extensions (PDEs), HP Printer Utility for use with Macintosh computers			
Control panel	5 LED indicator lights, 10-key numeric pad, graphical touch screen display (192 x 72 mm) 640 x 240 resolution with adjustable contrast			
Printer management	HP Toolbox, HP Web Jetadmin, HP Embedded Web Server			
Power consumption	881 watts maximum (active/printing), 920 watts maximum (active/copy or scan), 230 watts maximum (ready), 208 watts maximum (sleep1), 24.5 watts maximum (sleep2), 0.24 watts maximum (off);			
Dimensions (w x d x h)	Out of package: 704 x 673 x 988 mm. Packaged: 935 x 800 x 1210 mm			
Weight	Out of package: CM6030: 139.87 kg; CM6030f: 144.91 kg. Packaged: CM6030: 154.92 kg; CM6030f: 159.96 kg.			
Warranty	1 year Next Business Day On-Site standard			

Prod-No.	Description	VAT excl.	VAT incl.		
CE664A	HP Color LaserJet CM6030 MFP Printer 30ppm A3 Color MFP with 1,100 sheet input	12'450	13'396		
CE665A	HP Color LaserJet CM6030f MFP Printer 30ppm A3 Color MFP with fax and 2,100 sheet input tray	14'100	15'172		

HP Color LaserJet CM6030 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CM6030 MFP
HP Connectivity-JetDirect						
J8007G	HP Jetdirect 690n Wireless Print Server The HP Jetdirect 690n allows you to reliably and affordably share supported peripherals over a network with robust security - wired or wirelessly.	730	785			X
HP Other Accessories						
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			X
CC517A	HP CLJ CM6040 Stapler/Stacker Stapler Stacker Accessory	3'800	4'089			X
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X
CC383A	HP 2000 Stapler Cartridge-Twin Pack Replacement cartridge used on HP Booklet Maker/Finisher Accessory Q6999A and CC516A must be ordered from HP in quantity of 40 / 2 pack boxes.	26	28			X
CC516A	HP CLJ CM6040 Booklet Maker Booklet Making output accessory device with inline stapling and booklet making capabilities that includes automatic job separation.	5'450	5'864			X
CB458A	HP Color LaserJet 220volt Fuser Kit Prints approximately 100,000 pages.CP6015/CM6030/CM6040 220V Fuser Kit.	211	227			X
CB459A	HP Color LaserJet T2 Roller Kit Prints approximately 150,000 pages. CP6015/CM6030/CM6040 T2 Roller Kit.	48	52			X
CB463A	HP Color LaserJet Transfer Kit. CP6015/CM6030/CM6040 TRNFR Kit prints approximately 150,000 pages	317	341			X
CE487A	HP ADF Maintenance Roller Kit HP CM6040 and CM6030 MFP ADF PM Kit ADF maintenance kit for the HP LaserJet CM6040 and CM6030 MFP.	125	135			X

HP Color LaserJet CM6030 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CM6030 MFP
Toner Cartridges						
CB390A	HP CM6040mfp Black Print Cartridge HP CM6030/CM6040mfp Black Print Cartridge. Prints approximately 19,500 pages using the ISO/IEC 19798 yield standards	99	107		↗	X
CB381A	HP CP6015/CM6040mfp Cyan Print Crtg Contains 1 HP LaserJet CP6015 standard capacity cyan cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
CB382A	HP CP6015/CM6040mfp Yellow Print Crtg Contains 1 HP LaserJet CP6015 standard capacity yellow cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
CB383A	HP CP6015/CM6040mfp Magenta Print Crtg Contains 1 HP LaserJet CP6015 standard capacity magenta cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
CB384A	HP CP6015/CM6040mfp Black Image Drum HP CP6015/CM6030/CM6040mfp Black Image Drum. Contains 1 HP LaserJet CP6015 standard capacity black drum prints approximately 35,000 pages	202	217		↗	X
CB385A	HP CP6015/CM6040mfp Cyan Image Drum HP CP6015/CM6030/CM6040mfp Cyan Image Drum. Contains 1 HP LaserJet CP6015 standard capacity cyan drum prints approximately 35,000 pages	569	612		↗	X
CB386A	HP CP6015/CM6040mfp Yellow Image Drum HP CP6015/CM6030/CM6040mfp Yellow Image Drum. Contains 1 HP LaserJet CP6015 standard capacity yellow drum prints approximately 35,000 pages	569	612		↗	X
CB387A	HP CP6015/CM6040mfp Magenta Image Drum HP CP6015/CM6030/CM6040mfp Magenta Image Drum. Contains 1 HP LaserJet CP6015 standard capacity magenta drum prints approximately 35,000 pages	569	612		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CM6040 MFP

	HP Color LaserJet CM6040 MFP	
Print technology	Laser	
Print speed	A3: Up to 20 ppm . A4: Up to 40 ppm. First page out black: < 11.5 sec (from ready) Colour: < 11.5 sec (from ready). Warm-up time: less than 112 sec Exact speed varies depending on the system configuration, software program and document complexity.	
Processor	835 MHz . PMC-Sierra RM7965 64-bit Microprocessor	
Memory	512 MB. Expandable to 1GB via one DDR SODIMM slot: 128 MB (Q7557A), 256 MB (Q7558A), 512 MB (Q7559A), all memories being 167 MHz 200-pin DDR DIMM. Hard Disk Capacity: Standard, 80 GB	
Print	Quality	HP ImageREt 4800
	Resolution	Up to 1200 x 600 dpi
	Printer languages	HP PCL 5, HP PCL 6, HP Postscript level 2 emulation (default), HP Postscript level 3 emulation is supported
	Economical printing	Two-sided printing and N-up printing/copying (saves paper), Colour Access Control (printing/copying in black saves toner)
	Typefaces/fonts	Set of 80 HP fonts (plus Greek, Hebrew, Cyrillic, Arabic)
	Recommended monthly page volume	8'000 to 15'000
	Print margins (mm)	Top: 4.2 mm . Left: 4.2 mm . Right: 4.2 mm . Bottom: 4.2 mm
Fax	Modem speed	13 sec per page
	Telecom compliance	ES 203 021, R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe), FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002: 2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong SAR), YD514, YD/T589, YD703, GB3382 (China), other Telecom approvals as required by individual countries
	Fax resolution	Standard: 100 x 100 dpi. Superfine: 300 x 300 dpi
Digital sending	File formats	PDF, JPEG, TIFF, or MTIFF. (OCR supports PDF, TEXT, RTF (Microsoft® Word® Compatible), XML, HTML; send to workflow (DSS) supported file types include XML, searchable PDF, TXT, RTF (Microsoft® Word® Compatible), HTML, PDF, JPEG, TIFF, and MTIFF
	Installation	Fast Ethernet, Gigabit Ethernet, 802.11b wireless
	Features	Standard: Scan to folder (includes shared address book for fax), scan direct to e-mail server, send to e-mail, analog fax, LDAP e-mail addressing; authentication: Windows® negotiated (Kerberos and NTLM), group 1 and group 2 PIN, LDAP, authentication manager. Optional: Advanced digital sending capabilities via optional HP Digital Sending Software
Scan	Type	Flatbed, ADF . Colour scanning: Yes
	Scan resolution	Optical: Up to 600 dpi
	Grey scale levels	256
	Scannable area	Minimum media size: Flatbed: No Minimum, ADF: 127 x 127 mm. Maximum media size: 297 x 432 mm
	Margins for scanned items	Left: 4.2. Top: 4.2. Right: 4.2. Bottom: 4.2
Copy	Copy speed	Up to 40 cpm
	Copy resolution	Up to 600 x 600 dpi
	Multiple copies	Up to 999
	Reduce/enlarge	25 to 200%

Media handling	**Input**	**Capacity**	**Weight**	**Size**
	Tray 1	sheets 100, envelopes 10	60 to 220 g/m²	A3, A4, A4-R, A5, A6, RA3, SRA3, B4 (JIS), B5 (JIS), B6 (JIS), 8K, 16K, D postcard, envelopes (#9, #10, Monarch, B5, C5, C6, DL); 99 x 140 mm to 320 x 457 mm
	Tray 2	sheets: 500	60 to 220 g/m²	A3, A4, A4-R, A5, B4 (JIS), B5 (JIS), 8K, 16K; 148 x 210 mm to 297 x 432 mm
	Tray 3	sheets: 500	60 to 220 g/m²	A3, A4, A4-R, A5, RA3, SRA3, B4 (JIS), B5 (JIS), 8K, 16K; 148 x 210 mm to 320 x 457 mm
	ADF	sheets: 50	60 to 220 g/m²	A3, A4, B4, B6
	Output: Sheets: Up to 500			
	Duplex printing: Automatic (standard)			
Media types	Paper (bond, recycled, glossy, mid-weight, heavy, heavy glossy, extra heavy, extra heavy glossy, tough, rough), transparencies, labels, envelopes, cardstock			
Interface and connectivity	Hi-Speed USB (compatible with USB 2.0 specifications) device port, one open EIO slot, HP Jetdirect Gigabit Ethernet embedded print server, fax port, Foreign Interface Harness (FIH) port, PCI express. Optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, wireless print server, printer adapter			
Standard software	Print drivers and installation software on CD-ROM: HP common installer, HP Internet installer, HP common drivers, HP Installation Wizard, Postscript Printer Description (PPD) files, Printer Dialog Extensions (PDEs), HP Printer Utility for use with Macintosh computers			
Control panel	5 LED indicator lights, 10-key numeric pad, graphical touch screen display (192 x 72 mm) 640 x 240 resolution with adjustable contrast			
Printer management	HP Toolbox, HP Web Jetadmin, HP Embedded Web Server			
Power consumption	881 watts maximum (active/printing), 920 watts maximum (active/copy or scan), 230 watts maximum (ready), 208 watts maximum (sleep1), 24.5 watts maximum (sleep2), 0.24 watts maximum (off);			
Dimensions (w x d x h)	Out of package: CM6040: 704 x 635 x 1194 mm ; CM6040f: 704 x 635 x 1194 mm. Packaged: CM6040: 935 x 800 x 1439 mm; CM6040f: 935 x 800 x 1439 mm			
Weight	Out of package: CM6040: 139.87 kg ; CM6040f: 144.91 kg. Packaged: 156 kg			
Warranty	1 year Next Business Day On-Site standard			

Prod-No.	Description	VAT excl.	VAT incl.		
Q3938A	HP Color LaserJet CM6040 MFP Printer with 1'100 sheet input	15'170	16'323		
Q3939A	HP Color LaserJet CM6040f MFP Printer with fax and 2'100 sheet input	17'350	18'669		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CM6040 MFP - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CM6040 MFP
HP Connectivity-JetDirect						
J8007G	HP Jetdirect 690n Wireless Print Server The HP Jetdirect 690n allows you to reliably and affordably share supported peripherals over a network with robust security - wired or wirelessly.	730	785			X
HP Other Accessories						
Q3701A	HP LaserJet MFP Analog 300 Fax Accessory Analog fax accessory that works with the CLJ 9500 mfp,the LJ 9040/9050 mfp and the LJ4345 mfp	376	405			X
CC517A	HP CLJ CM6040 Stapler/Stacker Stapler Stacker Accessory	3'800	4'089			X
C8091A	HP Staple Cartridge for Stapler/Stacker HP 5000 Staple Cartridge for HP 3000 Sheet Stapler/Stacker - HP LaserJet 9000 Series Printers. Contains 5000 Staples	55	59			X
CC383A	HP 2000 Stapler Cartridge-Twin Pack Replacement cartridge used on HP Booklet Maker/Finisher Accessory Q6999A and CC516A must be ordered from HP in quantity of 40 / 2 pack boxes.	26	28			X
CC516A	HP CLJ CM6040 Booklet Maker Booklet Making output accessory device with inline stapling and booklet making capabilities that includes automatic job separation.	5'450	5'864			X
CB458A	HP Color LaserJet 220volt Fuser Kit Prints approximately 100,000 pages.CP6015/CM6030/CM6040 220V Fuser Kit.	211	227			X
CB459A	HP Color LaserJet T2 Roller Kit Prints approximately 150,000 pages. CP6015/CM6030/CM6040 T2 Roller Kit.	48	52			X
CB463A	HP Color LaserJet Transfer Kit. CP6015/CM6030/CM6040 TRNFR Kit prints approximately 150,000 pages	317	341			X
CE487A	HP ADF Maintenance Roller Kit HP CM6040 and CM6030 MFP ADF PM Kit ADF maintenance kit for the HP LaserJet CM6040 and CM6030 MFP.	125	135			X

HP Color LaserJet CM6040 MFP - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CM6040 MFP
Toner Cartridges						
CB390A	HP CM6040mfp Black Print Cartridge HP CM6030/CM6040mfp Black Print Cartridge. Prints approximately 19,500 pages using the ISO/IEC 19798 yield standards	99	107		↗	X
CB381A	HP CP6015/CM6040mfp Cyan Print Crtg Contains 1 HP LaserJet CP6015 standard capacity cyan cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
CB382A	HP CP6015/CM6040mfp Yellow Print Crtg Contains 1 HP LaserJet CP6015 standard capacity yellow cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
CB383A	HP CP6015/CM6040mfp Magenta Print Crtg Contains 1 HP LaserJet CP6015 standard capacity magenta cartridge prints approximately 21,000 pages using ISO/IEC 19798 yield standard	546	588		↗	X
CB384A	HP CP6015/CM6040mfp Black Image Drum HP CP6015/CM6030/CM6040mfp Black Image Drum. Contains 1 HP LaserJet CP6015 standard capacity black drum prints approximately 35,000 pages	202	217		↗	X
CB385A	HP CP6015/CM6040mfp Cyan Image Drum HP CP6015/CM6030/CM6040mfp Cyan Image Drum. Contains 1 HP LaserJet CP6015 standard capacity cyan drum prints approximately 35,000 pages	569	612		↗	X
CB386A	HP CP6015/CM6040mfp Yellow Image Drum HP CP6015/CM6030/CM6040mfp Yellow Image Drum. Contains 1 HP LaserJet CP6015 standard capacity yellow drum prints approximately 35,000 pages	569	612		↗	X
CB387A	HP CP6015/CM6040mfp Magenta Image Drum HP CP6015/CM6030/CM6040mfp Magenta Image Drum. Contains 1 HP LaserJet CP6015 standard capacity magenta drum prints approximately 35,000 pages	569	612		↗	X

HP Color LaserJet 5550 series

	HP Color LaserJet 5550 series
	HP color LaserJet 5550
Print technology	In-line colour laser, direct-to-page printing
Print speed	**Document Type** / **Plain paper** / **Transparencies** Black/colour A4 / Up to 28 ppm / Up to 5.5 ppm Black/colour A3 / Up to 14 ppm / – First page out: 16 sec from "Ready", 41 sec from "Powersave", 120 sec from "Cold start" Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Processor	533 MHz, MIPS 64 20kc processor
Memory	Standard: HP Color LaserJet 5550/n/dn printer: 160 MB; HP Color LaserJet 5550dtn/hdn printer: 288 MB Expandable to 544 MB through 2 industry-standard 200-pin DDR SODIMM slots using Memory Enhancement technology (MEt). 20 GB HP EIO hard disk (standard with the HP Color LaserJet 5550hdn)
Print resolution	HP Imageret 3600 (high resolution laser imaging system, accurate print mechanism, superior image enhancements, intelligent colour control, adaptive gloss finish, system-optimised for HP High-Gloss Paper, smart printing supplies with chemically-grown spherical toner). Supports colour management systems based on ICC profiles; Apple ColorSync, Microsoft® ICM, Adobe®, Corel®, Quark™, and others. PANTONE® CALIBRATED™ for PANTONE PMS support. Supports SWOP, Euro and DIC press emulations.
Printer languages	HP PCL 5c, HP PCL 6, HP Postscript Level 3 emulation, PDF 1.3
Typefaces/fonts	80 internal scalable fonts available to HP PCL and HP Postscript Level 3 emulation
Duty cycle	Up to 120'000 pages per month
Print margins (mm)	Top: 5 mm, left: 5 mm, right: 5 mm, bottom: 5 mm
Media handling	**Input** / **Capacity** / **Weight** / **Size** Tray 1 / 100 sheets, 60 transparencies, 20 envelopes / 60 to 200 g/m2 / Minimum size 76 x 127 mm, maximum size 306 x 470 mm(maximum printable area 297 x 460 mm) Tray 2/3/4/5 / 500 sheets / 60 to 120 g/m2 / A3, A4, A5, B4-JIS, B5-JIS **Output:** Up to 250 sheets **Duplex printing:** Automatic (standard with the HP Color LaserJet 5550dn/dtn/hdn. HP Color LaserJet 5500/n not upgradeable; manual duplex available) Duplex media sizes: A4, A4-rotated, A3, B4-JIS, B5-JIS Duplex media weights: Up to 120 g/m2
Interface and connectivity	Standard: IEEE 1284-C compliant bi-directional parallel port, USB (compatible with USB 1.1 specifications), jetlink. HP Jetdirect 620n internal print server 10/100Base-TX (standard with HP Color LaserJet 5550n/dn/dtn/hdn models), open EIO slot(s): HP CLJ 5550: 3 slots, HP CLJ 5550n/dn/dtn: 2 slots, HP CLJ 5550hdn: 1 slot.
Control panel	LCD backlit panel display with up to 4 lines of text and animated printer graphics, 3 LED status lights. "Cancel job", "Pause/Resume", "Help" buttons
Power consumption	0.3 watts maximum (Off), 28 watts maximum (Powersave), 93 watts maximum (Standby), 632 watts maximum (Printing)
Dimensions (w x d x h) (out of package/packaged)	HP Color LaserJet 5550/n/dn printer: 577 x 704 x 640 mm/995 x 767 x 822 mm HP Color LaserJet 5550dtn printer: 630 x 718 x 833 mm/979 x 797 x 1109 mm HP Color LaserJet 5550hdn printer: 630 x 718 x 1097 mm/979 x 797 x 1359 mm
Weight (out of package/packaged)	HP Color LaserJet 5550/n/dn printer: 60 kg/85 kg, HP Color LaserJet 5550dtn printer: 108 kg/138 kg, HP Color LaserJet 5550hdn printer: 136 kg/168 kg
Printer management	HP Web Jetadmin, HP Embedded Web Server, HP E-Toolbox
Warranty	1 year, next-day, on-site warranty. Optional HP Care Pack services

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
Q3714A	HP Color LaserJet 5550N printer Inline color laser with speeds of 28ppm color and mono (A4)27 ppm (letter) 160MB RAM, 600 sheet input capacity; fast Ethernet print server.	5'700	6'133		
Q3715A	HP Color LaserJet 5550 DN Printer Inline color laser w/ speeds of 28ppm color & mono (A4)27ppm (letter) 160MB RAM, 600 sheet input capacity;fast Ethernet print server. Auto duplex.	6'090	6'553		
Q3716A	HP Color LaserJet 5550 DTN Printer Inline color laser w/speeds 28ppm color & mono (A4)27ppm (letter) 288MB RAM,1100 sheet input capacity;fast Ethernet print server.Auto duplex.Stand	8'050	8'662		

HP color Laserjet 5550 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			5550
HP Paper Trays						
C7130B	HP CLJ5500/5550 500 Sheet Input Tray	794	854			X
HP Other Accessories						
C9669B	HP Printer Stand Accessory Printer Stand Accessory for the HP Color LaserJet 5500 printer	673	724			X

HP Color LaserJet 5550 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			5550
Toner Cartridges						
C9730A	HP Color LaserJet Print Cartridge, black CLJ 5500. Prints approx. 13'000 pages based on 5% coverage. Cartridge contains toner, developer and imaging drum.	385	414		↗	X
C9731A	HP Color LaserJet Print Cartridge, cyan CLJ 5500. Prints approx. 12'000 pages based on 5% coverage. Cartridge contains toner, developer and imaging drum.	540	581		↗	X
C9732A	HP Color LaserJet Print Cartridge, yellow CLJ 5500. Prints approx. 12'000 pages based on 5% coverage. Cartridge contains toner, developer and imaging drum.	540	581		↗	X
C9733A	HP Color LaserJet Print Cartridge, magenta, CLJ 5500. Prints approx. 12'000 pages based on 5% coverage. Cartridge contains toner, developer and imaging drum.	540	581		↗	X
Other Supplies Products						
Q3985A	CLJ 5550 Fuser Assembly - 220 Volt 220 volt fuser assembly for the HP Color LaserJet 5550 printer.	370	398			X

HP Color LaserJet 2840 All-in-One

HP Color LaserJet 2820 / 2840 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			28xx
Toner Cartridges						
Q3960A	HP CLJ 2550/2800 Series Black Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer. Approximate cartridge yield 5,000 pages based on 5% coverage.	142	153		↗	X
Q3961A	HP CLJ 2550/2800 Series Cyan Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer Approximate cartridge yield 4,000 pages based on 5% coverage.	171	184		↗	X
Q3962A	HP CLJ 2550/2800 Series Yellow Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer Approximate cartridge yield 4,000 pages based on 5% coverage.	171	184		↗	X
Q3963A	HP CLJ 2550/2800 Serie Magenta Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer Approximate cartridge yield 4,000 pages based on 5% coverage.	171	184		↗	X
Q3971A	HP CLJ 2550/2800 Series Cyan Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer. Approximate cartridge yield 2,000 pages based on 5% coverage.	126	136		↗	X
Q3972A	HP CLJ 2550/2800 Series Yellow Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer. Approximate cartridge yield 2,000 pages based on 5% coverage.	126	136		↗	X
Q3973A	HP CLJ 2550/2800 Serie Magenta Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer. Approximate cartridge yield 2,000 pages based on 5% coverage.	126	136		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet CM1015 / CM1017

HP Color LaserJet CM1015 / CM1017 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CM1015 / CM1017
HP Cables						
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
HP Memory						
Q7708A	HP 64MB 100MHz Synchronous DRAM DIMM DRAM DIMM 64MB (RoHS Compiant)	666	717			X
Q7709A	HP 128MB 100 MHz Synchronous DRAM DIMM DRAM DIMM 128MB (RoHS Compliant)	1'065	1'146			X
HP Paper Trays						
Q6459A	HP 250 Sheet Paper Tray Accessory Color LaserJet 2600n 250 sheet paper tray accessory	229	246			X

HP Color LaserJet CM1015 / CM1017 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CM1015 / CM1017
Toner Cartridges						
Q6000A	HP LaserJet 2600/2605/1600 Black Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2500 pages based on 5% coverage.	130	140		↗	X
Q6001A	HP LaserJet 2600/2605/1600 Cyan Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X
Q6002A	HP LaserJet 2600/2605/1600 Yellow Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X
Q6003A	HP LaserJet 2600/2605/1600 Magenta Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X
Paper						
Q6616A	HP Superior Glossy Laser Paper 150 Sht This superior HP Laser Paper is A4 size, 160 gsm, and contains 150 sheets.	31	33		↗	X

HP Color Laserjet CP4005

HP Color LaserJet CP4005 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CP4005
HP Memory						
Q7721A	HP 128MB DDR 200Pin SDRAM DIMM 128MB DDR 200 Pin SDRAM DIMM (RoHS Compliant)	1'078	1'160			X
Q7722A	HP 256MB DDR 200Pin SDRAM DIMM 256MB DDR 200 Pin SDRAM DIMM (RoHS Compliant)	1'123	1'208			X
Q7723A	HP 512MB DDR 200Pin SDRAM DIMM 512MB DDR 200 Pin SDRAM DIMM (RoHS Compliant)	1'347	1'449			X
HP Paper Trays						
Q7499A	HP 500 Sheet Paper Feeder 500 sheet feeder optional assembly, stackable up to 4,supports HP Color LaserJet 4700 printers.	554	596			X
HP Connectivity-JetDirect						
J6035G	HP Jetdirect 175X; External Print Server Value Line provides a simple an inexpensive way to share a printer or HP All-In-One devices in an Ethernet networking environment.	330	355			X
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565			X
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447			X
HP Other Accessories						
Q7501A	HP Color LaserJet Printer Stand HP Color LaserJet printer stand for the HP Color LaserJet 4700 printers; standard on HP Color LaserJet 4700 DTN & PH+ bundles.	554	596			X
Q7503A	HP CLJ4730 220 Volt Image Fuser Kit, 120'000 pages	381	410			X
Q7504A	HP CLJ4730 Image Transfer Kit, 120'000 pages	305	328			X

HP Color LaserJet CP4005 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CP4005
Toner Cartridges						
CB400A	HP Color LaserJet CP4005 Black Cartridge Contains one HP Color LaserJet CP4005 black print cartridge with an average yield of 7,500 pages	278	299		↗	X
CB401A	HP Color LaserJet CP4005 Cyan Cartridge Contains one HP Color LaserJet CP4005 cyan print cartridge with an average yield of 7,500 pages	413	444		↗	X
CB402A	HP Color LaserJet CP4005 Yellow Crtg Contains one HP Color LaserJet CP4005 yellow print cartridge with an average yield of 7,500 pages	413	444		↗	X
CB403A	HP Color LaserJet CP4005 Magenta Crtg Contains one HP Color LaserJet CP4005 magenta print cartridge with an average yield of 7,500 pages	413	444		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP color Laserjet 1500 series

HP Color LaserJet 1500 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 1500
Toner Cartridges						
C9700A	HP Color LaserJet cartridge, black, CLJ 1500, 2500. Prints approx. 5'000 pages based on 5% coverage. Cartridge contains toner, developer and other components.	142	153		↗	X
C9701A	HP Color LaserJet cartridge, Cyan, CLJ 1500, 2500. Prints approx. 4'000 pages based on 5% coverage. Cartridge contains toner, developer and other components.	171	184		↗	X
C9702A	HP Color LaserJet cartridge, Yellow, CLJ 1500, 2500. Prints approx. 4'000 pages based on 5% coverage. Cartridge contains toner, developer and other components.	171	184		↗	X
C9703A	HP Color LaserJet cartridge, Magenta, CLJ 1500, 2500. Prints approx. 4'000 pages based on 5% coverage. Cartridge contains toner, developer and other components.	171	184		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Transparencies						
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗	X

HP Color LaserJet 1600

HP Color LaserJet 1600 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			1600
HP Paper Trays						
Q6459A	HP 250 Sheet Paper Tray Accessory Color LaserJet 2600n 250 sheet paper tray accessory	229	246			X

HP Color LaserJet 1600 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			1600
Toner Cartridges						
Q6000A	HP LaserJet 2600/2605/1600 Black Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2500 pages based on 5% coverage.	130	140		↗	X
Q6001A	HP LaserJet 2600/2605/1600 Cyan Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X
Q6002A	HP LaserJet 2600/2605/1600 Yellow Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X
Q6003A	HP LaserJet 2600/2605/1600 Magenta Crtg With Smart Technology contains toner and developer. Approximate cartridge yield 2000 pages based on 5% coverage.	142	153		↗	X

HP color Laserjet 2500 Series

HP color LaserJet 2500 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 2500
Toner Cartridges						
C9700A	HP Color LaserJet cartridge, black, CLJ 1500, 2500. Prints approx. 5'000 pages based on 5% coverage. Cartridge contains toner, developer and other components.	142	153		↗	X
C9701A	HP Color LaserJet cartridge, Cyan, CLJ 1500, 2500. Prints approx. 4'000 pages based on 5% coverage. Cartridge contains toner, developer and other components.	171	184		↗	X
C9702A	HP Color LaserJet cartridge, Yellow, CLJ 1500, 2500. Prints approx. 4'000 pages based on 5% coverage. Cartridge contains toner, developer and other components.	171	184		↗	X
C9703A	HP Color LaserJet cartridge, Magenta, CLJ 1500, 2500. Prints approx. 4'000 pages based on 5% coverage. Cartridge contains toner, developer and other components.	171	184		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Transparencies						
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP color Laserjet 2550 Series

HP color LaserJet 2550 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 2550
HP Paper Trays						
Q3709A	250 sheet paper tray -HP CLJ 2550 series 250 sheet paper tray for HP LaserJet 2550 color printer series	230	247			X
Q3710A	500 sheet paper tray -HP CLJ 2550 series 500 sheet paper tray for HP LaserJet 2550 color printer series	466	501			X

HP color LaserJet 2550 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 2550
Toner Cartridges						
Q3960A	HP CLJ 2550/2800 Series Black Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer. Approximate cartridge yield 5,000 pages based on 5% coverage.	142	153		↗	X
Q3961A	HP CLJ 2550/2800 Series Cyan Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer Approximate cartridge yield 4,000 pages based on 5% coverage.	171	184		↗	X
Q3962A	HP CLJ 2550/2800 Series Yellow Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer Approximate cartridge yield 4,000 pages based on 5% coverage.	171	184		↗	X
Q3963A	HP CLJ 2550/2800 Serie Magenta Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer Approximate cartridge yield 4,000 pages based on 5% coverage.	171	184		↗	X
Q3971A	HP CLJ 2550/2800 Series Cyan Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer. Approximate cartridge yield 2,000 pages based on 5% coverage.	126	136		↗	X
Q3972A	HP CLJ 2550/2800 Series Yellow Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer. Approximate cartridge yield 2,000 pages based on 5% coverage.	126	136		↗	X
Q3973A	HP CLJ 2550/2800 Serie Magenta Cartridge HP Color LaserJet Smart Print Cartridge contains toner and developer. Approximate cartridge yield 2,000 pages based on 5% coverage.	126	136		↗	X

HP Color LaserJet 3550

HP Color LaserJet 3500 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 3500
Toner Cartridges						
Q2670A	HP CLJ 3500, 3700 Black Print Cartridge HP Color LJ All-in-one Smart Print Crtg contains toner, developer and imaging drum. Approximate cartridge yield 6,000 pages based on 5% coverage.	227	244		↗	X
Q2671A	HP CLJ 3500 Cyan Print Cartridge HP Color LJ All-in-one Smart Print Crtg contains toner, developer and imaging drum. Approximate cartridge yield 4,000 pages based on 5% coverage.	226	243		↗	X
Q2672A	HP CLJ 3500 Yellow Print Cartridge HP Color LJ All-in-one Smart Print Crtg contains toner, developer and imaging drum. Approximate crtg yield 4,000 pages based on 5% coverage.	226	243		↗	X
Q2673A	HP CLJ 3500 Magenta Print Crtg HP Color LJ All-in-one Smart Print Crtg contains toner, developer and imaging drum. Approximate crtg yield 4,000 pages based on 5% coverage.	226	243		↗	X
Other Supplies Products						
Q3658A	HP color LaserJet 3500/3700 Transfer Kit Hp color LJ 3500 & 3700 transfer unit maintenance kit.	119	128			X
Q3656A	HP color LaserJet 3500/3700 220V Fuser unit maintenance kit	105	113			X

HP Color LaserJet 3700

HP Color LaserJet 3700 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 3700
Toner Cartridges						
Q2670A	HP CLJ 3500, 3700 Black Print Cartridge HP Color LJ All-in-one Smart Print Crtg contains toner, developer and imaging drum. Approximate cartridge yield 6,000 pages based on 5% coverage.	227	244		↗	X
Q2681A	HP CLJ 3700 Cyan Print Cartridge HP Color LaserJet All-in-one Smart Print Cartridge contains toner, developer and imaging drum. Approximate cartridge yield 6,000 pages based on 5% coverage.	292	314		↗	X
Q2682A	HP CLJ 3700 Yellow Print Cartridge HP Color LaserJet All-in-one Smart Print Cartridge contains toner, developer and imaging drum. Approximate cartridge yield 6,000 pages based on 5% coverage.	292	314		↗	X
Q2683A	HP CLJ 3700 Magenta Print Cartridge HP Color LaserJet All-in-one Smart Print Cartridge contains toner, developer and imaging drum. Approximate cartridge yield 6,000 pages based on 5% coverage.	292	314		↗	X
Other Supplies Products						
Q3658A	HP color LaserJet 3500/3700 Transfer Kit Hp color LJ 3500 & 3700 transfer unit maintenance kit.	119	128			X
Q3656A	HP color LaserJet 3500/3700 220V Fuser unit maintenance kit	105	113			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet 3800

HP Color LaserJet 3000 / 3800 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			3000	3600	3800
HP Paper Trays								
Q5985A	HP CLJ3000/3600/3800 500 Sheet Tray For Color Laser Jet 3000, 3600 or 3800 printers	620	667			X	X	X
HP Memory								
Q7721A	HP 128MB DDR 200Pin SDRAM DIMM 128MB DDR 200 Pin SDRAM DIMM (RoHS Compliant)	1'078	1'160			X	X	X
Q7722A	HP 256MB DDR 200Pin SDRAM DIMM 256MB DDR 200 Pin SDRAM DIMM (RoHS Compliant)	1'123	1'208			X	X	X
Q7723A	HP 512MB DDR 200Pin SDRAM DIMM 512MB DDR 200 Pin SDRAM DIMM (RoHS Compliant)	1'347	1'449			X	X	X

HP Color LaserJet 3000 / 3800 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			3000	3600	3800
Toner Cartridges								
Q7560A	HP Color LaserJet 3000 Black Cartridge Contains one HP Color LaserJet 3000 Black Print Cartridge. Average Cartridge Yield 6,500 pages.	231	248		↗	X		
Q7561A	HP Color LaserJet 3000 Cyan Cartridge Contains one HP Color LaserJet 3000 Cyan Cartridge. Average yield is 3,500 pages.	222	239		↗	X		
Q7562A	HP Color LaserJet 3000 Yellow Cartridge Contains one HP Color LaserJet 3000 Yellow Cartridge. Average yield is 3,500 pages.	222	239		↗	X		
Q7563A	HP Color LaserJet 3000 Magenta Cartridge Contains one HP Color LaserJet 3000 Magenta Cartridge. Average yield is 3,500 pages.	222	239		↗	X		
Q6471A	HP Color LaserJet 3600 Cyan Cartridge Contains one HP Color LaserJet 3600 Cyan Cartridge for HP Color LaserJet 3600 printers. Average Cartridge Yield 4,000 pages	226	243		↗		X	
Q6472A	HP Color LaserJet 3600 Yellow Cartridge Contains one HP Color LaserJet 3600 Yellow Cartridge for HP Color LaserJet 3600 printers. Average Cartridge Yield 4,000 pages	226	243		↗		X	
Q6473A	HP Color LaserJet 3600 Magenta Crtg Contains one HP Color LaserJet 3600 Magenta Cartridge for HP Color LaserJet 3600 printers. Average Cartridge Yield 4,000 pages	226	243		↗		X	
Q6470A	HP LaserJet 3505/3600/3800 Black Crtg Contains one HP Color LaserJet Black Print Cartridge for HP Color LaserJet 3600 and 3800 printers. Average Cartridge Yield 6,000 pages	227	244		↗		X	X
Q7581A	HP Color LaserJet 3505/3800 Cyan Crtg Contains one HP Color LaserJet 3800 Cyan Cartridge. Average Cartridge Yield 6,000 pages.	292	314		↗			X
Q7582A	HP Color LaserJet 3505/3800 Yellow Crtg Contains one HP Color LaserJet 3800 Yellow Cartridge. Average Cartridge Yield 6,000 pages.	292	314		↗			X
Q7583A	HP Color LaserJet 3505/3800 Magenta Crtg Contains one HP Color LaserJet 3800 Magenta Cartridge. Average Cartridge Yield 6,000 pages.	292	314		↗			X

HP Color LaserJet 4600 series

HP color LaserJet 4600 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 4600
HP Other Accessories						
C9667A	HP printer cabinet	537	578			X

HP color LaserJet 4600 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 4600
Toner Cartridges						
C9720A	HP toner cartridge black, approx. 9'000 pages (5% coverage)	266	286		↗	X
C9721A	HP toner cartridge cyan, approx. 8'000 pages	360	387		↗	X
C9722A	HP toner cartridge yellow, approx. 8'000 pages	360	387		↗	X
C9723A	HP toner cartridge magenta, approx. 9'000 pages	360	387		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Transparencies						
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗	X
Other Supplies Products						
C9726A	HP fuser kit, 150'000 pages	429	462			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet 4650 series

HP color LaserJet 4650 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 4650
HP Paper Trays						
Q3674A	HP 2 x 500 sheet feeder Optional 2 x 500 sheet feeder assembly,only supports the HP color LaserJet 4650 printer	1'100	1'184			X
HP Other Accessories						
C9667A	HP printer cabinet	537	578			X

HP color LaserJet 4650 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 4650
Toner Cartridges						
C9720A	HP toner cartridge black, approx. 9'000 pages (5% coverage)	266	286		↗	X
C9721A	HP toner cartridge cyan, approx. 8'000 pages	360	387		↗	X
C9722A	HP toner cartridge yellow, approx. 8'000 pages	360	387		↗	X
C9723A	HP toner cartridge magenta, approx. 9'000 pages	360	387		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Transparencies						
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗	X
Other Supplies Products						
C9726A	HP fuser kit, 150'000 pages	429	462			X

HP Color LaserJet 4550 Serie

HP Color LaserJet 4550 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ4550
Toner Cartridges						
C4191A	HP toner cartrideg, black, approx. 9'000 pages (5% coverage)	162	174		↗	X
C4192A	HP toner cartridge, cyan, approx. 6.000 pages	236	254		↗	X
C4193A	HP toner cartridge, magenta, approx. 6.000 pages	236	254		↗	X
C4194A	HP toner cartridge, yellow, approx. 6.000 pages	236	254		↗	X
Transparencies						
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗	X
Other Supplies Products						
C4195A	HP drum kit, 25'000 b/w or 6'250 color pages	155	167		↗	X
C4196A	HP transfer kit, 100'000 b/w or 25'000 color pages	295	318		↘	X
C4198A	HP fuser kit, 100'000 b/w or 50'000 color pages	347	373		↘	X

X1 : Except for 5500 hdn

HP Color Laserjet 5500/n/dn/dtn/hdn

HP Color LaserJet 5500 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 5500
Toner Cartridges						
C9730A	HP Color LaserJet Print Cartridge, black CLJ 5500. Prints approx. 13'000 pages based on 5% coverage. Cartridge contains toner, developer and imaging drum.	385	414		↗	X
C9731A	HP Color LaserJet Print Cartridge, cyan CLJ 5500. Prints approx. 12'000 pages based on 5% coverage. Cartridge contains toner, developer and imaging drum.	540	581		↗	X
C9732A	HP Color LaserJet Print Cartridge, yellow CLJ 5500. Prints approx. 12'000 pages based on 5% coverage. Cartridge contains toner, developer and imaging drum.	540	581		↗	X
C9733A	HP Color LaserJet Print Cartridge, magenta, CLJ 5500. Prints approx. 12'000 pages based on 5% coverage. Cartridge contains toner, developer and imaging drum.	540	581		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Transparencies						
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗	X
Other Supplies Products						
C9736A	HP image fuser kit, 220V, for the HP color LaserJet 5500 printer	370	398			X

HP Color LaserJet 9500 series

HP color LaserJet 9500 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 9500
Toner Cartridges						
C8550A	HP CLJ 9500 Black Print Cartridge HP Color LaserJet Smart Print Cartridge. Approximate cartridge yield 25,000 pages based on 5% coverage.	261	281		↗	X
C8551A	HP CLJ 9500 Cyan Print Cartridge HP Color LaserJet Smart Print Cartridge. Approximate cartridge yield 25,000 pages based on 5% coverage.	531	571		↗	X
C8552A	HP CLJ 9500 Yellow Print Cartridge HP Color LaserJet Smart Print Cartridge. Approximate cartridge yield 25,000 pages based on 5% coverage.	531	571		↗	X
C8553A	HP CLJ 9500 Magenta Print Cartridge HP Color LaserJet Smart Print Cartridge. Approximate cartridge yield 25,000 pages based on 5% coverage.	531	571		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Other Supplies Products						
C8554A	HP CLJ 9500 Cleaning Kit HP Color LaserJet Smart Cleaning Kit contains transfer cleaner, toner collection bottle and filter. Approx yield 50,000 pages based on 5% coverage.	64	69		↘	X
C8555A	HP CLJ 9500 Transfer Kit HP Color LaserJet Smart Transfer Kit contains an image transfer belt, transfer roller, paper feedrollers and filter. Approx yield 200,000 pages.	487	524		↘	X
C8556A	HP CLJ 9500 Fuser Kit HP Color LaserJet Smart Fuser works with both 110V and 220V. Approximate yield 100,000 pages.	365	393		↘	X
C8560A	HP CLJ 9500 Black Imaging Drum HP Color LaserJet Smart Imaging Drum contains OPC and developer. Approximate yield 40,000 pages.	509	547		↗	X
C8561A	HP CLJ 9500 Cyan Imaging Drum HP Color LaserJet Smart Imaging Drum contains OPC and developer. Approximate yield 40,000 pages.	793	853		↗	X
C8562A	HP CLJ 9500 Yellow Imaging Drum HP Color LaserJet Smart Imaging Drum contains OPC and developer. Approximate yield 40,000 pages.	793	853		↗	X
C8563A	HP CLJ 9500 Magenta Imaging Drum HP Color LaserJet Smart Imaging Drum contains OPC and developer. Approximate yield 40,000 pages.	793	853		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Color LaserJet 8550 MFP

HP color LaserJet 8550 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 8550
HP Paper Trays						
C4788A	HP 3'000 sheet output tray with stapler	3'638	3'914			X

HP Color LaserJet 8550 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 8550
Toner Cartridges						
C4149A	HP toner cartridge, black, approx. 17'000 pages(EMCA/132 ISO10561)	215	232		↗	X
C4150A	HP toner cartridge, cyan, approx. 8'500 pages	334	359		↗	X
C4151A	HP toner cartridge, magenta, approx. 8'500 pages	334	359		↗	X
C4152A	HP toner cartridge, yellow, approx. 8'500 pages	334	359		↗	X
Transparencies						
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗	X
Other Supplies Products						
C4153A	HP drum kit, 50'000 b/w or 12'500 color pages	297	320		↗	X
C4156A	HP fuser kit, 220V, approx. 100'000 pages	447	481		↘	X

HP Color LaserJet 9500mfp

HP Color LaserJet 9500mfp - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			9500mfp
HP Paper Trays						
Q1891A	HP 2000 Sheet Side High Capacity Input 2,000 sheet Side High Capacity Input device for the CLJ9500mfp	2'290	2'464			X

HP Color LaserJet 9500mfp - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			9500mfp
Toner Cartridges						
C8550A	HP CLJ 9500 Black Print Cartridge HP Color LaserJet Smart Print Cartridge. Approximate cartridge yield 25,000 pages based on 5% coverage.	261	281		↗	X
C8551A	HP CLJ 9500 Cyan Print Cartridge HP Color LaserJet Smart Print Cartridge. Approximate cartridge yield 25,000 pages based on 5% coverage.	531	571		↗	X
C8552A	HP CLJ 9500 Yellow Print Cartridge HP Color LaserJet Smart Print Cartridge. Approximate cartridge yield 25,000 pages based on 5% coverage.	531	571		↗	X
C8553A	HP CLJ 9500 Magenta Print Cartridge HP Color LaserJet Smart Print Cartridge. Approximate cartridge yield 25,000 pages based on 5% coverage.	531	571		↗	X
Paper						
Q1298B	HP LaserJet Tough Paper - Box - A4 A solution where satin finish produces rich, vibrant print results. Will not tear and is waterproof. 50 Sheets	80	86		↗	X
Other Supplies Products						
C8554A	HP CLJ 9500 Cleaning Kit HP Color LaserJet Smart Cleaning Kit contains transfer cleaner, toner collection bottle and filter. Approx yield 50,000 pages based on 5% coverage.	64	69		↘	X
C8555A	HP CLJ 9500 Transfer Kit HP Color LaserJet Smart Transfer Kit contains an image transfer belt, transfer roller, paper feedrollers and filter. Approx yield 200,000 pages.	487	524		↘	X
C8556A	HP CLJ 9500 Fuser Kit HP Color LaserJet Smart Fuser works with both 110V and 220V. Approximate yield 100,000 pages.	365	393		↘	X
C8560A	HP CLJ 9500 Black Imaging Drum HP Color LaserJet Smart Imaging Drum contains OPC and developer. Approximate yield 40,000 pages.	509	547		↗	X
C8561A	HP CLJ 9500 Cyan Imaging Drum HP Color LaserJet Smart Imaging Drum contains OPC and developer. Approximate yield 40,000 pages.	793	853		↗	X
C8562A	HP CLJ 9500 Yellow Imaging Drum HP Color LaserJet Smart Imaging Drum contains OPC and developer. Approximate yield 40,000 pages.	793	853		↗	X
C8563A	HP CLJ 9500 Magenta Imaging Drum HP Color LaserJet Smart Imaging Drum contains OPC and developer. Approximate yield 40,000 pages.	793	853		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP LaserJet 1100/2100 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 1100	LJ 2100
Toner Cartridges							
C4092A	HP Ultra Precise toner cartridge, approx. 4'340 pages (Dr. Grauert (ECMA-132/ISO10561))	101	109		↗	X	
C4096A	HP UltraPrecise toner cartridge, approx. 5'000 pages (5% coverage) or 10'250 pages (ECMA/132 ISO10561)	172	185		↗		X
Transparencies							
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X	X

HP LaserJet 4000/4050 and 8000/8100 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			LJ 8000/ MFP	LJ 8100/ MFP
HP Paper Trays							
C4787A	HP 5-Bin mailbox with stapler	3'483	3'748			X	X
C4788A	HP 3'000 sheet output tray with stapler	3'638	3'914			X	X
HP Other Accessories							
C4789A	HP Power Box Upgrade Kit	216	232			X	X
C3772A	HP staple cartridge refill (3 x 2000 staples)	49	53			X	X
C4791A	HP staples (cassette 3x 5'000) for C4788A HP 3'000 sheet output tray with stapler	97	104			X	X

HP LaserJet 4000/4050 and 8000/8100 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ4000	LJ 4050	LJ 8000/ MFP	LJ 8100/ MFP
Toner Cartridges									
C4127A	HP UltraPrecise toner cartridge for LaserJet 4000/4050, approx. 10'000 pages (Dr. Grauert ECMA / 132 ISO10561)	171	184		↗	X	X		
C4127X	HP UltraPrecise toner cartridge for LaserJet 4000/4050, approx. 18'000 pages (Dr. Grauert ECMA / 132 ISO10561)	219	236		↗	X	X		
C3909A	HP Microtoner for approx. 24'000 pages (Dr. Grauert, ECMA / 132 ISO10561)	330	355		↗			X	
C4182X	HP UltraPrecise toner cartridge, approx. 20'000 pages (5% coverage)	323	348		↗				X
Transparencies									
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X	X	X	X
Other Supplies Products									
C3915A	HP maintenance kit (220V, needed after 350'000 pages)	691	744						X

HP Color LaserJet 4500/8500 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			CLJ 4500	CLJ 8500
Toner Cartridges							
C4191A	HP toner cartrideg, black, approx. 9'000 pages (5% coverage)	162	174		↗	X	
C4192A	HP toner cartridge, cyan, approx. 6.000 pages	236	254		↗	X	
C4193A	HP toner cartridge, magenta, approx. 6.000 pages	236	254		↗	X	
C4194A	HP toner cartridge, yellow, approx. 6.000 pages	236	254		↗	X	
C4149A	HP toner cartridge, black, approx. 17'000 pages(EMCA/132 ISO10561)	215	232		↗		X
C4150A	HP toner cartridge, cyan, approx. 8'500 pages	334	359		↗		X
C4151A	HP toner cartridge, magenta, approx. 8'500 pages	334	359		↗		X
C4152A	HP toner cartridge, yellow, approx. 8'500 pages	334	359		↗		X
Other Supplies Products							
C4195A	HP drum kit, 25'000 b/w or 6'250 color pages	155	167		↗	X	
C4196A	HP transfer kit, 100'000 b/w or 25'000 color pages	295	318		↘	X	
C4198A	HP fuser kit, 100'000 b/w or 50'000 color pages	347	373		↘	X	
C4153A	HP drum kit, 50'000 b/w or 12'500 color pages	297	320		↗		X
C4156A	HP fuser kit, 220V, approx. 100'000 pages	447	481		↘		X
Transparencies							
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗	X	X

HP obsolete LaserJet - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			LJ 5L/6L	LJ 6P/MP	LJ 5/N/M	LJ 5Si/ MX/NX	CLJ 5/ N/M
Toner Cartridges										
C3906A	HP Micro-Toner for HP LaserJet 5L, 6L, 3100, 3150, approx. 2'500 pages (5% coverage) or 4'340 pages (ECMA / 132 ISO10561)	117	126		↗	X				
C3903A	HP Microtoner for HP LaserJet 6/6MP, approx. 4'000 pages (5% coverage) or 6'450 pages (ECMA / 132 ISO10561)	154	166		↗		X			
92298A	HP micro toner for HP LaserJet 5/5N/5M and HP LaserJet 4Plus/4MPlus, ca. 8'425 pages (ECMA / 132 ISO10561)	181	194		↗			X		
C3909A	HP Microtoner for approx. 24'000 pages (Dr. Grauert, ECMA / 132 ISO10561)	330	355		↗				X	
Transparencies										
92296U	HP LaserJet transparency A4, 50 sheets	46	50		↗	X	X	X	X	
C2936A	HP Color LaserJet transparencies, A4, 50 sheets	82	88		↗					X

X1 : For Color LaserJet 5/N/M: use coating pad kit (C3964A) together with fuser unit (C3969A)

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Network Peripheral Connectivity

HP JetDirect internal EIO printservers

Prod-No.	Description	VAT excl.	VAT incl.		
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698		
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Svr Share printers and MFP's over iPv4 networks with this high performance print server.	700	753		
J7961G	HP Jetdirect 635n IPv6/IPsec Print Svr One of the first Gigabit print servers to support IPv6,IPv4 and IPsec	730	785		
J6073G	HP High Performance Hard Disk For EIO peripherals. High peformance storage memory product for HP LaserJet printers with an EIO slot.	845	909		

HP Wireless Printserver Standard 802.11

Prod-No.	Description	VAT excl.	VAT incl.		
J7951G	HP Jetdirect Wireless Print Server HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet Print Server. Enjoy the freedom of printing with or without wires.	415	447		
J8007G	HP Jetdirect 690n Wireless Print Server The HP Jetdirect 690n allows you to reliably and affordably share supported peripherals over a network with robust security - wired or wirelessly.	730	785		

HP JetDirect external printservers

Prod-No.	Description	VAT excl.	VAT incl.		
J3258G	HP Jetdirect 170X Print Server A low cost print sharing device which enables a parallel printer to be shared among users connected to a Windows 95/98 or NT,Netware or LANtastic network.	265	285		
J6035G	HP Jetdirect 175X; External Print Server Value Line provides a simple an inexpensive way to share a printer or HP All-In-One devices in an Ethernet networking environment.	330	355		
J3263G	HP Jet Direct 300X Print Server Single port external print server for 10/100Base-TX. Provides easy migration path for 10T environments today & 100TX environments in the future.	499	537		
J6060G	HP Jet Direct 300X Print Server 3 single port external print servers for 10/100Base-TX networks. Each provides an upgradable,high speed network printer sharing solution.	1'385	1'490		
J7983G	HP Jetdirect 510X Print Server A low cost print sharing device which enables a parallel printer to be shared among users.	650	699		
J7988G	HP Jetdirect en1700 IPv6 Print Server Share printers and MFP's over iPv4 networks with this high performance print server.	395	425		
J7942G	HP Jetdirect en3700 Print Server An external network print server with a high speed USB 2.0 peripheral interface allows sharing of HP printers and multi-function peripherals on a network	525	565		

HP JetDirect Connectivity Card

Prod-No.	Description	VAT excl.	VAT incl.		
J7972G	HP 1284B Parallel Eio Card	152	164		

HP Large Format Printers

HP Designjet 70

	HP DesignJet 70
Print technology	HP Thermal Inkjet
Print head nozzles	304
Technology resolution	HP Color Layering Technology
Number of inks	4 (cyan, magenta, yellow, black)
Ink type	Black: HP pigment ink; cyan, magenta, yellow: HP dye-based ink
Print speed	11 A4 pages per minute or 44 seconds per A2 page in Fast mode 4 minutes per page colour image (ISO N5) Normal mode A3 Glossy Paper A3: the printed area dimensions (margins not included) for file N5 are 279.9 x 350 mm
Print quality	1200 x 600 dpi
Line accuracy	± 0.2%
Minimum line width	0.04 mm
Memory	64 MB
Media types	Paper (plain, inkjet, coated, heavyweight coated, semi-gloss, glossy, proofing, photo, brochure/flyer) transparencies
Media sizes	Standard: A2, A3, A4, B3, B4, A/B/C (English architectural), envelopes, banners Custom: 76 x 142 to 458 x 1625 mm
Print margins	Roll: 5 mm on all sides; sheet: top: 5 mm, bottom: 12 mm, left: 5 mm, right: 5 mm
Maximum media length	Roll: 45.7 m with optional roll-feed Sheet: 1625 mm
Maximum media width	458 mm
Maximum print length	15.2 m (using roll feed, application dependent)
Maximum print area	448 x 1608 mm
Media handling	Sheetfed (automatic input tray for 150 sheets up to A2+, front manual single-sheet feed, rear manual path for thick media), optional roll feed with automatic cutter
Media thickness	Up to 0.4 mm through rear path
Media weight	Up to 300 g/m2 through rear path
Interface and connectivity	Standard: USB 1.1 (USB 2.0 compliant), Centronics parallel IEEE-1284 (ECP compliant), 1 EIO slot Optional: HP Jetdirect 620n, 615n, 680n, 610n, 600n, 175x, 310x, 380x, en3700
Control panel	2 LEDs for status: Power, Attention; 3 keys: Power, Cancel, OK; display area containing information icons
Printer management	HP Designjet System Maintenance
Printer languages	PCL 3-GUI
Drivers included	PCL 3-GUI Windows® driver, Microsoft® Windows drivers (95, 98, Me, NT 4.0, 2000, XP) including support for AutoCAD™ 2000 and AutoCAD 13-14 drivers, USB and ECP drivers, Raster driver for Mac OS 9.x, 10.2, 10.3
Software included	HP Designjet Windows software, HP Designjet Macintosh software
Power consumption	48 watts maximum
Dimensions (w x d x h)	Out of package: 890 x 415 x 220 mm; packaged: 1035 x 544 x 498 mm
Weight	Out of package: 18.5 kg; packaged: 30 kg
Warranty	One-year next business day exchange

Prod-No.	Description	VAT excl.	VAT incl.		
Q6655A	HP Designjet70 Printer Fast printing up to-A2+/C+ in full color–create superior results at a breakthrough price.	1'630	1'754		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP DesignJet 70 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			70
HP Accessories						
Q6662A	HP Printer Roll Feed Accessory Roll Feed Accessory for Designjet 70 and 90 printer series.	290	312			X
Q6661A	HP Printer Spindle Accessory Spindle Accessory for Designjet 70 and 90 printer series.	60	65			X

HP Designjet 70 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			70
Inkjet Cartridges						
C4810A	HP printhead No.11 black	51	55		↗	X
C4811A	HP printhead No.11 cyan	51	55		↗	X
C4812A	HP printhead No.11 magenta	51	55		↗	X
C4813A	HP printhead No.11 yellow	51	55		↗	X
C4844AE	HP ink cartridge No.10 black	51	55		↗	X
C4836AE	HP ink cartridge No.11 cyan	50	54		↗	X
C4837AE	HP ink cartridge No. 11 magenta	50	54		↗	X
C4838AE	HP ink cartridge No. 11 yelow	50	54		↗	X
Paper						
Q1961A	HP Inkjet Coated Paper 100sh 18inX24in Bright white coated paper provides economy and great performance by capturing high resolution black images, crisp line drawings,and vivid graphics	77	83		↘	X
Q1967A	HP Matte Proofing Paper 100Sht 13inX19in Use with HP DesignJet 10, 20, and 50 ps; and HP 100 series printers to produce fast and affordable full bleed B or A3 size prints.	62	67		↘	X
Q5486A	HP Prem Plus GL Phto Papr 25sht/13x19in HP Premium Plus Gloss Photo Paper - 25 sht/13 in x 19 in	77	83		↘	X
Q5487A	HP Prem Plus GL Phto Papr 20sht/18x24in HP Premium Plus Gloss Photo Paper - 20 sht/18 in x 24 in	124	133		↘	X
Q5489A	HP Prem Pls Satn Phto Papr 25sht/13x19in HP Premium Plus Satin Photo Paper - 25 sht/13 in x 19 in	77	83		↘	X
Q5490A	HP Prem Pls Satn Phto Papr 20sht/18x24in HP Premium Plus Satin Photo Paper - 20 sht/18 in x 24 in	124	133		↘	X
Q5492A	HP Photo Matte, 13in by 19in Cut sheets of 13 inch by 19 inch matte photo media	53	57		↘	X
Q7920A	HP Prem Plus Satin Photo Paper 18inx40ft HP Premium Plus Satin Photo Paper - 18 in x 40 ft	77	83		↘	X

HP Designjet 90

	HP DesignJet 90
Print technology	HP Thermal Inkjet
Print head nozzles	304
Technology resolution	HP Color Layering technology, Photoret IV
Number of inks	6 (cyan, magenta, yellow, black, light cyan, light magenta)
Ink type	HP Vivera dye-based inks
Ink drop size	4pl
Lightfastness	82 years Wilhelm Imaging Research, Inc. concluded that prints made with HP 85 Ink Cartridges and HP Premium Plus Photo Papers may be displayed indoors under glass for 82 years before noticeable fading and staining occur (see www.wilhelm-research.com for details).
Print speed	Colour Image (ISO N5) Normal Mode A3 Glossy Paper: 4 min / page The printed area dimensions (margins not included) for file N5 are 279.9 x 350 mm. Colour Image (ISO N5) Normal Mode A2 Glossy Paper: 6.3 min / page The printed area dimensions (margins not included) for file N5 are 368 x 460 mm.
Print quality	2400 x 1200 dpi
Line accuracy	± 0.2%
Minimum line width	0.04 mm
Memory	64 MB
Media types	Paper (plain, inkjet, coated, heavyweight coated, semi-gloss, glossy, proofing, photo, brochure/flyer), transparencies
Media sizes	A2, A3, A4, B3, B4, A/B/C (English architectural), envelopes, banners Custom: 76 x 142 to 458 x 1625 mm
Print margins	Roll: 5 mm on all sides; Sheet: top: 5 mm, bottom: 12 mm, left: 5 mm, right: 5 mm
Maximum media length	Roll: HP Designjet 90 Printer: 45.7 m with optional roll-feed; HP Designjet 90r/gp Printer: 45.7 m Sheet: 1625 mm
Maximum media width	458 mm
Maximum print length	15.24 m (application dependent)
Maximum print area	448 x 1608 mm
Media handling	Sheetfed (input tray, manual single-sheet feed, rear path), roll-feed with automatic cutter (optional on HP Designjet 90 Printer)
Media thickness	Up to 0.4 mm through Rear Path
Media weight	Up to 300 g/m2 through Rear Path
Interface and connectivity	Standard: USB 1.1 (USB 2.0 compliant), Centronics parallel IEEE-1284 (ECP compliant), 1 EIO slot Optional: HP Jetdirect 620n, 615n, 680n, 610n, 600n, 175x, 310x, 380x, en3700 Drivers included: Raster driver for Mac OS 9.x, 10.2, 10.3; PCL 3-GUI Windows® driver; Microsoft® Windows drivers 95, 98, Me, NT 4.0, 2000, XP including support for AutoCAD 2000, USB, and ECP drivers
Control panel	2 LEDs for status: Power, Attention; 3 keys: Power, Cancel, OK; display area containing information icons
Printer languages	PCL 3-GUI RGB 24-bit Contone Optional: Adobe® PostScript® 3™ via optional EFI Designer Edition software RIP
Drivers included	Raster driver for Mac OS 9.x, 10.2, 10.3; PCL 3-GUI Windows® driver; Microsoft® Windows drivers 95, 98, Me, NT 4.0, 2000, XP including support for AutoCAD 2000, USB, and ECP drivers
Software included	HP Designjet Windows® software, HP Designjet Macintosh software
Power consumption	65 watts maximum
Dimensions (w x d x h)	Out of package: HP Designjet 90 Printer: 890 x 415 x 220 mm, HP Designjet 90r/gp Printer: 890 x 520 x 220 mm
Weight	Out of package: HP Designjet 90 Printer: 18.5 kg; HP Designjet 90r/gp Printer: 19.5 kg
Warranty	One-year next business day exchange

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
Q6656A	HP Designjet 90 Printer A professional A2+ / C+ -size photo printer that delivers predictable color and optimal image quality.	2'080	2'238		
Q6656B	HP Designjet 90R Printer A professional A2+/C+-size photo printer that delivers predictable color and optimal image quality.	2'310	2'486		

HP DesignJet 90 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			90
HP Accessories						
Q6662A	HP Printer Roll Feed Accessory Roll Feed Accessory for Designjet 70 and 90 printer series.	290	312			X
Q6661A	HP Printer Spindle Accessory Spindle Accessory for Designjet 70 and 90 printer series.	60	65			X

HP Designjet 90 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			90
Paper						
Q1961A	HP Inkjet Coated Paper 100sh 18inX24in Bright white coated paper provides economy and great performance by capturing high resolution black images, crisp line drawings,and vivid graphics	77	83		↘	X
Q1967A	HP Matte Proofing Paper 100Sht 13inX19in Use with HP DesignJet 10, 20, and 50 ps; and HP 100 series printers to produce fast and affordable full bleed B or A3 size prints.	62	67		↘	X
Q5486A	HP Prem Plus GL Phto Papr 25sht/13x19in HP Premium Plus Gloss Photo Paper - 25 sht/13 in x 19 in	77	83		↘	X
Q5487A	HP Prem Plus GL Phto Papr 20sht/18x24in HP Premium Plus Gloss Photo Paper - 20 sht/18 in x 24 in	124	133		↘	X
Q5489A	HP Prem Pls Satn Phto Papr 25sht/13x19in HP Premium Plus Satin Photo Paper - 25 sht/13 in x 19 in	77	83		↘	X
Q5490A	HP Prem Pls Satn Phto Papr 20sht/18x24in HP Premium Plus Satin Photo Paper - 20 sht/18 in x 24 in	124	133		↘	X
Q5492A	HP Photo Matte, 13in by 19in Cut sheets of 13 inch by 19 inch matte photo media	53	57		↘	X
Q7920A	HP Prem Plus Satin Photo Paper 18inx40ft HP Premium Plus Satin Photo Paper - 18 in x 40 ft	77	83		↘	X

HP DesignJet 110 plus series

	HP DesignJet 110 plus
Print technology	HP Thermal Inkjet
Print head nozzles	304
Print speed	A4 draft: 11 pages per minute A1 draft: 90 seconds per page **Maximum speed** / **Best quality** Colour images 25 sq m/hr / 1.6 sq m/hr
Print quality	1200 x 1200 dpi
Line accuracy	± 0.2%
Minimum line width	0.04 mm
Colour technology	HP Color Layering Technology
Memory	64 MB
Printer languages	PCL 3-GUI
Media sizes	Standard: A1, A1+, A2, A3, A4, B2, B3, B4, A2 (metric oversize), envelopes HP Designjet 110Plus NR: Standard plus auto 24" roll feed with auto cutter
Maximum media length	Sheet: 1625 mm
Maximum media width	625 mm
Media types	Paper (plain, coated, natural tracing, two-sided brochure, photo, heavyweight), transparencies, vellum, translucent bond.
Paper input trays	Standard:1 (A2+ size)
Media handling, document finishing	Input tray A2+ size, manual single-sheetfed, rear path (max. A1 oversize).
Drivers included	PCL 3-GUI Windows® driver (Microsoft® Windows 95, 98, Me, NT 4.0, 2000, XP) including support for AutoCAD 2000 and AutoCAD 13 – 14 drivers, USB and ECP drivers, Raster driver for Mac OS (9.x, X.1, X.2, X.3)
Interface and connectivity	HP Designjet 110plus: USB 1.1 (Microsoft® Windows® 98 SE, Me, 2000, XP), USB 2.0 compliant, Centronics parallel IEEE-1284 compliant (ECP), 1 EIO slot. Optional: HP Jetdirect 620n, 615n, 680n, 610n, 600n, 380x HP Designjet 110plus NR: Like HP Designjet 110plus and HP Jetdirect 620n LAN-Card
Software included	HP Designjet System Maintenance and drivers for Windows® and Macintosh
Control panel	2 LEDs for status: Power, Attention; 3 keys: Power, Cancel, OK; display area containing information icons
Power consumption	Printing: 47.5 watts maximum; idle: 17.9 watts maximum; standby: 13.9 watts maximum
Dimensions (w x d x h)	HP Designjet 110plus: Out of package: 1042 x 415 x 220 mm; Packaged: 1192 x 545 x 495 mm HP Designjet 110plus NR: Out of package: 1042 x 535 x 220 mm; Packaged: 1192 x 545 x 495 mm
Weight	Out of package: 22 kg; Packaged: 34 kg
Printer management	HP Designjet System Maintenance
Warranty	One year warranty.

Prod-No.	Description	VAT excl.	VAT incl.		
C7796D	HP Designjet 110 Plus Printer The versatile, budget-friendly multi-format printer that prints on a wide range of media sizes.	1'800	1'937		
C7796F	HP Designjet 110 Plus NR Printer	2'850	3'067		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP DesignJet 110 plus - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			110 plus
HP Accessories						
Q1246B	HP Designjet 100/500/800 24 Stand & Bin	397	427			X
Q1264A	HP Designjet 110/120 Spindle Accessory	80	86			X
Q1247A	HP Designjet 110/120/130 Auto Roll Feed Automatic roll sheet switcher. Supporting hp media up to 45.5 m/150 feet length. Inside Core: 2"	905	974			X

HP DesignJet 110 plus - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			110 plus
Inkjet Cartridges						
C4810A	HP printhead No.11 black	51	55		↗	X
C4811A	HP printhead No.11 cyan	51	55		↗	X
C4812A	HP printhead No.11 magenta	51	55		↗	X
C4813A	HP printhead No.11 yellow	51	55		↗	X
Paper						
C6029C	LF Heavyweight Coated Paper, 24"	56	60		↘	X
Q1396A	HP inkjet paper, 80 g/m², 24"-roll, 610 mm, 45 m	18	19		↘	X
C3869A	HP natural tracing paper, 90 g/m² 24" roll (A1), 45,7m	61	66		↘	X
51642A	HP transparency film, 24" roll (A1), 36.6m	210	226		↘	X
Q1968A	HP Matte Proofing Paper 24inX100ft Use with HP DesignJet 100 series printers to product fast and affordable full bleed prints.	93	100		↘	X

HP DesignJet 130 Series

	HP DesignJet 130		
Print technology	HP Thermal Inkjet		
Print head nozzles	304		
Print speed (Up to # minutes per page)	**Document type** Colour graphics A3 Colour graphics A1	**Normal** Glossy media: 4 mpp Glossy media: 12 mpp	**Best** Glossy media: 6 mpp Glossy media: 17 mpp
Maximum resolution	Colour: 2400 x 1200 dpi		
Line accuracy	± 0.2%		
Minimum line width	0.04 mm		
Memory	64 MB, maximum: 64 MB		
Printer languages	PCL 3-GUI RGB 24-bit Contone Optional: Adobe® PostScript® 3™ via software RIP		
Media sizes	Standard: A1, A1+, A2, A3, A4, B2, B3, B4, A2 metric oversize, A/B/C/D (English architectural), envelopes, banners Custom: HP Designjet 130 printer: Sheets: 76 x 142 to 625 x 1625 mm, HP Designjet 130nr/gp printer: Sheets: 76 x 142 to 625 x 1625 mm; roll feed (width): 609.6 mm		
Maximum media length	Roll: HP Designjet 130nr printer: 15.24 m (application dependent); Sheet: 1625 mm		
Maximum media width	625 mm		
Media types	HP Premium Plus Photo paper as well as other HP photo medias, glossy, semi-gloss and matte proofing papers, plain paper, inkjet, coated, heavyweight coated paper.		
Print margins	Roll: 5 mm; Sheet: Top: 5 mm, bottom: 12 mm, left: 5 mm, right: 5 mm		
Maximum print length	15.2 m (application dependent)		
Paper input trays	1 (A2+ size)		
Media handling, document finishing	HP Designjet 130 printer: Sheet feed (input tray, manual single-sheet feed, rear path), optional automatic roll feed, automatic cutter HP Designjet 130nr printer: Sheet feed (input tray, manual single-sheet feed, rear path), manual roll feed, automatic cutter		
Drivers included	Driver for Mac OS (9.x, X.1, X.2, X.3), PCL 3-GUI Windows® driver (Microsoft® Windows 95, 98, Me, NT 4.0, 2000, XP) including support for AutoCAD 2000		
Interface and connectivity	HP Designjet 130 printer: USB 1.1 (USB 2.0 compliant), Centronics parallel IEEE-1284 (ECP compliant), 1 EIO slot HP Designjet 130nr printer: basic model plus HP Jetdirect 615n LAN card Optional: HP Designjet 130 printer: HP Jetdirect 615n, 680n, 610n, 600n, 175x, 310x, 380x, HP Designjet 130nr printer: HP Jetdirect 615n, 680n, 175x, 310x, 380x		
Software included	HP Designjet drivers for Windows® and Macintosh		
Control panel	2 LEDs for status: Power, Attention; 3 keys: Power, Cancel, OK; display area containing information icons		
Power consumption	65 watts maximum		
Dimensions (w x d x h) (out of package/packaged)	HP Designjet 130 printer: 1050 x 415 x 220 mm/1192 x 545 x 495 mm; HP Designjet 130nr printer: 1050 x 535 x 220 mm/1192 x 545 x 495 mm		
Weight (out of package/packaged)	HP Designjet 130 printer: 22 kg/33.8 kg, HP Designjet 130nr printer: 23 kg/36.8 kg		
Printer management	HP Designjet System Maintenance		
Warranty	HP Designjet 130 printer: One-year next-business-day exchange. HP Designjet 130nr printer: 1 year warranty includes phone support from Monday to Friday at business hours and express exchange in most Europe, Middle East and Africa countries. Some countries may have slightly different support delivery methods depending on local infrastructure. With HP Care Pack you can extend your warranty up to 3 years.		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
C7791C	HP Designjet 130 Printer The most affordable A1/D multi-format printer delivers fade-resistant (approx. 70 yrs), photo quality images with HP professional color technologies.	2'500	2'690		
C7791F	HP Designjet 130nr Printer 24-in with 6 Vivera inks for the graphics segment. Now with Standard roll-feed.	3'550	3'820		

HP DesignJet 130 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			130
HP Accessories						
Q1247A	HP Designjet 110/120/130 Auto Roll Feed Automatic roll sheet switcher. Supporting hp media up to 45.5 m/150 feet length. Inside Core: 2"	905	974			X
Q1264A	HP Designjet 110/120 Spindle Accessory	80	86			X
Q1246B	HP Designjet 100/500/800 24 Stand & Bin	397	427			X
Q6641D	EFI Designer 5.1 Edition Intl Software HP "EFI DESIGNER EDITION 5.1 for HP"M International. Software RIP for the HP DesignJet printer series smaller than 24"	515	554			X
Q6643D	HP XL International 5.1 RIP Software Software RIP for the HP Designjet Z Photo Printer series.	1'120	1'205			X

HP DesignJet 130 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			130
Inkjet Cartridges						
C9426A	HP 85 magenta ink cartridge Use in the HP DesignJet 30 and 130 series printers	51	55		↗	X
C9427A	HP 85 yellow ink cartridge Use in the HP DesignJet 30 and 130 series printers	58	62		↗	X
C5016A	HP No 84 ink cartridge, black	56	61		↗	X
C9425A	HP 85 cyan ink cartridge Use in the HP DesignJet 30 and 130 series printers	51	55		↗	X
C9428A	HP 85 light cyan ink cartridge Use in the HP DesignJet 30 and 130 series printers	58	62		↗	X
C9429A	HP 85 light magenta ink cartridge Use in the HP DesignJet 30 and 130 series printers	58	62		↗	X
Paper						
Q5488A	HP Prem Plus Gloss Photo Paper 24inx50ft HP Premium Plus Gloss Photo Paper - 24 in x 50 ft	108	117		↘	X
Q7920A	HP Prem Plus Satin Photo Paper 18inx40ft HP Premium Plus Satin Photo Paper - 18 in x 40 ft	77	83		↘	X
Q1420A	HP photo paper, matte, 179 g/m², 24"- roll, 610 mm, 30 m	95	102		↘	X
Q5492A	HP Photo Matte, 13in by 19in Cut sheets of 13 inch by 19 inch matte photo media	53	57		↘	X
Q1968A	HP Matte Proofing Paper 24inX100ft Use with HP DesignJet 100 series printers to product fast and affordable full bleed prints.	93	100		↘	X

HP DesignJet 500 series

	HP DesignJet 500	HP DesignJet 500PS*
Models	C7769B: 61cm / A1 C7770B: 107cm / A0+	C7769C: 61cm / A1 C7770C: 107cm / A0+
Print technology	HP thermal inkjet (cartridges with 69 ml)	
Speed (A1)	Line drawings: fast mode: 90 seconds Color images: fast mode: 7.9 m²/h, normal mode: 3,3 m²/h, best quality: 2 m²/h	
Resolution	Up to 1200 dpi x 600 dpi	
Printer language	Standard: HP PCL3-GUI, Optional: HP GL/2, HP RTL only with HP-GL/2 adapter card	Standard: HP PCL3-GUI, Adobe Postscript 3 Optional: HP GL/2, HP RTL
Memory	16 MB RAM standard,160 MB RAM max. (Expansion only with HP GL/2 adapter card)	
Media sizes 107 cm model 61 cm model	Single sheet / Roll Width: 210 to 1067 mm / Width: 610, 914, 1067 mm Length: 210 to 1897 mm / Length: up to 45.7 m Width: 210 to 610 mm / Width: 610 mm Length: 210 to 1897 mm / Length: up to 45.7 m	
Media types	HP poster paper; HP heavy coated paper (various formats); HP high gloss photo paper	
Interfaces	Standard : Centronics parallel, IEEE 1284 compatible Optional: internal HP JetDirect Print Server	Standard : Centronics parallel, IEEE 1284 compatible, USB 1.1 (Windows 98 and 2000 (ECP)) and MAC OS 8.5, 8.6, 9.0 (for 500PS only) Optional: internal HP JetDirect Print Server
Accessories	Additional spindle for 107 cm model: C2390A 61 cm model: C2389A Memory: 64 MB DIMM: C2387A 128 MB DIMM: C2388A HP GL/2 adapter card with 16 MB memory: C7772A (for 500 only) Printer stand and media bin for 61 cm model: C7782A	Additional spindle for 107 cm model: C2390A 61 cm model: C2389A Memory: 64 MB DIMM: C2387A 128 MB DIMM: C2388A Printer stand and media bin for 61 cm model: C7782A
Warranty	1 year on-site	
*The 500ps version is not recommended for Macintosh; it is a software RIP. Mac users should rather take the T610 model.		

Prod-No.	Description	VAT excl.	VAT incl.		
C7769F	HP Designjet 500 Plus, 61 cm	3'450	3'712		
C7769G	HP Designjet 500ps Plus, 61 cm	4'500	4'842		
C7770F	HP Designjet 500 Plus, 107 cm	5'520	5'940		
C7770G	HP Designjet 500ps Plus, 107 cm	6'480	6'972		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP DesignJet 500 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			500/ 500PS
HP Accessories						
C2387A	HP 64 MB DIMM (only used together with HP GL/2 extension card)	206	222			X
C7772A	HP GL/2 expansion card with 16 MB memory	506	544			X
C2389A	HP spindle 61 cm	90	97			X
C2390A	HP spindle 107cm	90	97			X
Q1246B	HP Designjet 100/500/800 24 Stand & Bin	397	427			X

HP DesignJet 500 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			500/ 500PS
Inkjet Cartridges						
C4810A	HP printhead No.11 black	51	55		↗	X
C4811A	HP printhead No.11 cyan	51	55		↗	X
C4812A	HP printhead No.11 magenta	51	55		↗	X
C4813A	HP printhead No.11 yellow	51	55		↗	X
C4844AE	HP ink cartridge No.10 black	51	55		↗	X
C4911A	HP No 82 ink cartridge, cyan 69 ml	56	61		↗	X
C4912A	HP No 82 ink cartridge, magenta 69 ml	56	61		↗	X
C4913A	HP No 82 ink cartridge, yellow 69 ml	56	61		↗	X
Paper						
C3868A	HP natural tracing paper, 90 g/m² 36" roll (A0), 45,7m	92	99		↘	X
C3869A	HP natural tracing paper, 90 g/m² 24" roll (A1), 45,7m	61	66		↘	X
Transparencies						
51642A	HP transparency film, 24" roll (A1), 36.6m	210	226		↘	X
51642B	HP transparency film, 36" roll (A0), 36.6m	299	322		↘	X
C3875A	HP clear film, 36" roll (A0), 23m	290	312		↘	X

HP DesignJet T610 series

	HP Designjet T610 Printer series
Print speed	
Line drawings	Fast: 35 sec/page on D/A1, 70 D/A1 prints per hour (Economode on) 52 D/A1 prints per hour (Economode off)
Color images	Fast: 530 ft2/hr (41 m2/hr) Best: 30 ft2/hr (2.8 m2/hr)
Print resolution maximum	2400 x 1200 optimized dpi
Memory	128 MB standard memory
Media	
Handling	Roll feed, sheet feed
Types	Bond and coated paper (bond, coated, heavyweight coated, super heavyweight coated, super heavyweight plus matte, coloured), photographic paper (satin, gloss, semi-gloss, matte, high-gloss), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester), backlit, selfadhesive (two-view cling, indoor paper, polypropylene, vinyl)
Weight	60 to 328 g/m2
Size	24-in models: 8.5 to 24 in wide sheets, 11 to 24 in rolls 44-in models: 8.5 to 44 in wide sheets, 11 to 44 in rolls
Thickness	Up to 31.5 mil
Maximum roll length	300 ft/91 m
Printing	
Margins	Roll: 0.2 x 0.2 x 0.2 x 0.2 in/5 x 5 x 5 x 5 mm (borderless on photo papers) Sheet: 0.2 x 0.67 x 0.2 x 0.2 in/5 x 16.75 x 5 x 5 mm
Technology	HP Thermal Inkjet
Ink cartridge colors	Cyan, gray, magenta, matte black, photo black, yellow
Ink types	HP Vivera Inks
Ink drop	6 pl (cyan, magenta, photo black, gray), 9 pl (yellow, matte black)
Ink cartridge size	69 ml (photo black, cyan, magenta, yellow, gray) 130 ml (matte black, photo black, cyan, magenta, yellow, gray)
Nozzles	6336 (1056 per Colour)
Maximum line width	0.002 in/0.0423 mm
Line accuracy	+/- 0.1%
Maximum print length	Roll: 91.4 m. Sheet: 1676.4 mm (OS and application dependent)
Connectivity	
Interfaces (standard)	Standard: 1 Hi-Speed USB port (compatible with USB 2.0 specifications), 1 EIO Jetdirect accessory slot.
Interfaces (optional)	HP Jetdirect print servers
Print languages (standard)	HP-GL2/RTL, CALS/G4, HP PCL3GUI
Drivers (included)	HP-GL/2, HP-RTL Windows drivers; Optimized Windows driver for AutoCAD2000 and higher; support for Citrix MetaFrame environments; HP PCL3GUI driver for Mac OS X
Dimensions (w x d x h)	
Printer	24-in models: 1262 x 661 x 391 mm 44-in models (with stand): 1770 x 661 x 1047 mm
Shipping	24-in models: 1470 x 780 x 740 mm 44-in models (with stand): 1965 x 780 x 780 mm
Weight	
Printer	24-in models: 47 kg 44-in models (with stand): 86 kg
Shipping	24-in models (with stand): 88.5 kg 44-in models: 123 kg
Power consumption	Maximum: 200 watts; Powersave: 27 watts; Off: 0.1 watts
Warranty	one-year, next-business-day, on-site warranty

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
Q6711A	HP Designjet T610 24in Printer With 6 Vivera pigmented inks (3 new black vivera inks), optimized for CAD in-house printing	4'020	4'326		
Q6712A	HP Designjet T610 44in Printer With 6 Vivera pigmented inks (3 new black vivera inks), optimized for CAD in-house printing	5'990	6'445		

HP Designjet T610 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			T610
HP Accessories						
Q6663A	HP Designjet Z/Tx100/Tx10 24-in Stand HP Designjet printer stand and media bins.	340	366			X
Q6700A	HP Designjet Z/Tx100/Tx10 24-in Spindle HP Designjet 24-inch roll feet spindle for Graphic media.	90	97			X
Q6709A	HP Designjet T1100 Office 44in Spindle New 44 in spindle for HP DesignJet T1100 & T610 series Printers.	100	108			X
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X

HP Designjet T610 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			T610
HP Print cartridges						
C9397A	HP 72 69ml Photo Black Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9398A	HP 72 69ml Cyan Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9399A	HP 72 69ml Magenta Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9400A	HP 72 69ml Yellow Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9401A	HP 72 69ml Gray Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9370A	HP 72 130ml Photo Black Ink Cartridge For use in selected HP printers.	93	100			X
C9371A	HP 72 130ml Cyan Ink Cartridge For use in selected HP printers.	93	100			X
C9372A	HP 72 130ml Magenta Ink Cartridge For use in selected HP printers.	93	100			X
C9373A	HP 72 130ml Yellow Ink Cartridge For use in selected HP printers.	93	100			X
C9374A	HP 72 130ml Gray Ink Cartridge For use in selected HP printers.	93	100			X
C9403A	HP 72 130ml Matte Black Ink Cartridge For use in selected HP printers.	93	100		↗	X
Paper						
51642B	HP transparency film, 36" roll (A0), 36.6m	299	322		↘	X
C3868A	HP natural tracing paper, 90 g/m² 36" roll (A0), 45,7m	92	99		↘	X
C3875A	HP clear film, 36" roll (A0), 23m	290	312		↘	X
C6019B	HP Coated Paper, 24" roll (replaces C3878A)	46	50		↘	X
C6020B	HP Coated Paper 36" x 150 ft. 98 gsm	63	68		↘	X
C6030C	LF Heavyweight Coated Paper, 36"	74	79		↘	X
C6035A	HP inkjet paper, bright white, 610 mm x 45,7 m (24"), 1 roll	28	30		↘	X
C6036A	HP inkjet paper, bright white, 914 mm x 45,7 m (36"), 1 roll	41	44		↘	X
C6569C	LF Heavyweight Coated Paper, 42"	91	98		↘	X
C6810A	LF Bright White Inkjet 300 ft. 91,5m	73	78		↘	X
C6980A	HP LF Coated Paper, 300 ft./91m, 36"	127	136		↘	X
Q1397A	HP inkjet paper, 80 g/m², 36"-roll, 914 mm, 45 m	26	27		↘	X
Q1421A	HP photo paper, matte, 179 g/m², 36"- roll, 914 mm, 30 m	138	148		↘	X
Q1427A	HP photo paper, glossy, 179 g/m², 36"- roll, 914 mm, 30 m	138	148		↘	X
Q1441A	LF Coated Paper A0 Metric 33.11"x150 ft	85	92		↘	X
Q1442A	LF Coated Paper A1 Metric 23.39"x150 ft	60	65		↘	X
Q1444A	HP Bright White Inkjet Paper 841mmX45,7m	39	42		↘	X
Q1445A	HP Bright White Inkjet Paper 594mmX45,7m	27	29		↘	X
Q1956A	HP Coated Paper,42" x 225 ft HP Heavy Weight coated paper,long roll. Provides low cost,long term, applications such as signs and posters.	189	203		↘	X
Q6627A	HP Matte Super Hw Plus Paper 36inX100ft Contains one roll of premium matte inkjet graphic display media	107	115		↘	X
Q6628A	HP Matte Super Hw Plus Paper 42inX100ft Contains one roll of premium matte inkjet graphic display media	124	133		↘	X
Q8834A	HP Gloss Polypropylene 36inX75ft Contains one roll of HP self adhesive gloss polypropylene 36 inches x 75 feet or 914mm x 22.9m	100	108			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet T1100 Series

	HP Designjet T1100 Printer series
Print speed	
Line drawings	Fast: 35 sec/page on D/A1, 70 D/A1 prints per hour (Economode on) 52 D/A1 prints per hour (Economode off)
Color images	Fast: 530 ft2/hr (48 m2/hr) Best: 30 ft2/hr (2.8 m2/hr)
Print resolution maximum	2400 x 1200 optimized dpi
Memory	256 MB standard memory, 40 GB hard disk
Media	
Handling	Roll feed, sheet feed
Types	Bond and coated paper (bond, coated, heavyweight coated, super heavyweight coated, super heavyweight plus matte, coloured), photographic paper (satin, gloss, semi-gloss, matte, high-gloss), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester), backlit, selfadhesive (two-view cling, indoor paper, polypropylene, vinyl)
Weight	60 to 328 g/m2
Size	24-in models: 8.5 to 24 in wide sheets, 11 to 24 in rolls 44-in models: 8.5 to 44 in wide sheets, 11 to 44 in rolls
Thickness	Up to 31.5 mil
Maximum roll length	300 ft/91 m
Printing	
Margins	Roll: 0.2 x 0.2 x 0.2 x 0.2 in/5 x 5 x 5 x 5 mm (borderless on photo papers) Sheet: 0.2 x 0.67 x 0.2 x 0.2 in/5 x 16.75 x 5 x 5 mm
Technology	HP Thermal Inkjet
Ink cartridge colors	Cyan, gray, magenta, matte black, photo black, yellow
Ink types	HP Vivera Inks
Ink drop	6 pl (cyan, magenta, photo black, gray), 9 pl (yellow, matte black)
Ink cartridge size	69 ml (photo black, cyan, magenta, yellow, gray) 130 ml (matte black, photo black, cyan, magenta, yellow, gray)
Nozzles	6336 (1056 nozzles per colour)
Maximum line width	0.002 in/0.0423 mm
Line accuracy	+/- 0.1%
Maximum print length	300 ft/91 m (OS and application dependent)
Connectivity	
Interfaces (standard)	Two 10/100/1000BT Ethernet RJ-45 port, one Hi-Speed USB 2.0 certified port, one EIO JetDirect accessory slot
Interfaces (optional)	HP Jetdirect print servers
Print languages (standard)	HP Designjet T1100 Printer: HP-GL2/RTL, CALS/G4, HP PCL3GUI HP Designjet T1100ps Printer: Adobe PostScript, Adobe PDF 1.6, HP-GL2/RTL, CALS/G4, TIFF, JPEG, HP PCL3GUI
Drivers (included)	HP Designjet T1100 Printer: HP-GL/2, HP-RTL Windows drivers; Optimized Windows driver for AutoCAD 2000 and higher; support for Citrix MetaFrame environments; HP PCL3GUI driver for Mac OS X HP Designjet T1100ps Printer: HP-GL/2, HP-RTL Windows drivers; PS Windows drivers; Optimized Windows driver for AutoCAD 2000 and higher; support for Citrix MetaFrame environments; PS driver for Mac OS X
Dimensions (w x d x h)	
Printer	24-in models: 1262 x 661 x 391 mm 44-in models (with stand): 1770 x 661 x 1047 mm
Shipping	24-in models: 1470 x 780 x 740 mm 44-in models (with stand): 1965 x 780 x 780 mm

Weight	
Printer	24-in models: 47 kg 44-in models (with stand): 86 kg
Shipping	24-in models (with stand): 88.5 kg 44-in models: 123 kg
Power consumption	Maximum: 200 watts; Powersave: 27 watts; Off: 0.1 watts
Warranty	Two-year, next-business-day, on-site warranty

Prod-No.	Description	VAT excl.	VAT incl.		
Q6683A	HP Designjet T1100 24in Printer With 6 Vivera pigmented inks (3 new black vivera inks),optimized for CAD workgroups.	5'520	5'940		
Q6684A	HP Designjet T1100ps 24in Printer With 6 Vivera pigmented inks (3 new black vivera inks),optimized for CAD workgroups.	6'820	7'338		
Q6687A	HP Designjet T1100 44in Printer With 6 Vivera pigmented inks (3 new black vivera inks),optimized for CAD workgroups.	9'740	10'480		
Q6688A	HP Designjet T1100ps 44in Printer With 6 Vivera pigmented inks (3 new black vivera inks),optimized for CAD workgroups.	12'020	12'934		
Q6713A	HP Designjet T1100 MFP Printer	40'300	43'363		

HP Designjet T1100 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			T1100
HP Accessories						
Q6663A	HP Designjet Z/Tx100/Tx10 24-in Stand HP Designjet printer stand and media bins.	340	366			X
Q6700A	HP Designjet Z/Tx100/Tx10 24-in Spindle HP Designjet 24-inch roll feet spindle for Graphic media.	90	97			X
Q6709A	HP Designjet T1100 Office 44in Spindle New 44 in spindle for HP DesignJet T1100 & T610 series Printers.	100	108			X
J7934G	HP 620n Ethernet Print Server. EIO fast Ethernet print server with unsurpassable reliability, high speed and installation.	649	698			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet T1100 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			T1100
HP Print cartridges						
C9380A	HP 72 Gray / Photo Black Printhead For use in selected HP printers	90	97		↗	X
C9397A	HP 72 69ml Photo Black Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9398A	HP 72 69ml Cyan Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9399A	HP 72 69ml Magenta Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9400A	HP 72 69ml Yellow Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9401A	HP 72 69ml Gray Ink Cartridge For use in selected HP printers.	64	69		↗	X
C9370A	HP 72 130ml Photo Black Ink Cartridge For use in selected HP printers.	93	100			X
C9371A	HP 72 130ml Cyan Ink Cartridge For use in selected HP printers.	93	100			X
C9372A	HP 72 130ml Magenta Ink Cartridge For use in selected HP printers.	93	100			X
C9373A	HP 72 130ml Yellow Ink Cartridge For use in selected HP printers.	93	100			X
C9374A	HP 72 130ml Gray Ink Cartridge For use in selected HP printers.	93	100			X
C9403A	HP 72 130ml Matte Black Ink Cartridge For use in selected HP printers.	93	100		↗	X
Paper						
51642B	HP transparency film, 36" roll (A0), 36.6m	299	322		↘	X
C3868A	HP natural tracing paper, 90 g/m² 36" roll (A0), 45,7m	92	99		↘	X
C3875A	HP clear film, 36" roll (A0), 23m	290	312		↘	X
C6019B	HP Coated Paper, 24" roll (replaces C3878A)	46	50		↘	X
C6020B	HP Coated Paper 36" x 150 ft. 98 gsm	63	68		↘	X
C6030C	LF Heavyweight Coated Paper, 36"	74	79		↘	X
C6035A	HP inkjet paper, bright white, 610 mm x 45,7 m (24"), 1 roll	28	30		↘	X
C6036A	HP inkjet paper, bright white, 914 mm x 45,7 m (36"), 1 roll	41	44		↘	X
C6569C	LF Heavyweight Coated Paper, 42"	91	98		↘	X
C6810A	LF Bright White Inkjet 300 ft. 91,5m	73	78		↘	X
C6980A	HP LF Coated Paper, 300 ft./91m, 36"	127	136		↘	X
Q1397A	HP inkjet paper, 80 g/m², 36"-roll, 914 mm, 45 m	26	27		↘	X
Q1421A	HP photo paper, matte, 179 g/m², 36"- roll, 914 mm, 30 m	138	148		↘	X
Q1427A	HP photo paper, glossy, 179 g/m², 36"- roll, 914 mm, 30 m	138	148		↘	X
Q1441A	LF Coated Paper A0 Metric 33.11"x150 ft	85	92		↘	X
Q1442A	LF Coated Paper A1 Metric 23.39"x150 ft	60	65		↘	X
Q1444A	HP Bright White Inkjet Paper 841mmX45,7m	39	42		↘	X
Q1445A	HP Bright White Inkjet Paper 594mmX45,7m	27	29		↘	X
Q1956A	HP Coated Paper,42" x 225 ft HP Heavy Weight coated paper,long roll. Provides low cost,long term, applications such as signs and posters.	189	203		↘	X
Q6627A	HP Matte Super Hw Plus Paper 36inX100ft Contains one roll of premium matte inkjet graphic display media	107	115		↘	X
Q6628A	HP Matte Super Hw Plus Paper 42inX100ft Contains one roll of premium matte inkjet graphic display media	124	133		↘	X
Q8834A	HP Gloss Polypropylene 36inX75ft Contains one roll of HP self adhesive gloss polypropylene 36 inches x 75 feet or 914mm x 22.9m	100	108			X

HP DesignJet 1050C Plus

	1050C Plus
Models	C6074B: 93cm / A0
Print technology	HP thermal inkjet (HP JetExpress technology, 4 x HP No. 80 printhead, 600 dpi with 512 nozzles each (CMYK), 1 x printhead cleaner and HP No. 80 ink cartridgeper printhead
Speed (A1)	Monochromous and color line drawings, fast mode: 45 seconds Color graphics and images, normal mode: 2 minutes Color graphics and images, best quality: 4 minutes
Resolution	B/w: 1200 dpi adressable Color: 600 dpi
Printer language	HP-GL; HP-GL/2; HP RTL; CALS G4
Memory	64 MB DRAM standard, 256 MB max.
Media sizes	Min. width: 8.3" (210 mm) / max. width: 36" (917 mm) Roll media width: 24" (609.6 mm), 36" (914.4 mm) Singel sheets: A/A4-E/A0 Max. width: 36" (914 mm) Max. length single sheet: 1.6 m Max. length roll media 300 ft / 91.4 m (HP-GL/2)
Plotting along X-axis	Single sheet: 1.625 m, roll media: full length
Media types	HP Bright White Inkjet paper, HP coated paper, HP heavy coated paper, HP translucent bond, HP vellum, HP translucent, HP foil, HP foil matte, HP photo paper
Interfaces	IEEE 1284 (incl. ECP), Fast Ethernet, Ethernet/ 802.3, RJ-45 (10/100Base-TX) – Product-Nr. .J4169A 2 EIO slots
Accessories	64 MB DIMM: Q1282A 128 MB DIMM: Q1283A 7.5 GB Harddisk: C2985B (only 2GB are detected and used by printer!) Adobe PostScript 3: Q1281A Additional spindle: C6078A Take up reel: C6079A
Other	Queue management, stacking, HP JetExpress technology. Modular ink system with semi-permanent printheads and ink cartridges with up to 350 ml capacity.
Warranty	1 year on-site

Prod-No.	Description	VAT excl.	VAT incl.		
C6074B	HP DesignJet 1050C Plus Printer High performance, 1200 x 600 dpi, network ready. 64MB (256 MB max) RAM, Windows and ACAD Drivers. Optional Adobe PS3 and 2GB Hard disk kit.	14'288	15'374		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP DesignJet Series 1000 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			1050C	1055CM	1050C+	1055CM+
HP Accessories									
C6078A	HP additional spindle for DesignJet 1050C/1055CM	128	138			X	X	X	X
C6247A	HP cleaning kit	13	14			X	X	X	X
Q1282A	64 MB SDRAM DIMM	236	254					X	X
Q1283A	128 MB SDRAM DIMM	454	489					X	X

HP DesignJet 1050C Plus / 1055CM Plus - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			1050C/ 1055CM
Inkjet Cartridges						
C4820A	HP printhead and printhead cleaner No. 80, black	211	227		↗	X
C4821A	HP printhead and printhead cleaner No. 80, cyan	211	227		↗	X
C4822A	HP printhead and printhead cleaner No. 80, magenta	211	227		↗	X
C4823A	HP printhead and printhead cleaner No. 80, yellow	211	227		↗	X
C4846A	HP ink cartridge No. 80, cyan, 350 ml	198	213		↗	X
C4847A	HP ink cartridge No. 80, magenta, 350 ml	198	213		↗	X
C4848A	HP ink cartridge No. 80, yellow, 350 ml	198	213		↗	X
C4871A	HP ink cartridge No. 80, black, 350 ml	198	213		↗	X
C4872A	HP ink cartridge No. 80, cyan, 175 ml	121	131		↗	X
C4873A	HP ink cartridge No. 80, yellow, 175 ml	121	131		↗	X
C4874A	HP ink cartridge No. 80, magenta, 175 ml	121	131		↗	X
C4890A	HP value pack No. 80, black	327	352		↗	X
C4891A	HP value pack No. 80, cyan	327	352		↗	X
C4892A	HP value pack No. 80, magenta	327	352		↗	X
C4893A	HP value pack No. 80, yellow	327	352		↗	X
Paper						
C3868A	HP natural tracing paper, 90 g/m² 36" roll (A0), 45,7m	92	99		↘	X
C3869A	HP natural tracing paper, 90 g/m² 24" roll (A1), 45,7m	61	66		↘	X
C6019B	HP Coated Paper, 24" roll (replaces C3878A)	46	50		↘	X
C6020B	HP Coated Paper 36" x 150 ft. 98 gsm	63	68		↘	X
C6035A	HP inkjet paper, bright white, 610 mm x 45,7 m (24"), 1 roll	28	30		↘	X
C6036A	HP inkjet paper, bright white, 914 mm x 45,7 m (36"), 1 roll	41	44		↘	X
C6810A	LF Bright White Inkjet 300 ft. 91,5m	73	78		↘	X
C6980A	HP LF Coated Paper, 300 ft./91m, 36"	127	136		↘	X
Transparencies						
51642A	HP transparency film, 24" roll (A1), 36.6m	210	226		↘	X
51642B	HP transparency film, 36" roll (A0), 36.6m	299	322		↘	X
C3875A	HP clear film, 36" roll (A0), 23m	290	312		↘	X
Other Media						
C6775A	LF Colorfast Adhesive Vinyl, 36"	178	191		↘	X

HP Designjet Z2100

	HP Designjet Z2100 Photo Printer series
Print speed	
Best	13.2 min/page on D/A1 or up to 31 ft²/h (color image on glossy paper) 9.8 min/page on D/A1 or up to 23 ft²/h (color image on coated paper)
Normal	7.9 min/page on D/A1 or up to 72 ft²/h (color image on glossy paper) 4.2 min/page on D/A1 or up to 38 ft²/h (color image on coated paper)
Draft	5.8 min/page on D/A1 or up to 150 ft²/h (color image on glossy paper) 2.0 min/page on D/A1 or up to 52 ft²/h (color image on coated paper)
Resolution	
Best (Color and B&W)	2400 x 1200 optimized dpi
Normal (Color and B&W)	600 x 600 dpi
Draft (Color and B&W)	600 x 600 dpi
Memory	128 MB Standard memory, 40 GB hard disk
Media	
Handling	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)
Types	Photographic paper (satin, gloss, semi-gloss, matte), proofing paper (high-gloss, semi-gloss, matte), fine art printing material (canvas, smooth, textured, watercolor), self-adhesive and vinyl (polypropylene, vinyl), sign and banner (display film, banner, scrim, polypropylene, Tyvek®, outdoor paper), backlit, bond and coated (bond, coated, heavyweight coated, super heavyweight coated)
Maximum weight	500 g/m²
Size	HP Designjet Z2100 24" Photo Printer: All standard sizes larger than Letter/A4 up to 24 in/609 mm wide HP Designjet Z2100 44" Photo Printer: All standard sizes larger than Letter/A4 up to 44 in/1117 mm wide
Maximum external roll diameter	5.11 in/140 mm
Maximum roll length	300 ft/91 m
Printing	
Margins	Roll: 0.2 x 0.2 x 0.2 x 0.2 in/5 x 5 x 5 x 5 mm (full bleed available on glossy roll media) Sheet: 0.2 x 0.2 x 0.2 x 0.55 in/5 x 5 x 5 x 14 mm
Technology	HP Vivera pigment inks, HP Three-Black ink set
Ink cartridge colors	Light cyan, light magenta, light gray, photo black, cyan, magenta, yellow, matte black
Ink types	HP Vivera pigment inks
Ink drop	4 pl (light cyan, light magenta, light gray, photo black), 6 pl (cyan, magenta, yellow, matte black)
Ink cartridge size	130 ml ink cartridges (69 ml introductory ink cartridges included in 24" printer box, not available as replacement cartridges); 130 ml Ink Cartridge Twin Packs also available
Nozzles	2 colors per printhead, 1056 nozzles per color
Maximum print length	300 ft/91 m (OS and application dependent)
Line accuracy	+/- 0.2 %
Lightfastness	Over 200 years fade resistance
Water resistance	Water-resistant on a range of HP creative and specialty media
Connectivity	Standard: One 10/100 BT Ethernet, One USB 2.0 high-speed certified port, One EIO Jetdirect accessory slot Optional: HP Jetdirect EIO print servers
Print Languages	Standard: HP PCL3GUI Optional: PS via optional software RIP, HPGL2/TRL/RTL optional software solution
Image quality	
Color accuracy	Median <1.6 dE2000, 95% of colors <2.8 dE2000
Short term color stability	<1 dE2000 in less than 5 minutes(5
Long term print-to-print repeatability	Average <0.5 dE2000, 95% of colors <1.4 dE2000
Maximum optical density	4 L* / 2.4 D

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Dimensions (w x d x h) Printer with stand	HP Designjet Z2100 24" Photo Printer: 1262 x 732 x 1047 mm HP Designjet Z2100 44" Photo Printer: 1770 x 732 x 1047 mm
Weight Printer with stand	HP Designjet Z2100 24" Photo Printer: 65 kg HP Designjet Z2100 44" Photo Printer: 86 kg
Power consumption	Active: 200 watts; Maximum: 200 watts; Powersave: 27 watts; Standby: 43 Watts
Warranty	1 year warranty with on-site, next business-day service

Prod-No.	Description	VAT excl.	VAT incl.		
Q6675A	HP Designjet Z2100 24in Photo Printer Printer with 8 Vivera pigmented inks,an embedded spectrophotometer.	4'980	5'358		
Q6677A	HP Designjet Z2100 44in Photo Printer Printer with 8 Vivera pigmented inks, an embedded spectrophotometer.	10'280	11'061		

HP Designjet Z2100 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			Z2100
HP Accessories						
Q6643D	HP XL International 5.1 RIP Software Software RIP for the HP Designjet Z Photo Printer series.	1'120	1'205			X
Q6692A	HP GL2 Software Solution	540	581			X
Q6695A	HP Advanced Profiling Solution LTU With a monitor calibrator.	1'480	1'592			X
Q6698A	HP Designjet Zx100 44in Spindle HP Designjet 44-inch roll feet spindle for technical media.	90	97			X
Q6699A	HP Designjet Zx100 44in Graphics Spindle HP Designjet 44-inch roll feet spindle for Graphic media.	90	97			X
Q6700A	HP Designjet Z/Tx100/Tx10 24-in Spindle HP Designjet 24-inch roll feet spindle for Graphic media.	90	97			X

HP DesignJet Z2100 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			Z2100
HP Print cartridges						
C9404A	HP 70 Matte Black and Cyan Printhead For use in select PhotoSmart professional printers and selected HP Designjet printers	90	97		↗	X
C9405A	HP 70 LT Cyan and LT Magenta Printhead For use in select PhotoSmart professional printers and selected HP Designjet printers	90	97		↗	X
C9406A	HP 70 Magenta and Yellow Printhead For use in select PhotoSmart professional printers and selected HP Designjet printers	90	97		↗	X
C9407A	HP 70 Photo Black and LT Gray Printhead For use in select PhotoSmart professional printers and selected HP Designjet printers	90	97		↗	X
C9448A	HP 70 Matte Black 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9449A	HP 70 Photo Black 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9451A	HP 70 Light Gray 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9452A	HP 70 Cyan 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9453A	HP 70 Magenta 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9454A	HP 70 Yellow 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9455A	HP 70 Light Magenta 130 ml Ink Crtg Use in selected HP DesignJet printers.	106	114		↗	X
C9390A	HP 70 Light Cyan 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
CB339A	HP 70 Matte Black 130 ml Crtg Twin Pack Use in DesingJet printers	169	182		↗	X
CB340A	HP 70 Photo Black 130 ml Crtg Twin Pack Use in DesingJet printers	169	182		↗	X
CB342A	HP 70 Light Gray 130 ml Crtg Twin Pack Use in DesingJet printers	169	182		↗	X
CB343A	HP 70 Cyan 130 ml Crtg Twin Pack Use in DesingJet printers	169	182		↗	X
CB344A	HP 70 Magenta 130 ml Crtg Twin Pack Use in DesingJet printers	169	182		↗	X
CB345A	HP 70 Yellow 130 ml Crtg Twin Pack Use in DesingJet printers	169	182		↗	X
CB346A	HP 70 LT Magenta 130 ml Crtg Twin Pack Use in DesingJet printers	169	182		↗	X
CB351A	HP 70 Light Cyan 130 ml Crtg Twin Pack Use in DesingJet printers	169	182		↗	X
Paper						
C6029C	LF Heavyweight Coated Paper, 24"	56	60		↘	X
Q1968A	HP Matte Proofing Paper 24inX100ft Use with HP DesignJet 100 series printers to product fast and affordable full bleed prints.	93	100		↘	X
Q1984A	HP Hahnemuhle Watercolor Ppr 36inX38ft 36" x 38',this product is an acid free single side coated media with 50% rag. It shows a natural white finish with a soft textured surface matte.	306	330		↘	X
Q6626A	HP Matte Super Hw Plus Paper 24inX100ft Contains one roll of premium matte inkjet graphic display media	71	77		↘	X
Q7973A	HP Matte Litho Realistic Paper 36" Matte litho realistic paper is 36 inches wide and 100 feet long	170	183		↘	X
Q7991A	HP Prem Instant Dry Gloss Photo Paper 24 One roll of HP Premium instant dry glossy photo paper is roll 24 inches by 75 feet or 610 mn x22.8 m	129	139		↘	X
Q7992A	HP Prem Instant Dry Satin Photo Paper 24 One roll of HP Premium instant dry satin photo paper is roll 24 inches by 75 feet or 610 mn x22.8 m	129	139		↘	X
Other Media						
C6775A	LF Colorfast Adhesive Vinyl, 36"	178	191		↘	X
Q1898B	HP Opaque Scrim 36"x 50,Enhanced This HP Opaque Scrim provides block out layer,enhanced coating improves color gamut,better ink capacity and better image quality. 36"x 50 foot roll	268	288		↘	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet Z3200 Series

	HP Designjet Z3200 Photo Printer series
Print technology	HP Thermal Inkjet
Print head nozzles	12672
Print quality	Up to 2400 x 1200 optimised dpi from 1200 x 1200 input dpi with maximum detail selected
Number of inks	Blue, green, magenta, red, yellow, gray, photo black, matte black, light cyan, light gray, light magenta, gloss enhancer
Ink types	HP Vivera pigment inks
Ink drop size	4 pl (lc, lm, lg, pK, E, G), 6 pl (M, Y, mK, R, GN, B)
Lightfastness	Approximately 200 years. Display permanence rating by Wilhelm Imaging Research, Inc. on a range of HP creative and specialty media. For details: http://www.hp.com/go/supplies/printpermanence
Print speed	Economic quality: A1 colour image: 2 min/page (coated). Productivity quality: A1 colour image: 3.8 min/page (coated), 7.2 min/page (glossy). Photo quality: A1 colour image: 12.4 min/page (glossy)
Line	Line accuracy: +/- 0.010 mm. Minimum width: 0.0558 mm
Print languages	Z3200 610mm: HP PCL 3 GUI; Z3200 1118mm: HP PCL 3 GUI; Z3200ps 610mm: Adobe® PostScript® 3, Adobe PDF 1.6, TIFF, JPEG, HP PCL 3 GUI; Z3200ps 1118mm: Adobe® PostScript® 3, Adobe PDF 1.6, TIFF, JPEG, HP PCL 3 GUI
Memory	Standard : 256 MB; maximum : 256 MB; Hard disk : Standard, 80 GB
Print margins (mm)	**Roll** / **Sheet** top: 5 mm (borderless on glossy roll media) / 5 mm bottom: 5 mm (borderless on glossy roll media) / 17 mm left: 5 mm (borderless on glossy roll media) / 5 mm right: 5 mm (borderless on glossy roll media) / 5 mm
Media types	Photographic (satin, gloss, semi-gloss, matte), proofing (semi-gloss, high-gloss contract, semi-gloss contract, matte), fine art printing material (smooth, textured, watercolour, satin, aquarella, litho-realistic, canvas), self-adhesive (indoor, vinyl, polypropylene), banner and sign (display film, indoor banner, scrim, polypropylene, Tyvek, outdoor, billboard, PVC-free), bond and coated (bond, coated, heavyweight coated, super heavyweight plus matte, coloured), technical (tracing, translucent bond, vellum), film (clear, matte, polyester), backlit, fabric/textile (flag, polyester, silk)
Media sizes	Standard: All standard sizes larger than A4. Custom: Z3200 610mm: 216 x 279 to 610 x 1676 mm; Z3200 1118mm: 216 x 279 to 1118 x 1676 mm; Z3200ps 610mm: 216 x 279 to 610 x 1676 mm; Z3200ps 1118mm: 216 x 279 to 1118 x 1676 mm
Maximum media length	Roll: 91.4 m. Sheet: 1676.4 mm
Maximum media width	Z3200 610mm: 610 mm; Z3200 1118mm: 1118 mm; Z3200ps 610mm: 610 mm; Z3200ps 1118mm: 1118 mm
Maximum print length	91 m (OS and application dependent)
Media thickness	Up to 0.8 mm
Recommended media weight	500 g/m²
Roll	Maximum diameter: 136 mm
Media handling	Sheetfeed, roll feed, automatic cutter (cuts all media except canvas)
Interface and connectivity	Optional: HP Jetdirect EIO print servers
Control panel	240 x 160 pixel greyscale graphical display with Asian fonts support, 4 direct-access buttons, 7 navigation buttons and 2 bicolour lights (Ready, Processing, Attention, Error)
Printer management	HP Web Jetadmin
Drivers included	Z3200 610mm: HP PCL 3 GUI; Z3200 1118mm: HP PCL 3 GUI; Z3200ps 610mm: Adobe® PostScript®, HP PCL 3 GUI; Z3200ps 1118mm: Adobe® PostScript®, HP PCL 3 GUI; Drivers on the web: Latest Windows printer drivers information available at http://windowsupdate.microsoft.com and more information on all printer drivers available at http://welcome.hp.com/country/us/en/support.html?pageDisplay=drivers
Software	Printer drivers, HP Printer Utility including HP Color Center

Power	Supply: Built-in universal power supply. Consumption: 200 watts maximum (active/printing); 0 watts (off)
Dimensions (w x d x h)	Out of package: Z3200 610mm: 1262 x 690 x 1047 mm; Z3200 1118mm: 1770 x 690 x 1047 mm; Z3200ps 610mm: 1262 x 690 x 1047 mm; Z3200ps 1118mm: 1770 x 690 x 1047 mm. Packaged: Z3200 610mm: 1470 x 780 x 740 mm; Z3200 1118mm: 1965 x 780 x 780 mm; Z3200ps 610mm: 1470 x 780 x 740 mm; Z3200ps 1118mm: 1965 x 780 x 780 mm
Weight	Out of package: Z3200 610mm: 65 kg; Z3200 1118mm: 86 kg; Z3200ps 610mm: 65 kg; Z3200ps 1118mm: 86 kg. Packaged: Z3200 610mm: 102 kg; Z3200 1118mm: 123 kg; Z3200ps 610mm: 102 kg; Z3200ps 1118mm: 123 kg
Warranty	Standard warranty: one year next business day on-site support.

Prod-No.	Description	VAT excl.	VAT incl.		
Q6718A	HP Designjet Z3200 24" Photo Printer HP 73 Chromatic Red ink, 12 Vivera pigmented inks, an embedded spectophotometer	7'390	7'952		
Q6719A	HP Designjet Z3200 44" Photo Printer HP 73 Chromatic Red ink, 12 Vivera pigmented inks, an embedded spectophotometer	12'450	13'396		
Q6720A	HP Designjet Z3200ps 24 inch Printer HP 73 Chromatic Red ink, 12 Vivera pigmented inks, an embedded spectophotometer	9'940	10'695		
Q6721A	HP Designjet Z3200ps 44 inch Printer HP 73 Chromatic Red ink, 12 Vivera pigmented inks, an embedded spectophotometer	15'500	16'678		

HP Designjet Z3200 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			Z3200
HP Accessories						
Q6695A	HP Advanced Profiling Solution LTU With a monitor calibrator.	1'480	1'592			X
Q6699A	HP Designjet Zx100 44in Graphics Spindle HP Designjet 44-inch roll feet spindle for Graphic media.	90	97			X

HP DesignJet Z3200 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			Z3200
Paper						
Q8840A	HP Professional Satin Photo Paper 44x50 One roll of HP professional satin photo paper 44 inches wide by 50 feet long. 300 g/m 1118mmx15.2m	241	260		↘	X
Q7991A	HP Prem Instant Dry Gloss Photo Paper 24 One roll of HP Premium instant dry glossy photo paper is roll 24 inches by 75 feet or 610 mn x22.8 m	129	139		↘	X
CG459A	HP Prem Matte Photo 210 g/m 24inX100ft HP Premium Matte Photo Paper 210 g/m²- 24"/610 mm x 100 ft/30.5 m	71	77		↘	X
Q7972A	HP Matte Litho-realistic Paper 24in x100 Contains one 24 inch by 100 foot roll of HP Matte Litho-realistic Paper	115	123		↘	X
Q8673A	HP Professional Matte Canvas 24 x20 Contains one roll of HP professional matte canvas that is 24 inches by 20 feet,610 mm x 6.1 m	97	104		↘	X
Q8706A	HP Artist Matte Canvas 42 x50 Contains one roll of HP artist matte canvas that is 42 inches by 50 feet, 1067 mm x 15.2 m	364	391		↘	X
Q6626A	HP Matte Super Hw Plus Paper 24inX100ft Contains one roll of premium matte inkjet graphic display media	71	77		↘	X
Q8748A	HP Prem Vivid Color Backlit Film 42x100 Contains one roll of HP premium vivid color backlit film that is 42inches x 100 feet or 1067mm x 30.5m	363	391			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet 4000 Series

	HP Designjet 4000 Series
Print technology	HP Thermal Inkjet
Print head nozzles	524 (512 steady state) (Up to 1,002 nozzles per colour in Double Swath configuration)
Print quality	Up to 2400 x 1200 optimised dpi from 1200 x 1200 dpi input on glossy media
Line accuracy	± 0.1%
Minimum line width	HP Designjet 4000 Printer: 0.02 mm HP Designjet 4000ps Printer: 0.02 mm (PS: 0.04 mm)
Colour technology	HP Color Layering technology, PhotoREt III
Memory	256 MB (main memory) expandable to 512 MB through a 256 MB Designjet qualified DIMM using Dual data rate DRAM technology (DDR) to maximise memory. Maximum: 512 MB 40 GB hard disk
Speed	25 seconds per A1/D[1] 1.5 m2 per minute[2] 100 A1/D formats per hour[3] [1] Mechanical printing time. Printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. [2] Printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed [3] Multi-copy printing. Printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed.
Printer languages	HP Designjet 4000 Printer: HP-GL/2, HP-RTL, TIFF, JPEG, CALS-G4 HP Designjet 4000ps Printer: Adobe® PostScript® Level 3, Adobe® PDF 1.5, HP-GL/2, HP-RTL,TIF, JPEG, CALS-G4
Media sizes	Standard: A3, A2, A1, A0 (sheets and rolls up to 1067 mm wide)
Maximum media length	Roll: HP Designjet 4000 Printer: 91 m (application dependent)
Maximum media width	1067 mm
Media types	Paper (plain, inkjet, coated, heavyweight coated, semi-gloss, glossy, translucent bond, natural tracing, photo, vellum), film, canvas
Maximum print length	91 m (application dependent)
Media handling, document finishing	Manual single sheetfed, manual roll feed, automatic cutter
Drivers included	HP-GL/2 , HP-RTL Windows® drivers, PS Windows drivers[4], ADI driver for AutoCAD R14, support for AutoCAD 200x, support for Citrix MetaFrame environments, PS driver[4] for Mac OS 9.1, 9.2, 10.1, 10.2, 10.3 [4] Only supported through the HP Designjet 4000ps Printer
Interface and connectivity	Standard: Fast Ethernet (10/100 Mbps), FireWire (IEEE-1394a compliant), 1 EIO slot Optional: HP Jetdirect 40d Gigabit Print Server for the HP Designjet 4000 Printer series, HP Designjet 4000 Printer series High Speed USB 2.0 card, HP Jetdirect 620n LAN Card, HP Jetdirect 625n LAN Card
Software included	HP Designjet Windows Software, HP Designjet Macintosh Software
Control panel	Monochrome, illuminated and graphical LCD display area; 2 LEDs: Power, Status; 8 keys: Power, Reset, Form Feed and Cut, Cancel, Up, Down, Back, Select; 1 basic On/Off buzzer
Power supply	Type: Built-in universal power supply
Power consumption	500 watts maximum
Dimensions (w x d x h)	Out of package: 1930 x 800 x 1350 mm; packaged: 2130 x 710 x 1215 mm
Weight	Out of package: 115 kg; packaged: 175.9 kg
Printer management	HP Embedded Web Server
Warranty	Two-year next business-day on-site

Prod-No.	Description	VAT excl.	VAT incl.		
Q1273A	HP Designjet 4000 Printer Powered by the new HP Double Swath technology, the HP Designjet 4000 Printer offers high-speed color and black-and-white printing.	16'020	17'238		
Q1274A	HP Designjet 4000ps Printer Powered by the new HP Double Swath technology, the HP Designjet 4000 printer offers high-speed color and black-and-white printing	20'070	21'595		

HP Designjet 4000 series - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			4000
HP Memory						
Q5673A	HP Designjet 256 MB Memory Upgrade 256 MB memory upgrade module; compatibility, reliability, proven performance	390	420			X
HP Connectivity-JetDirect						
Q5679A	HP Jetdirect 40d Gigabit Print Server or the Designjet 4000 series. High level of network security with enhanced password-protected network configuration and management of network peripherals	500	538			X
Q5680A	HP Designjet High Speed USB 2.0 Card USB 2.0 card for HP Designjet 4000 and HP Designjet 4000ps	190	204			X
HP Other Accessories						
Q5675A	HP Designjet 42" Roll Feed Spindle 42" Roll feed spindle for HP Designjet 4000 and HP Designjet 4000ps	90	97			X

HP Designjet 4000 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			4000
Inkjet Cartridges						
C5054A	HP 90 Black Printhead and Cleaner For use in the DesignJet 4000 series printers	211	227		↗	X
C5055A	HP 90 Cyan Printhead and Cleaner For use in the DesignJet 4000 series printers	211	227		↗	X
C5056A	HP 90 Magenta Printhead and Cleaner For use in the HP DesignJet 4000 series printers	211	227		↗	X
C5057A	HP 90 Yellow Printhead and Cleaner For use in the HP DesignJet 4000 series printers	211	227		↗	X
C5060A	HP 90 Cyan 225 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	198	213		↗	X
C5062A	HP 90 Magenta 225 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	198	213		↗	X
C5064A	HP 90 Yellow 225 ml Ink Cartridge For use in the HP DesignJet 4000 series printer	198	213		↗	X
C5058A	HP 90 Black 400 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	224	241		↗	X
C5061A	HP 90 Cyan 400 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	249	268		↗	X
C5063A	HP 90 Magenta 400 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	249	268		↗	X
C5065A	HP 90 Yellow 400 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	249	268		↗	X
C5078A	HP 90 Black Value Pack For use in the HP DesignJet 4000 series printers,contains 1 printhead and cleaner and 1 400 ml ink cartridge	352	378		↗	X
C5079A	HP 90 Cyan Value Pack For use in the HP DesignJet 4000 series printers,contains 1 printhead and cleaner and 1 400 ml ink cartridge	371	399		↗	X
C5080A	HP 90 Magenta Value Pack For use in the HP DesignJet 4000 series printers,contains 1 printhead and cleaner and 1 400 ml ink cartridge	371	399		↗	X
C5081A	HP 90 Yellow Value Pack For use in the HP DesignJet 4000 series printers,contains 1 printhead and cleaner and 1 400 ml ink cartridge	371	399		↗	X
C5083A	HP 90 Cyan 3 Ink Cartridge Multi Pack For use in the HP DesignJet 4000 series printers, contains 3 400 ml ink cartridges	638	687		↗	X
C5084A	HP 90 Magenta 3 Ink Cartridge Multi Pack For use in the HP DesignJet 4000 series printers, contains 3 400 ml ink cartridges	638	687		↗	X
C5085A	HP 90 Yellow 3 Ink Cartridge Multi Pack For use in the HP DesignJet 4000 series printers, contains 3 400 ml ink cartridges	638	687		↗	X
Paper						
Q1396A	HP inkjet paper, 80 g/m², 24"-roll, 610 mm, 45 m	18	19		↘	X
Q1397A	HP inkjet paper, 80 g/m², 36"-roll, 914 mm, 45 m	26	27		↘	X
Q1398A	HP inkjet paper, 80 g/m², 42"-roll, 1067 mm, 45 m	29	32		↘	X
Q1404A	HP coated paper, 95 g/m², 24"-roll, 610 mm, 45 m	32	35		↘	X
Q1405A	HP coated paper, 95 g/m², 36"-roll, 914 mm, 45 m	48	52		↘	X
Q1406A	HP coated paper, 95 g/m², 42"-roll, 1067 mm, 45 m	56	61		↘	X
Q1408A	HP coated paper, 95 g/m², 60"-roll, 1524 mm, 45 m	80	87		↘	X
Q1441A	LF Coated Paper A0 Metric 33.11"x150 ft	85	92		↘	X
Q1442A	LF Coated Paper A1 Metric 23.39"x150 ft	60	65		↘	X
Q1445A	HP Bright White Inkjet Paper 594mmX45,7m	27	29		↘	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet 4500

	HP Designjet 4500 Series	
Print speed	Up to 100 A1 pages per hour, 93 m2/hr	
Resolution, maximum	Up to 2400 x 1200 optimized dpi from 1200 x 1200 dpi input on glossy media	
Line accuracy	+/- 0.1%	
Print margins		
Top	5 mm (Small); 11.5 mm (Normal); 55 mm (Extended)	
Bottom	5 mm (Small & Normal); 55 mm (Extended)	
Side	5 mm (Small & Normal); 15 mm (Extended)	
Scan[3]		
Speed	Color: 3 inches (76mm) per second	Black and white: 10 inches (254mm) per second
Resolution	Best Mode: black&white 300 x 300 dpi, color 300 x 300 dpi Normal Mode: black&white 300 x 300 dpi, color 200 x 200 dpi	Draft Mode: black&white 200 x 200 dpi, color 150 x 150 dpi Enhanced Mode: black&white 2400 x 2400 dpi, with variable resolution settings from 50 dpi in increments of 1 dpi
Max. Scan Width	1067mm	
Max. Scan Thickness	15 mm	
Copying[3]		
Copy Resolution	300 x 300 dpi	
Reduction/Enlargement	1 to 10,000%	
Maximum Copies	99	
Copier Settings	Type of original, image crop and align preview, lightness, saturation and RGB controls, sharpen/blur, mirror copy, enlarge/reduce, paneling, tiling, nesting, and accounting	
Memory	256 MB (upgradeable to 512 MB), 40 GB hard disk	
Media Handling		
Printers	Two automatic rolls, automatic roll	
Scanner[3]	Straight	
Media Types		
Printers	Paper (plain, inkjet, coated, heavyweight coated, super heavyweight coated, semi-gloss, glossy, translucent bond, natural tracing, photo, vellum), film.	
Scanner[3]	Non-abrasive paper, vellum, mylar, sepia, blueprints, plastic, film, plastic laminate, foam board, cardboard, no plywood, no stone plates, no metal plates nor abrasive dirty, rough, sharp edged, metal clamped, burned surfaces	
Thickness (by paper path)	All paths: up to 0.4 mm	
Weight (by paper path)	All paths: 50 to 328 g/m^2	
Size	Rolls up to 1067 mm wide	
Printing		
Technology	HP Thermal Inkjet	
Technology resolution	HP Color Layering technology, HP PhotoREt III	
Print cartridge colors	Black, cyan, magenta, yellow	
Ink types	Black pigmented, CMY dye based	
Ink drop	5 pl color, 15 pl black	
Connectivity		
Interfaces Standard: Printers	1 EIO slot, Fast Ethernet (10/100 Mbps), FireWire (IEEE 1394a-compliant)	
Interfaces Standard: Scanner[3]	1 Fast Ethernet 10/100 Base-TX	
Interfaces Optional	HP Jetdirect 620n LAN Card, HP Jetdirect 40d Gigabit Print Server for the HP Designjet 4000 Printer series, HP Designjet 4000 Printer series Hi-speed USB 2.0 card	
Drivers (included)	HP-GL/2, HP-RTL Windows drivers, PS Windows drivers, ADI driver for AutoCAD R14, support for AutoCAD 200x, support for Citrix MetaFrame environments, PS driver for Mac OS X v 10.2.8, 10.3, 10.4	

Print languages (standard)	
HP Designjet 4500 Printer	HP-GL/2, HP-RTL, TIFF, JPEG, CALS-G4
HP Designjet 4500ps Printer & HP Designjet 4500mfp:	Adobe® PostScript® Level 3, Adobe® PDF 1.5, HP-GL/2, HP-RTL,TIF, JPEG, CALS-G4
Dimensions (h x d x w)	
Maximum Printer	1930 x 800 x 1350 mm
Maximum Scanner[3]	71800 x 1020 x 1380 mm
Shipping printer	2130 x 775 x 1890 mm
Shipping scanner[3]	1910 x 690 x 730 mm
Weight	
Printers	185 kg
Scanner[3]	95 kg
Power consumption	500 watts, 800 watts3
Warranty	Two-year next-business-day on-site

[3] HP Designjet 4500mfp only

Prod-No.	Description	VAT excl.	VAT incl.		
Q1271A	HP Designjet 4500 Printer Large input output. Optional high performance scanning copying,ideal color production system for technical applications	20'600	22'166		
Q1272A	HP Designjet 4500ps Printer Large input/output capacity. High performance scanning/copying,ideal color production system for technical applications	25'100	27'008		
Q1276A	HP Designjet 4500MFP Printer Large input/output capacity. High performance scanning/copying,ideal for color production system for technical application	51'680	55'608		
Q1277A	HP Designjet4500 Scanner Large-format,color scanning. Software to intergrate the scanner into your existing production environment.	31'400	33'786		

HP Designjet 4500 series - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			4500
HP Accessories						
Q5673A	HP Designjet 256 MB Memory Upgrade 256 MB memory upgrade module; compatibility, reliability, proven performance	390	420			X
Q5676A	HP Designjet 4500 42"Roll Feed Spindle Makes it easy to switch between media rolls. Stay productive while quickly printing large-format documents and artwork on a range of specific media.	120	129			X
Q5677A	HP Designjet 4500 Stacker Accessory Collects up to 200 D or E size plots/automatically flattens and organizes them.	3'860	4'153			X
Q5679A	HP Jetdirect 40d Gigabit Print Server or the Designjet 4000 series. High level of network security with enhanced password-protected network configuration and management of network peripherals	500	538			X
Q5680A	HP Designjet High Speed USB 2.0 Card USB 2.0 card for HP Designjet 4000 and HP Designjet 4000ps	190	204			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet 4500 series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			4500
Inkjet Cartridges						
C5054A	HP 90 Black Printhead and Cleaner For use in the DesignJet 4000 series printers	211	227		↗	X
C5055A	HP 90 Cyan Printhead and Cleaner For use in the DesignJet 4000 series printers	211	227		↗	X
C5056A	HP 90 Magenta Printhead and Cleaner For use in the HP DesignJet 4000 series printers	211	227		↗	X
C5057A	HP 90 Yellow Printhead and Cleaner For use in the HP DesignJet 4000 series printers	211	227		↗	X
C5058A	HP 90 Black 400 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	224	241		↗	X
C5059A	HP 90 Black Ink 775 ml Cartridge Will go into the HP DesignJet 4000 and 4500 printers	384	413		↗	X
C5060A	HP 90 Cyan 225 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	198	213		↗	X
C5061A	HP 90 Cyan 400 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	249	268		↗	X
C5062A	HP 90 Magenta 225 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	198	213		↗	X
C5063A	HP 90 Magenta 400 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	249	268		↗	X
C5064A	HP 90 Yellow 225 ml Ink Cartridge For use in the HP DesignJet 4000 series printer	198	213		↗	X
C5065A	HP 90 Yellow 400 ml Ink Cartridge For use in the HP DesignJet 4000 series printers	249	268		↗	X
C5078A	HP 90 Black Value Pack For use in the HP DesignJet 4000 series printers,contains 1 printhead and cleaner and 1 400 ml ink cartridge	352	378		↗	X
C5079A	HP 90 Cyan Value Pack For use in the HP DesignJet 4000 series printers,contains 1 printhead and cleaner and 1 400 ml ink cartridge	371	399		↗	X
C5080A	HP 90 Magenta Value Pack For use in the HP DesignJet 4000 series printers,contains 1 printhead and cleaner and 1 400 ml ink cartridge	371	399		↗	X
C5081A	HP 90 Yellow Value Pack For use in the HP DesignJet 4000 series printers,contains 1 printhead and cleaner and 1 400 ml ink cartridge	371	399		↗	X
C5083A	HP 90 Cyan 3 Ink Cartridge Multi Pack For use in the HP DesignJet 4000 series printers, contains 3 400 ml ink cartridges	638	687		↗	X
C5084A	HP 90 Magenta 3 Ink Cartridge Multi Pack For use in the HP DesignJet 4000 series printers, contains 3 400 ml ink cartridges	638	687		↗	X
C5085A	HP 90 Yellow 3 Ink Cartridge Multi Pack For use in the HP DesignJet 4000 series printers, contains 3 400 ml ink cartridges	638	687		↗	X
C5095A	HP 90 Black 3 Ink Cartridge Multi Pack Will go into the DesignJet 4000 and 4500 printers	1'060	1'141		↗	X
Paper						
Q1396A	HP inkjet paper, 80 g/m², 24"-roll, 610 mm, 45 m	18	19		↘	X
Q1397A	HP inkjet paper, 80 g/m², 36"-roll, 914 mm, 45 m	26	27		↘	X
Q1398A	HP inkjet paper, 80 g/m², 42"-roll, 1067 mm, 45 m	29	32		↘	X
C6035A	HP inkjet paper, bright white, 610 mm x 45,7 m (24"), 1 roll	28	30		↘	X
C6036A	HP inkjet paper, bright white, 914 mm x 45,7 m (36"), 1 roll	41	44		↘	X
C6810A	LF Bright White Inkjet 300 ft. 91,5m	73	78		↘	X
Q1404A	HP coated paper, 95 g/m², 24"-roll, 610 mm, 45 m	32	35		↘	X
Q1405A	HP coated paper, 95 g/m², 36"-roll, 914 mm, 45 m	48	52		↘	X
Q1406A	HP coated paper, 95 g/m², 42"-roll, 1067 mm, 45 m	56	61		↘	X
C6019B	HP Coated Paper, 24" roll (replaces C3878A)	46	50		↘	X
C6020B	HP Coated Paper 36" x 150 ft. 98 gsm	63	68		↘	X
C6567B	HP Coated Paper, 42in x 150ft standard wt coated paper for light to medium ink density mono and color plots on the HP DesignJet 3000CP and 3500CP printers and standard ink.	80	86		↘	X
C6980A	HP LF Coated Paper, 300 ft./91m, 36"	127	136		↘	X
Q1412A	HP coated paper, heavy, 120 g/m², 24"- roll, 610 mm, 30 m	43	47		↘	X
Q1413A	HP coated paper, heavy, 120 g/m², 36"- roll, 914 mm, 30 m	55	59		↘	X
Q1414A	HP coated paper, heavy, 120 g/m², 42"- roll, 1067 mm, 30 m	76	82		↘	X
C6029C	LF Heavyweight Coated Paper, 24"	56	60		↘	X
C6030C	LF Heavyweight Coated Paper, 36"	74	79		↘	X
C6569C	LF Heavyweight Coated Paper, 42"	91	98		↘	X
Q1956A	HP Coated Paper,42" x 225 ft HP Heavy Weight coated paper,long roll. Provides low cost,long term, applications such as signs and posters.	189	203		↘	X
Q6626A	HP Matte Super Hw Plus Paper 24inX100ft Contains one roll of premium matte inkjet graphic display media	71	77		↘	X

Prod-No.	Description	VAT excl.	VAT incl.			4500
Q6627A	HP Matte Super Hw Plus Paper 36inX100ft Contains one roll of premium matte inkjet graphic display media	107	115		↘	X
Q6628A	HP Matte Super Hw Plus Paper 42inX100ft Contains one roll of premium matte inkjet graphic display media	124	133		↘	X
C3869A	HP natural tracing paper, 90 g/m² 24" roll (A1), 45,7m	61	66		↘	X
C3868A	HP natural tracing paper, 90 g/m² 36" roll (A0), 45,7m	92	99		↘	X
Q1442A	LF Coated Paper A1 Metric 23.39"x150 ft	60	65		↘	X
Q1441A	LF Coated Paper A0 Metric 33.11"x150 ft	85	92		↘	X
Q1445A	HP Bright White Inkjet Paper 594mmX45,7m	27	29		↘	X
Q1444A	HP Bright White Inkjet Paper 841mmX45,7m	39	42		↘	X
Q8004A	HP Universal Bond Paper 594mmX91,4m Contains one roll of HP Univeral Inkjet Bond Paper 594mm x 91.4m,A1 width	29	32		↘	X
Q8005A	HP Universal Bond Paper 841mmX 91,4m Contains one roll of HP Univeral Inkjet Bond Paper 841mm x 91.4m,A0 width	42	45		↘	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP DesignJet 5500 series

	HP DesignJet 5500	HP DesignJet 5500PS
Models	Q1251A: 107 cm Q1253A: 152 cm	Q1252A: 107 cm
Print technology	HP thermal inkjet	
Speed	Best speed 52.8 m^2/h (coated) 13.7 m^2/h (high gloss)	Production 17.6 m^2/h (coated) 9.3 m^2/h (high gloss)	Best quality 9.3 m^2/h (beschichtet) 5.6 m^2/h (high gloss)
Resolution	Up to 1200 dpi x 600 dpi on high gloss media	
Printer language	HP GL/2, HP RTL, TIFF, JPEG, CALS	Adobe PDF 1.3, Adobe PostScript 3, HP GL/2, HP RTL, TIFF, JPEG, CALS
Memory	Standard: 128 MB RAM and 40 GB hard disk Max.: 256 MB RAM and 40 GB hard disk	Standard: 256 MB RAM and 40 GB hard disk Max.: 256 MB RAM and 40 GB hard disk
Media sizes 152 cm model 107 cm model	Single sheet Width: 210 to 914 mm Length: 558.8 to 1000.2 mm Width: 210 to 914 mm Length: 558.8 to 1000.2 mm	Roll Width: 610, 914, 1067, 1371.6 and 1524 mm Length: up to 91.4 m Width: 610, 914 and 1067 mm Length: up to 91.4 m
Media types	HP poster paper; HP heavy coated paper (various formats); HP high gloss photo paper; HP photo Imaging paper; HP Colorlucent Backlit UV	
Interfaces	Standard: Centronics parallel, IEEE 1284 compatible, HP JetDirect 10/100Base-TX PrintServer 615n, supports TCP/IP (incl. LPR and IPP), AppleTalk, DLC/LLC and IPX/SPX	
Warranty	1 year on-site	

Prod-No.	Description	VAT excl.	VAT incl.		
Q1251A	HP DesignJet 5500 printer 42" RTL Dye	9'280	9'985		
Q1252A	HP DesignJet 5500 printer 42" PS Dye	17'840	19'196		
Q1253A	HP DesignJet 5500 printer 60" RTL Dye	23'430	25'211		

HP DesignJet 5500/5500PS Upgrade Kits

Prod-No.	Description	VAT excl.	VAT incl.		
Q1286A	HP DesignJet 5000 & 5500 UV Upgrade Kit ink/42. Tubing needed to upgrade HP DJ 5000&5500 printer to HP DJ 5000&5500 UV printing system. 6 UV colors CMYKcm, 42 ink	2'900	3'120		
Q1284A	HP DesignJet 5000 & 5500 Dye Upgrade Kit ink/42. Tubing needed to upgrade HP DesignJet 5000 & 5500 printing system, included 6 dye ink colors CMYKcm included, 42 ink tubes.	2'900	3'120		
Q1287A	HP DesignJet 5000 & 5500 UV Upgrade Kit ink 60. Tubing needed to upgrade HP DJ 5000&5500 printer to HP DJ 5000&5000 UV printing system,includes 6 UV colors CMYKcm, 60 ink tubes.	4'064	4'373		
Q1285A	HP DesignJet 5000&5500 Dye Upgrade Kit ink 60.Tubing needed to upgrade HP UV DJ 5000 & 5500 printer to HP DJ 5000&5500 printing system.Included 6 Dye ink colors CMYKcm, 60 ink tubes.	4'064	4'373		

HP DesignJet 5500 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			5500/ 5500PS
HP Accessories						
C2382A	HP 128 MB DIMM	397	427			X
C2385A	HP spindle 107 cm	90	97			X
C2386A	HP spindle 152 cm	127	137			X
C6087L	HP 42" Take-up Reel for DesignJet 5000/5500	991	1'066			X

HP DesignJet 5500 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			5500/ 5500PS
Inkjet Cartridges						
C4930A	HP No 81 ink cartridge, black 680 ml	307	330		↗	X
C4931A	HP No 81 ink cartridge, cyan 680 ml	307	330		↗	X
C4932A	HP No 81 ink cartridge, magenta 680 ml	307	330		↗	X
C4933A	HP No 81 ink cartridge, yellow 680 ml	307	330		↗	X
C4934A	HP No 81 ink cartridge, light cyan 680 ml	307	330		↗	X
C4935A	HP No 81 ink cartridge, light magenta 680 ml	307	330		↗	X
C4950A	HP No 81 printhead and printhead cleaner, black	211	227		↗	X
C4951A	HP No 81 printhead and printhead cleaner, cyan	211	227		↗	X
C4952A	HP No 81 printhead and printhead cleaner, magenta	211	227		↗	X
C4953A	HP No 81 printhead and printhead cleaner, yellow	211	227		↗	X
C4954A	HP No 81 printhead and printhead cleaner, light cyan	211	227		↗	X
C4955A	HP No 81 printhead and printhead cleaner, light magenta	211	227		↗	X
C4990A	HP No 81 value pack, black	428	461		↗	X
C4991A	HP No 81 value pack, cyan	428	461		↗	X
C4992A	HP No 81 value pack, magenta	428	461		↗	X
C4993A	HP No 81 value pack, yellow	428	461		↗	X
C4994A	HP No 81 value pack, light cyan	428	461		↗	X
C4995A	HP No 81 value pack, light magenta	428	461		↗	X
C4940A	HP No 83 UV ink cartridge, black 680 ml	384	413		↗	X
C4941A	HP No 83 UV ink cartridge, cyan 680 ml	384	413		↗	X
C4942A	HP No 83 UV ink cartridge, magenta 680 ml	384	413		↗	X
C4943A	HP No 83 UV ink cartridge, yellow 680 ml	384	413		↗	X
C4944A	HP No 83 UV ink cartridge, light cyan 680 ml	384	413		↗	X
C4945A	HP No 83 UV ink cartridge, light magenta 680 ml	384	413		↗	X
C4960A	HP No 83 UV printhead and printhead cleaner, black	211	227		↗	X
C4961A	HP No 83 UV printhead and printhead cleaner, cyan	211	227		↗	X
C4962A	HP No 83 UV printhead and printhead cleaner, magenta	211	227		↗	X
C4963A	HP No 83 UV printhead and printhead cleaner, yellow	211	227		↗	X
C4964A	HP No 83 UV printhead and printhead cleaner, light cyan	211	227		↗	X
C4965A	HP No 83 UV printhead and printhead cleaner, light magenta	211	227		↗	X
C5000A	HP No 83 UV Value Pack, contains printhead, printhead cleaner and ink cartridge, black	505	543		↗	X
C5001A	HP No 83 UV Value Pack, contains printhead, printhead cleaner and ink cartridge, cyan	505	543		↗	X
C5002A	HP No 83 UV Value Pack, contains printhead, printhead cleaner and ink cartridge, magenta	505	543		↗	X
C5003A	HP No 83 UV Value Pack, contains printhead, printhead cleaner and ink cartridge, yellow	505	543		↗	X
C5004A	HP No 83 UV Value Pack, contains printhead, printhead cleaner and ink cartridge, light cyan	505	543		↗	X
C5005A	HP No 83 UV Value Pack, contains printhead, printhead cleaner and ink cartridge, and magenta	505	543		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet Z6100 Series

	HP Designjet Z6100 Printer series
Print speed	
Fast	720 ft2/hr (66.9 m2/hr), 42 sec/page on D/A1 (on coated paper) 252 ft2/hr (23.4 m2/hr), 2.1 min/page on D/A1 (on glossy paper)
Best	147 ft2/hr (13.7 m2/hr), 3.3 min/page on D/A1 (on coated paper) 98 ft2/hr (9.1 m2/hr), 5 min/page on D/A1 (on glossy paper)
Maximum print speed	1134 ft2/hr (105.4 m2/hr), 35 sec/page on D/A1 (on plain paper)
Print resolution maximum	2400 x 1200 optimized dpi
Memory	42-in models: 256 MB standard memory, 40 GB hard disk 60-in models: 256 MB standard memory, 40 GB hard disk
Media	
Handling	Roll feed
Types	Bond and coated paper (bond, bright white bond, coated, heavyweight coated, super heavyweight coated, coloured), technical paper (natural tracing, translucent, vellum), film (clear, matte, polyester white matte), photographic paper (gloss, semigloss, satin, RC matte), proofing paper (high-gloss, semi-gloss, matte), backlit, selfadhesive (indoor paper, polypropylene, vinyl), banner and sign (display film, banner, polypropylene, scrim, Tyvek, outdoor paper, billboard paper blue back), fabric (flag fabric, polyester, silk satin), fine art printing material (satin canvas, matte canvas,canvas paper, aquarella, watercolor, smooth, textured, litho-realistic)
Weight	Up to 430 g/m2 depending on media type
Size	42-in models: 24 to 42 in rolls 60-in models: 24 to 60 in rolls
Thickness	Up to 22 mil
Maximum roll length	575 ft/175 m
Printing	
Margins	5 x 5 x 5 x 5 mm
Technology	HP Thermal Inkjet
Ink cartridge colors	Cyan, magenta, matte black, photo black, yellow, light cyan, light gray, light magenta
Ink types	HP Vivera pigment inks
Ink drop	4 pl (light cyan, light magenta, light gray, photo black), 6 pl (cyan, magenta, yellow, matte black)
Ink cartridge size	775 ml ink cartridges; 775 ml ink cartridge multipacks also available
Nozzles	2 colors per printhead, 1056 nozzles per color, 16,896 total nozzles
Minimum line width	0.003 in/0.067 mm
Line accuracy	+/- 0.1%
Maximum print length	575 ft/175 m (OS and application dependent)
Connectivity	
Interfaces (standard)	One EIO slot, Gigabit Ethernet
Interfaces (optional)	HP Designjet high speed USB 2.0 card, compatible HP Jetdirect LAN cards
Print languages (standard)	HP Designjet Z6100 Printer: HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4 HP Designjet Z6100ps Printer: Adobe PostScript Level 3, Adobe PDF 1.6, HPGL/ 2, HP-RTL,TIFF, JPEG, CALS G4
Drivers (included)	HP Designjet Z6100 Printer: HP-GL/2, HP-RTL Windows drivers, ADI driver for AutoCAD R14, support for AutoCAD 200x, support for Citrix MetaFrame environments HP Designjet Z6100ps Printer: HP-GL/2, HP-RTL Windows drivers, PS Windows drivers, ADI driver for AutoCAD R14, support for AutoCAD 200x, support for Citrix MetaFrame environments, PS driver for Mac OS X v 10.2.8, 10.3, 10.4
Dimensions (w x d x h)	
Printer with stand	42-in models: 1970 x 700 x 1350 mm 60-in models: 2450 x 700 x 1350 mm
Shipping	42-in models: 2260 x 750 x 1216 mm 60-in models: 1072725 x 750 x 1361 mm

Weight	
Printer with stand	42-in models: 87 kg 60-in models: 110 kg
Shipping	42-in models: 195 kg 60-in models: 256 kg
Power consumption	Maximum: 350 watts; Powersave: 21 watts; Off: 0.4 watts
Warranty	One-year limited hardware warranty; 8-hour, 5 days a week phone support

Prod-No.	Description	VAT excl.	VAT incl.		
Q6651A	HP Designjet Z6100 42 in Printer With 8 Vivera pigmented inks,an embedded spectophotometer and optical media advance sensor.	17'860	19'217		
Q6652A	HP Designjet Z6100 60 in Printer With 8 Vivera pigmented inks,an embedded spectophotometer and optical media advanced sensor.	30'040	32'323		
Q6653A	HP Designjet Z6100ps 42 in Printer Adobe PS RIP embedded,with 8 Vivera pigmented inks,an embedded spectophotometer and optical media advance sensor.	21'270	22'887		
Q6654A	HP Designjet Z6100ps 60 in Printer Adobe PS RIP embedded,with 8 Vivera pigmented inks,an embedded spectophotometer and optical media advance sensor.	35'890	38'618		

HP Designjet Z6100 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			Z6100
HP Accessories						
Q1277A	HP Designjet4500 Scanner Large-format,color scanning. Software to intergrate the scanner into your existing production environment.	31'400	33'786			X
Q5673A	HP Designjet 256 MB Memory Upgrade 256 MB memory upgrade module; compatibility, reliability, proven performance	390	420			X
Q5680A	HP Designjet High Speed USB 2.0 Card USB 2.0 card for HP Designjet 4000 and HP Designjet 4000ps	190	204			X
Q6695A	HP Advanced Profiling Solution LTU With a monitor calibrator.	1'480	1'592			X
Q6706A	HP Designjet Z6100 Take-up Reel New take-up reel 42 in for DesignJet Z6100 series with support for long rolls.	1'230	1'323			X
Q6707A	HP Designjet Z6100 42 in Spindle New spindle 42 in for DesignJet Z6100 series,supporting long rolls.	130	140			X
Q6708A	HP Designjet Z6100 60 in Spindle New spindle 60 in for DesignJet Z6100 series,supporting long rolls.	180	194			X
Q6714A	HP Designjet Z6100 60 in Media Bin New media bin 60 in for DesignJet Z6100 series.	440	473			X
Q6715A	HP Designjet Z6100 User Maintenance Kit New user maintenance kit for DesignJet Z6100 series.	310	334			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet Z6100 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			Z6100
HP Print cartridges						
C9460A	HP 91 Matte Black and Cyan Printhead Printhead used with the DesignJet Z6100 photo printers.	211	227		↗	X
C9461A	HP 91 Magenta and Yellow Printhead Printhead used with the DesignJet Z6100 photo printers.	211	227		↗	X
C9462A	HP 91 Lt Magenta and Lt Cyan Printhead Printhead used with the DesignJet Z6100 photo printers.	211	227		↗	X
C9463A	HP 91 Photo Black and Lt Gray Printhead Printhead used with the DesignJet Z6100 photo printers.	211	227		↗	X
C9518A	HP 91 Maintenance Cartridge Maintenance cartridge used with the DesignJet Z6100 photo printers.	109	117		↗	X
C9464A	HP 91 Matte Black 775 ml Ink Cartridge Ink cartridge used with the DesignJet Z6100 photo printers.	394	423			X
C9465A	HP 91 Photo Black 775 ml Ink Cartridge Printhead used with the DesignJet Z6100 photo printers.	394	423			X
C9466A	HP 91 Light Gray 775 ml Ink Cartridge Ink cartridge used with the DesignJet Z6100 photo printers.	394	423			X
C9467A	HP 91 Cyan 775 ml Ink Cartridge Ink cartridge used with the DesignJet Z6100 photo printers.	394	423			X
C9468A	HP 91 Magenta 775 ml Ink Cartridge Ink cartridge used with the DesignJet Z6100 photo printers.	394	423			X
C9469A	HP 91 Yellow 775 ml Ink Cartridge Ink cartridge used with the DesignJet Z6100 photo printers.	394	423			X
C9470A	HP 91 Light Cyan 775 ml Ink Cartridge Ink cartridge used with the DesignJet Z6100 photo printers.	394	423			X
C9471A	HP 91 Light Magenta 775 ml Ink Crtg Ink cartridge used with the DesignJet Z6100 photo printers.	394	423			X
C9480A	HP 91 Matte Black 3 Ink Multi Pack Multi packs ink cartridges to be used with the DesignJet Z6100 photo printers. Each mulitpack contains 3 each 775ml ink cartridge.	1'096	1'179		↗	X
C9481A	HP 91 Photo Black 3 Ink Multi Pack Multi packs ink cartridges to be used with the DesignJet Z6100 photo printers. Each mulitpack contains 3 each 775ml ink cartridge.	1'096	1'179		↗	X
C9482A	HP 91 Light Gray 3 Ink Multi Pack Multi packs ink cartridges to be used with the DesignJet Z6100 photo printers. Each mulitpack contains 3 each 775ml ink cartridge.	1'096	1'179		↗	X
C9483A	HP 91 Cyan 3 Ink Multi Pack Multi packs ink cartridges to be used with the DesignJet Z6100 photo printers. Each mulitpack contains 3 each 775ml ink cartridge.	1'096	1'179		↗	X
C9484A	HP 91 Magenta 3 Ink Multi Pack Printhead used with the DesignJet Z6100 photo printers. Each mulitpack contains 3 each 775ml ink cartridge.	1'096	1'179		↗	X
C9485A	HP 91 Yellow 3 Ink Multi Pack Multi packs ink cartridges to be used with the DesignJet Z6100 photo printers. Each mulitpack contains 3 each 775ml ink cartridge.	1'096	1'179		↗	X
C9486A	HP 91 Light Cyan 3 Ink Multi Pack PrinMulti packs ink cartridges to be used with the DesignJet Z6100 photo printers. Each mulitpack contains 3 each 775ml ink cartridge.	1'096	1'179		↗	X
C9487A	HP 91 Light Magenta 3 Ink Multi Pack Multi packs ink cartridges to be used with the DesignJet Z6100 photo printers. Each mulitpack contains 3 each 775ml ink cartridge.	1'096	1'179		↗	X
Paper						
C6775A	LF Colorfast Adhesive Vinyl, 36"	178	191		↘	X
Q1899B	HP Opaque Scrim 42"x 50,Enhanced This HP Opaque Scrim provides block out layer,enhanced coating improves color gamut,better ink capacity and better image quality. 42"x 50 roll	313	336		↘	X
Q1956A	HP Coated Paper,42" x 225 ft HP Heavy Weight coated paper,long roll. Provides low cost,long term, applications such as signs and posters.	189	203		↘	X
Q6628A	HP Matte Super Hw Plus Paper 42inX100ft Contains one roll of premium matte inkjet graphic display media	124	133		↘	X
Q7973A	HP Matte Litho Realistic Paper 36" Matte litho realistic paper is 36 inches wide and 100 feet long	170	183		↘	X

Prod-No.	Description	VAT excl.	VAT incl.			Z6100
Q7995A	HP Prem Instant-Dry Gloss Photo Paper 42 HP Premium Instant-Dry Gloss Photo paper roll that is 42 inches x 100 feet or 1067 mm x 30,5m	243	261		↘	X
Q7996A	HP Prem Instant-Dry Satin Photo Paper 42 HP Premium Instant-Dry Satin Photo paper roll that is 42 inches x 100 feet or 1067 mm x 30,5m	243	261		↘	X
Q8674A	HP Professional Matte Canvas 42 x50 Contains one roll of HP professional matte canvas that is 42 inches by 50 feet, 1067 mm x 15.2 m	421	454		↘	X
Q8706A	HP Artist Matte Canvas 42 x50 Contains one roll of HP artist matte canvas that is 42 inches by 50 feet, 1067 mm x 15.2 m	364	391		↘	X
Q8710A	HP Collector Satin Canvas 42 x50 Contains one roll of HP collector satin canvas, 42 inches by 50 feet, 1067 mm x 15.2 m.	452	487		↘	X
Q8748A	HP Prem Vivid Color Backlit Film 42x100 Contains one roll of HP premium vivid color backlit film that is 42inches x 100 feet or 1067mm x 30.5m	363	391			X
Q8751A	HP Universal Bond Paper 36inX574ft Contains one roll of HP Universal Bond Matte Paper 36 inches x 574 feet or 914mm x 175m	84	90			X
Q8754A	HP Uni Inst-dry Gls Photo Ppr 42inX200ft Contains one roll of HP universal instant-dry gloss paper 42 inches x 200 feet or 1067mm x 61m	390	420			X
Q8755A	HP Uni IntDry SemiGls Pht Ppr 42inX200ft Contains one roll of HP universal instant-dry satin paper 42 inches x 200 feet or 1067mm x 61m	390	420			X
Q8756A	HP Uni Inst-dry Gls Photo Ppr 60inX200ft Contains one roll of HP universal instant-dry gloss paper 60 inches x 200 feet or 1524mm x 61m	555	597			X
Q8757A	HP Uni IntDry SemiGls Pht Ppr 60inX200ft Contains one roll of HP universal instant-dry satin paper 60 inches x 200 feet or 1524mm x 61m	555	597			X
Q8835A	HP Satin Gloss Polypropylene 42inX75ft Contains one roll of HP self adhesive gloss polypropylene 42 inches by 75 feet or 1067mm x 22.9m	118	127			X
Q8840A	HP Professional Satin Photo Paper 44x50 One roll of HP professional satin photo paper 44 inches wide by 50 feet long. 300 g/m 1118mmx15.2m	241	260		↘	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Designjet Z3100 Series

HP Designjet Z3100 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			Z3100
HP Accessories						
Q6643D	HP XL International 5.1 RIP Software Software RIP for the HP Designjet Z Photo Printer series.	1'120	1'205			X
Q6698A	HP Designjet Zx100 44in Spindle HP Designjet 44-inch roll feet spindle for technical media.	90	97			X
Q6699A	HP Designjet Zx100 44in Graphics Spindle HP Designjet 44-inch roll feet spindle for Graphic media.	90	97			X
Q6700A	HP Designjet Z/Tx100/Tx10 24-in Spindle HP Designjet 24-inch roll feet spindle for Graphic media.	90	97			X

HP DesignJet Z3100 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			Z3100
HP Print cartridges						
C9390A	HP 70 Light Cyan 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9448A	HP 70 Matte Black 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9449A	HP 70 Photo Black 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9450A	HP 70 Gray 130 ml Ink Cartridge Use in HP DesignJet printer	106	114		↗	X
C9451A	HP 70 Light Gray 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9453A	HP 70 Magenta 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9454A	HP 70 Yellow 130 ml Ink Cartridge Use in selected HP DesignJet printers.	106	114		↗	X
C9455A	HP 70 Light Magenta 130 ml Ink Crtg Use in selected HP DesignJet printers.	106	114		↗	X
C9456A	HP 70 Red 130 ml Ink Cartridge Use in HP DesignJet printer	106	114		↗	X
C9457A	HP 70 Green 130 ml Ink Cartridge Use in HP DesignJet printer	106	114		↗	X
C9458A	HP 70 Blue 130 ml Ink Cartridge Use in HP DesignJet printer	106	114		↗	X
C9459A	HP 70 Gloss Enhancer 130 ml Ink Crtg Use in HP DesignJet printer	79	85		↗	X

HP Large Format Printers - Universal media

Prod-No.	Description	VAT excl.	VAT incl.			430	500/500PS	800/800PS	1050C/1055CM	5000/5000PS	5500/ 5500PS(UV)
Paper											
Q1426A	HP photo paper, glossy, 179 g/m², 24"- roll, 610 mm, 30 m	95	102		↘		X2	X2	X	X	X
Q1427A	HP photo paper, glossy, 179 g/m², 36"- roll, 914 mm, 30 m	138	148		↘		X2	X2	X	X	X
Q1428A	HP photo paper, glossy, 179 g/m², 42"- roll, 1067 mm, 30 m	167	180		↘		X2	X2		X	X
Q1430A	HP photo paper, glossy, 179 g/m², 60"- roll, 1524 mm, 30 m	237	255		↘					X	X
Q1420A	HP photo paper, matte, 179 g/m², 24"- roll, 610 mm, 30 m	95	102		↘		X2	X2	X	X	X
Q1421A	HP photo paper, matte, 179 g/m², 36"- roll, 914 mm, 30 m	138	148		↘		X2	X2	X	X	X
Q1422A	HP photo paper, matte, 179 g/m², 42"- roll, 1067 mm, 30 m	167	180		↘		X2	X2		X	X
Q1423A	HP photo paper, matte, 179 g/m², 54"- roll, 1372 mm, 30 m	215	231		↘					X	X
Q1424A	HP photo paper, matte, 179 g/m², 60"- roll, 1524 mm, 30 m	237	255		↘					X	X
Q1412A	HP coated paper, heavy, 120 g/m², 24"- roll, 610 mm, 30 m	43	47		↘		X2	X2	X	X	
Q1413A	HP coated paper, heavy, 120 g/m², 36"- roll, 914 mm, 30 m	55	59		↘		X2	X2	X	X	
Q1414A	HP coated paper, heavy, 120 g/m², 42"- roll, 1067 mm, 30 m	76	82		↘		X2	X2		X	
Q1416A	HP coated paper, heavy, 120 g/m², 60"- roll, 1524 mm, 30 m	108	117		↘					X	
Q1404A	HP coated paper, 95 g/m², 24"-roll, 610 mm, 45 m	32	35		↘		X2	X2	X	X	
Q1405A	HP coated paper, 95 g/m², 36"-roll, 914 mm, 45 m	48	52		↘		X2	X2	X	X	
Q1406A	HP coated paper, 95 g/m², 42"-roll, 1067 mm, 45 m	56	61		↘		X2	X2		X	
Q1408A	HP coated paper, 95 g/m², 60"-roll, 1524 mm, 45 m	80	87		↘					X	
Q1396A	HP inkjet paper, 80 g/m², 24"-roll, 610 mm, 45 m	18	19		↘	X1	X2	X2	X		
Q1397A	HP inkjet paper, 80 g/m², 36"-roll, 914 mm, 45 m	26	27		↘	X1	X2	X2	X		
Q1398A	HP inkjet paper, 80 g/m², 42"-roll, 1067 mm, 45 m	29	32		↘		X2	X2			

X1 : Compatible to printers with roll feeder only
X2 : Some media are compatible, but not front panel supported.

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Scanner

HP Personal Scanner

HP ScanJet 2000 Series

Prod-No.	Description	VAT excl.	VAT incl.		
L2694A	HP Scanjet G2410 Flatbed Scanner	82	88		
L2696A	HP Scanjet G2710 Photo Scanner	104	112		

HP ScanJet 3000 Series

Prod-No.	Description	VAT excl.	VAT incl.		
L1945A	HP Scanjet 3800 Photo Scanner 2400 x 4800 dpi, Integrated TMA for slides/negatives, HP Instant Share, HP Adaptive Lighting	104	112		
L1985A	HP Scanjet G3010 Photo Scanner Quick and easy scan and share at touch of a button	124	133		
L2698A	HP Scanjet G3110 Photo Scanner High resolution photo scanner,with TMA 4800 x 9600 ppi,48 bit	124	133		

HP ScanJet G3010

HP ScanJet 5000 Series

Prod-No.	Description	VAT excl.	VAT incl.		
Q3871A	HP Scanjet 5530 Scanner 2400 x 4800 dpi, 48 bit, High Speed USB 2.0, Win 98/98,XP,2000, Mac OS 9.1, OS X 10.1.5 or 10.2, 10	393	423		
L1910A	HP Scanjet 5590 Digital Flatbed Scanner 2400 dpi,48 bit color,50 page automatic duplex document feeder, transparency adapter/slides and negatives	540	581		
L1912A	HP Scanjet 5590P Scanner	250	269		

HP ScanJet 5590

HP ScanJet 6000 Series

Prod-No.	Description	VAT excl.	VAT incl.		
L1983A	HP Scanjet N6010 Feed Document Scanner Document Management Scanning,document sharing and communicating,archival, personal document management. (18 ppm simplex and 36 ipm)	723	778		
L2700A	HP ScanjetN6310 Document Flatbed Scanner 15 ppm,2400+ dpi,ADF/flatbed, versatile scanner for all your office scanning needs	710	764		

HP ScanJet NG310

HP ScanJet 7000 Series

Prod-No.	Description	VAT excl.	VAT incl.		
L1940A	HP Scanjet 7650 Document Flatbed Scanner 2400 x 2400 dpi,48 bit,Instant On, ADF,TMA,full software bundle,Hi- Speed USB 2.0,O/S: Win 98/98SE/ME/2K/XP,MAc 10.2	885	952		
L1942A	HP Scanjet 7650n Network Scanner 12ppm, duplex scanning, 2400dpi, Transparency Material Adpater, hard bundled with AXIS 70U Doc Server	1'229	1'322		
L1989A	HP Scanjet N7710 Sheetfeed Scanner	1'561	1'680		
L1980A	HP Scanjet 7800 Document Scanner Button functionality,Fast simplex at 25 ppm,fast duplex at 50 ipm,small footprint,attractive design,1200dpi, dual CCD scanning,50-page stack	1'147	1'234		

HP Scanjet 7650

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ScanJet 8000 Series

Prod-No.	Description	VAT excl.	VAT incl.		
C9931A	HP ScanJet 8200 4800/600 dpi, fast grayscale, 48 bit, legal text, TMA integrated into lid, high speed USB	792	852		
L1975A	HP Scanjet 8270 Document Flatbed Scanner 4800 dpi,25ppm simplex,duplex capable (5.5 ipm) ,TMA: integrated in ADF,ease-of-use,3 slides,4 negative frames,Multiple Native Resolution	1'240	1'334		
L1960A	HP Scanjet 8300 Prof Image Scanner One-touch buttons, including copy, Software package ScanSoft PaperPort software or NewSoft PageManager	619	666		
L1963A	HP Scanjet 8300gp Graphics Art Scanner One-touch buttons, including copy Software package ScanSoft PaperPort software and NewSoft PageManager, OCR software	806	868		
L1961A	HP Scanjet 8350 Document Scanner 25 ppm,100-page ADF, Six one-touch buttons, including copy, Legal-size bed, Integrated TMA	1'860	2'001		
L1962A	HP Scanjet 8390 Document Scanner One-touch buttons,including copy Software package ScanSoft PaperPort software and NewSoft PageManager,OCR software	2'482	2'671		
L2689A	HP Scanjet N8420 Fltbd Document Scanner Affordable document management flatbed scanner for distributed or small work environments with and ADF	2'328	2'505		
L2690A	HP Scanjet N8460 Fltbd Document Scanner Premier document management flatbed scanner for workgroup enviroments	3'106	3'342		

HP ScanJet 8350

HP Personal Scanner - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			4000	5000	74xx
HP Accessories								
C7716A	HP Scanjet 7400 Series ADF 50 page ADF 15 pages per minute Legal size bed	407	438					**X6**
C9911A	HP TMA for 5550c Scans 35mm slides and negatives, template kit assembly	147	158			**X1**	**X8**	

X1 : only with sj45xxC
X6 : for SJ74xxC
X8 : for SJ53xx, SJ55xxx

HP Digital Sender

HP Digital Sender 9250c

	HP 9250c Digital Sender
Scan type	Flatbed, ADF
Processor	480 MHz
Memory	128 MB
Hard disk	40 GB
Control panel	VGA graphical touch screen, contrast control dial, numeric keypad, sleep button, reset button, stop button, start button, attention light, data light, ready light
Duty cycle	Up to 60'000 images pages per month
File formats	PDF, TIFF, MTIFF, JPEG (additional formats available from send to workflow using OCR, including XML, searchable PDF, TXT, RTF (Word compatible) and HTML)
Scanner resolution	Enhanced: Up to 600 dpi
Paper	Media size: A4, A5, B5 Media types: Paper, labels and cards (via glass), transparencies Recommended weight: 60 to 120 g/m²
Interface and connectivity	1 HP Jetdirect Fast Ethernet 10/100 Base-TX network port, 1 open EIO slot, 1 device USB port (compatible with USB 2.0 specifications), 1 host USB port (compatible with USB 2.0 specifications) for limited applications
Network operating systems compatibility	Via the HP Jetdirect Fast Ethernet embedded print server: Microsoft® Windows® NT 4.0, 2000, XP, XP 64-Bit, Server 2003
Compatible Network Management Tools	HP Web Jetadmin, Embedded Web Server, Digital Sending Configuration Utility
Power consumption	98 watts maximum (scanning at 55 ppm)
Dimensions (w x d x h)	Out of package: 452 x 724 x 340 mm (keyboard extended), 452 x 571 x 340 mm (keyboard not extended), packaged: 692 x 585 x 504 mm
Weight	Out of package: 23.09 kg, packaged: 27.4 kg
Warranty	One-year warranty

Prod-No.	Description	VAT excl.	VAT incl.		
CB472A	HP 9250c Digital Sender	5'843	6'287		

HP Digital Sender 9250c - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			9250c
HP Memory						
Q7713A	HP 32MB 100Pin DDR DIMM DRAM DIMM 32 MB (RoHS Compliant)	330	355			**X**
Q7718A	HP 128MB 100Pin DDR DIMM DRAM DIMM 128 MB (RoHS Compliant)	1'027	1'105			**X**
Q7719A	HP 256MB 100Pin DDR DIMM DRAM DIMM 256 MB (RoHS Compliant)	1'065	1'146			**X**
HP Other Accessories						
Q6496A	ADF mylar sheets; package of 3 mylar sheets	30	32			**X**

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart Systems

HP Photosmart printers

HP Photosmart A320

	HP Photosmart A320 compact photo printer				
Print technology	HP Thermal Inkjet				
Print head nozzles	600 colour ink nozzles				
Print speed (As fast as # seconds)	**Document type**	**Draft**	**Fast normal**	**Normal**	**Best**
	10 x 15 cm colour photo (photo paper)	As fast as 45 sec (with border, direct connect)	As fast as 45 sec (with border, direct connect)	As fast as 45 sec (with border, direct connect)	As fast as 97 sec (with border, direct connect)
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and photo density.				
Print quality	Colour: Up to 4800 x 1200 optimised dpi when printing from a computer and 1200 input dpi				
Memory	32 MB				
Printer languages	HP PCL 3 GUI				
Recommended media weight	HP photo papers up to 280 g/m^2				
Recommended media	HP Advanced Photo Paper: 10 x 15 cm				
Media sizes	Standard: 10 x 15 cm, 10 x 30 cm, Custom: 10 x 15 cm, 10 x 30 cm				
Media handling/input	Sheets: Up to 20, Cards: Up to 20				
Paper input tray	Standard: 1				
Media handling/output	Up to 20				
Duplex printing	None (not supported)				
Power consumption	27 watts maximum				
Interface and connectivity	USB - compatible with USB 2.0 specifications, PictBridge, optional: HP bt450 Bluetooth Wireless Printer Adapter (Q6398A), HP bt500 Bluetooth USB 2.0 Adapter (Q6273A), HP Wireless Printing Upgrade Kit (Q6259A)				
Control panel	2 front-panel buttons (Power, Red-eye Removal)				
Software included	HP Photosmart software				
Dimensions (w x d x h)	Out of package: 227 x 116 x 128 mm, Maximum: 227 x 230 x 156 mm, packaged: 260 x 171 x 194 mm				
Weight	Out of package: 1.25 kg, packaged: 2.06kg				
Energy Star	No				
Supplies life	For page and photo yields and other cartridge options, see http://www.hp.com/go/pageyield				
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.				

Prod-No.	Description	VAT excl.	VAT incl.		
Q8517A	HP Photosmart A320 Compact Photo Printer compact photo printer, water and fade resistant photos	88	95		

HP Photosmart A320 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A320
HP Accessories						
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q8504B	HP Photosmart Metro Green Carry Bag	29	31			X
CC698A	HP Photosmart Metro Blue Carry Bag	29	31			X

HP Photosmart A320 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A320
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X
Paper						
Q8008A	HP Advanced Gloss Photo Paper, 60 Sht Contains 60 sheets of HP Advanced glossy photo paper in 10 x 15 cm.	12	13		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart A526

	HP Photosmart A526 compact photo printer
Print technology	HP Thermal Inkjet
Print head nozzles	600 colour ink nozzles
Print speed (As fast as # seconds)	**Document type** / **Draft** / **Normal** / **Best** 10 x 15 cm colour photo (photo paper) / As fast as 39 sec (with border, direct connect) / As fast as 50 sec (with border, direct connect) / As fast as 76 sec (with border, direct connect) Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and photo density.
Print quality	Colour: Up to 4800 x 1200 optimised dpi when printing from a computer and 1200 input dpi
Memory	32 MB
Printer languages	HP PCL 3 GUI
Recommended media weight	HP photo papers up to 280 g/m^2
Recommended media	HP Advanced Photo Paper: 10 x 15 cm
Media sizes	Standard: 10 x 15 cm, 10 x 30 cm, Custom: 10 x 15 cm, 10 x 30 cm
Media handling/input	Sheets: Up to 20, Cards: Up to 20
Media handling/output	Up to 20
Paper input trays	Standard: 1
Power consumption	23 watts maximum
Interface and connectivity	USB - compatible with USB 2.0 specifications, PictBridge, memory card slots, optional: HP bt450 Bluetooth Wireless Printer Adapter (Q6398A), HP bt500 Bluetooth USB 2.0 Adapter (Q6273A), HP Wireless Printing Upgrade Kit (Q6259A)
Control panel	6 front-panel buttons (Power, Red-eye removal, Left arrow, Print, Right arrow, Cancel)
Software included	HP Photosmart software
Dimensions (w x d x h)	Out of package: 227 x 116 x 137.4 mm, packaged: 250 x 150 x 207 mm
Weight	Out of package: 1.22 kg, packaged: 2.02 kg
Energy Star	No
Supplies life	For page and photo yields and other cartridge options, see http://www.hp.com/go/pageyield
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
Q8531A	HP Photosmart A526 Compact Photo Printer 2.4in color display,built in handle and fold up paper tray,print directly from memory cards,	104	112		

HP Photosmart A526 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A526
HP Accessories						
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q8504B	HP Photosmart Metro Green Carry Bag	29	31			X
CC698A	HP Photosmart Metro Blue Carry Bag	29	31			X

HP Photosmart A526 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A526
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X
Paper						
Q8008A	HP Advanced Gloss Photo Paper, 60 Sht Contains 60 sheets of HP Advanced glossy photo paper in 10 x 15 cm.	12	13		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart A532

	HP Photosmart A532 compact photo printer
Print technology	HP Thermal Inkjet
Print head nozzles	600 colour ink nozzles
Print speed	**Document type** / **Draft** / **Normal** / **Best** 10 x 15 cm colour photo (photo paper) / As fast as 27 sec (with border, direct connect) / As fast as 45 sec (with border, direct connect) / As fast as 83 sec (with border, direct connect) Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and photo density.
Print quality	Colour: Up to 4800 x 1200 optimised dpi when printing from a computer and 1200 input dpi
Memory	32 MB
Printer languages	HP PCL 3
Recommended media weight	HP photo papers up to 280 g/m^2
Recommended media	HP Advanced Photo Paper: 10 x 15 cm and 13 x 18 cm
Media sizes	Standard: 10 x 15 cm, 13 x 18 cm, Custom: 10 x 15 cm, 13 x 18 cm
Paper handling	20-sheet 10 x 15 / 13 x 18 cm photo paper tray, 20-sheet output tray
Media handling/input	Sheets: Up to 20
Paper input trays	Standard: 1, optional: 1
Media handling/output	Up to 20
Duplex printing	None (not supported)
Power consumption	23 watts maximum
Interface and connectivity	USB - compatible with USB 2.0 specifications, PictBridge, memory card slots, optional: HP bt500 Bluetooth USB 2.0 Adapter (Q6273A), HP Wireless Printing Upgrade Kit (Q6259A)
Control panel	6 front-panel buttons (Power, Menu, Left arrow, Print, Right arrow, Cancel); two LEDS (attention, Red-eye)
Software included	Software available for free download (not included)
Dimensions (w x d x h)	Out of package: 252 x 117 x 134 mm, packaged: 300 x 165 x 197 mm
Weight	Out of package: 1.31 kg, packaged: 2.16 kg
Energy Star	Yes
Supplies life	For page and photo yields and other cartridge options, see www.hp.com/go/learnaboutsupplies
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
Q8625A	HP Photosmart A532 Printer	132	142		

HP Photosmart A532 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A532
HP Accessories						
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
CC698A	HP Photosmart Metro Blue Carry Bag	29	31			X
Q8504B	HP Photosmart Metro Green Carry Bag	29	31			X

HP Photosmart A532 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A532
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X
Q8898AE	HP 110 Ser Pht Val Pak 10x15 cm/140 sht HP 110 Series Photo Value Pack with Vivera Inks-10 x 15 cm/140 sht	63	68		↗	X
Paper						
Q8696A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of 250 g/m,13 x 18 cm HP Advanced glossy photo paper.	10	11		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart A636

	HP Photosmart A636 compact photo printer			
Print technology	HP Thermal Inkjet			
Print head nozzles	600 colour ink nozzles			
Print speed	**Document type**	**Draft**	**Normal**	**Best**
	10 x 15 cm colour photo (photo paper)	As fast as 27 sec (with border, direct connect)	As fast as 40 sec (with border, direct connect)	As fast as 71 sec (with border, direct connect)
	Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and photo density.			
Print quality	Colour: Up to 4800 x 1200 optimised dpi (on HP Advanced Photo Paper)			
Memory	64 MB			
Printer languages	HP PCL 3 GUI			
Recommended media weight	HP photo papers up to 280 g/m^2			
Recommended media	HP Advanced Photo Paper: 10 x 15 cm and 13 x 18 cm			
Media sizes	Standard: 100 x 150 mm, 130 x 180 mm, Custom: 100 x 150 mm, 130 x 180 mm			
Paper handling	20-sheet 10 x 15 / 13 x 18 cm photo paper tray, 20-sheet output tray			
Media handling/input	Sheets: Up to 20			
Paper input tray	Standard: 1, optional: 1			
Media handling/output	Up to 20			
Duplex printing	None (not supported)			
Power consumption	25 watts maximum, 14 watts maximum (active/printing)			
Interface and connectivity	USB 2.0, PictBridge, memory card slots, optional: HP bt500 Bluetooth USB 2.0 Adapter (Q6273A), HP Wireless PrintingUpgrade Kit (Q6259A)			
Control panel	12 cm touch screen colour display (8.9 cm viewing area) and stylus, one button (Power)			
Software included	Software available for free download (not included)			
Dimensions (w x d x h)	Out of package: 252 x 117 x 134 mm, Maximum: 251 x 221 x 175 mm, packaged: 300 x 165 x 203 mm			
Weight	Out of package: 1.52 kg, packaged: 2.37 kg			
Energy Star	No			
Supplies life	For page and photo yields and other cartridge options, see http://www.hp.com/go/pageyield			
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.			

Prod-No.	Description	VAT excl.	VAT incl.		
Q8637A	HP Photosmart A636 Printer 4.8-inch touch screen display,print photos in a variety of sizes - up to 5x7,memory card slots for printing photos without a PC	222	239		

HP Photosmart A636 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A636
HP Accessories						
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
Q5599B	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart Compact Photo Printers which is RoHs compliant.	93	100			X
CC698A	HP Photosmart Metro Blue Carry Bag	29	31			X
Q8504B	HP Photosmart Metro Green Carry Bag	29	31			X

HP Photosmart A636 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A636
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X
Paper						
Q8898AE	HP 110 Ser Pht Val Pak 10x15 cm/140 sht HP 110 Series Photo Value Pack with Vivera Inks-10 x 15 cm/140 sht	63	68		↗	X
Q8696A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of 250 g/m,13 x 18 cm HP Advanced glossy photo paper.	10	11		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart A826

	HP Photosmart A826 home photo centre
Print speed (As fast as # seconds)	**Document type** / **Draft** / **Fast normal** / **Normal** / **Best** 10 x 15 cm colour photo (photo paper) / As fast as 39 sec (with border, direct connect) / As fast as 39 sec (with border, direct connect) / As fast as 52 sec (with border, direct connect) / As fast as 79 sec (with border, direct connect) Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and photo density.
Print quality	Colour: Up to 4800 x 1200 optimised dpi when printing from a computer and 1200 input dpi
Memory	64 MB
Printer languages	HP PCL 3 GUI
Recommended media weight	HP photo papers up to 280 g/m^2
Recommended media	HP Advanced Photo Paper: 10 x 15 cm
Media sizes	Standard: 10 x 15 cm, 13 x 18 cm, 10 x 30 cm, Custom: 10 x 15 cm, 13 x 18 cm, 10 x 30 cm
Media handling/input	Sheets: Up to 100, Cards: Up to 100
Paper input tray	Standard: 1
Media handling/output	Up to 100
Duplex printing	None (not supported)
Power consumption	4.3 watts maximum (off), 6.7 watts maximum (ready), 16 watts maximum (active, printing), 24 watts maximum
Interface and connectivity	USB - compatible with USB 2.0 specifications, PictBridge, memory card slots, optional: HP bt450 Bluetooth Wireless Printer Adapter (Q6398A), HP bt500 Bluetooth USB 2.0 Adapter (Q6273A), HP Wireless Printing Upgrade Kit (Q6259A)
Control panel	14.2 cm display with touchscreen
Software included	HP Photosmart software
Dimensions (w x d x h)	Out of package: 263 x 244 x 275 mm, Maximum: 263 x 384 x 324 mm, packaged: 294 x 244 x 327 mm
Weight	Out of package: 2.63 kg, packaged: 3.84 kg
Energy Star	No
Supplies life	For page and photo yields and other cartridge options, see http://www.hp.com/go/pageyield
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
Q8550A	HP Photosmart A826 Home Photo Center Large 7"touch screen display,over 200 creative elements,fold up paper tray,automatically remove red-eye,	265	285		

HP Photosmart A826 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A826
HP Accessories						
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart A826 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A826
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X
Paper						
Q8008A	HP Advanced Gloss Photo Paper, 60 Sht Contains 60 sheets of HP Advanced glossy photo paper in 10 x 15 cm.	12	13		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q8696A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of 250 g/m,13 x 18 cm HP Advanced glossy photo paper.	10	11		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart 8750 Printer

	HP Photosmart 8750			
Print technology	HP Thermal Inkjet			
Print head nozzles	1800 colour ink nozzles, 21 kHz maximum firing frequency			
Print speed (Up to # pages per minute) (Up to # pages per minute) (As fast as # of seconds) (As fast as # of seconds	Document type Black text A4 Mixed text/colour graphics A4 10 x 15 cm colour photo (photo paper) A3 colour photo (photo paper) Dependent upon type, print mode, and approximate figures. Exact speed will vary depending on the system configuration, software program, and document complexity.	Draft 19 18 29 secs 3 min 30 secs	Normal 3.5 3.5 1 min 07 secs 6 min 35 secs	Best 0.9 0.9 2 min 10 secs 14 min 59 secs
Print quality	Colour: HP Photoret Pro precision technology using 9 HP Vivera inks, including 3 greyscale inks; up to 4800 x 1200-optimised dpi colour and 1200-input dpi			
Colour technology	HP Photoret Pro precision technology			
Memory	64 MB			
Printer languages	HP PCL 3 GUI			
Typefaces/fonts	8 built-in fonts, 4 each in portrait and landscape orientations: CG Times, CG Times Italic, Univers, Univers Italic, Courier, Courier Italic, Letter Gothic, Letter Gothic Italic			
Cartridge alignment	± 0.0508 mm			
Duty cycle	Up to 1'000 pages per month			
Recommended media weight	60 to 90 g/m^2, HP photo media up to 280 g/ m^2			
Recommended media	Photo paper (glossy, satin, matte), plain paper, coated paper, brochure paper and film, transparencies, banners, iron-on transfer media			
Media sizes	Standard: Paper: A3 297 x 420 mm, A4 210 x 297 mm, A5 148 x 210 mm, banner: A4 210 x 297 mm, transparencies: A4 210 x 297 mm, envelopes: DL 220 x 110 mm, C6 114 x 162 mm, cards: A6 105 x 148 mm, labels: A4 210 x 297 mm, photo paper: A4 210 x 297 mm, panorama 10 x 30 cm, 13 x 18 cm, 10 x 15 cm (with or without tear-off/cut-off tab) Custom: 77 x 127 to 330 x 483 mm			
Media handling/input (up to #)	Sheets: 80; banners: 20; envelopes: 10; cards: 30; transparencies: 25			
Media handling/output	Sheets: up to 80			
Paper input trays	1 (with 5-sheet bypass tray, single-sheet rear feed slot)			
Power consumption	83 watts maximum, 4 watts when idle, below 1 watt when off			
Interface and connectivity	1 USB – compatible with USB 2.0 specifications, 1 Ethernet, 1 PictBridge, 4 memory card slots Optional: HP Jetdirect ew2400 802.11g Wireless Print Server J7951A, HP Jetdirect 380x 802.11b Wireless Print Server			
Control panel	Easy to use control panel with “Layout”, “Menu”, “Print”, “Cancel” and “Select photos” buttons			
Software included	HP Image Zone software for Microsoft® Windows® and Macintosh with HP Instant Share			
Dimensions (w x d x h)	Out of package: 643 x 399 x 204 mm; packaged: 700 x 500 x 304 mm			
Weight	Out of package: 11.8 kg; packaged: 15 kg			
Supplies life	C9363EE HP 344 Tri-colour Inkjet Print Cartridge (14 ml): approximately 360 photos (10 x 15 cm) using 9-ink printing; C9365AE HP 101 Blue Photo Inkjet Print Cartridge (13 ml): approximately 340 photos (10 x 15 cm) using 9-ink printing; C9360AE HP 102 Grey Photo Inkjet Print Cartridge (23 ml): approximately 140 photos (10 x 15 cm) using 9-ink printing; C9360AE HP 102 Grey Photo Inkjet Print Cartridge (23 ml): approximately 110 photos (10 x 15 cm) using black and white printing.			
Warranty	One-year limited hardware warranty backed by HP service and support			

Prod-No.	Description	VAT excl.	VAT incl.		
Q5747B	HP Photosmart 8750 Printer. 9 inks, text display, 4 memory card slots, prints up to 13x19 inches	615	662		
Q5746B	HP Photosmart 8750gp Printer. 9 inks, text display, 4 memory card slots, prints up to 13x19 inches, HP Colorimeter powered by Gretag Macbeth.	799	860		

HP Photosmart 8750 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			8750
Inkjet Cartridges						
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9360AE	HP 102 EU Grey Photo Print Cartridge Use in selected HP PhotoSmart Printers	45	48		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9365AE	HP 101 EU Blue Photo Print Cartridge Use in selected HP PhotoSmart Printers	37	40		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart Pro B8350

	HP Photosmart Pro B8350
Print technology	HP Thermal Inkjet
Print head nozzles	600 colour ink nozzles, up to 672 black ink nozzles
Print speed	Document type / Draft / Normal / Best Black text A4 / Up to 30 ppm / Up to 8 ppm / Up to 1.5 ppm Black text A3 / Up to 12.6 ppm / Up to 5.6 ppm / Up to 1 ppm Mixed text/colour graphics A4 / Up to 20 ppm / Up to 6 ppm / Up to 1.5 ppm Mixed text/colour graphics A3 / Up to 8 ppm / Up to 3.5 ppm / Up to 1.1 ppm 10 x 15 cm colour photo (photo paper) / As fast as 26 sec / As fast as 59 sec / As fast as 91 sec A3 colour photo (photo paper) / As fast as 210 sec / / As fast as 645 sec Speed specifications have been updated to reflect current industry testing methods.
Print quality	Black: Up to 1200 x 1200 rendered dpi when printing from a computer and 1200 input dpi Colour: Up to 4800 x 1200 optimised dpi when printing from a computer and 1200 input dpi
Colour technology	ICC Colour Management; Prosumer UI; Adobe RGB
Memory	32 MB
Printer languages	HP PCL 3 Enhanced
Typefaces/fonts	8 built-in, 4 each in portrait and landscape orientations: CG Times, CG Times Italic, Univers, Univers Italic, Courier, Courier Italic, Letter Gothic, Letter Gothic Italic (Euro Symbol supported)
Cartridge alignment	+/- 0.05 mm
Duty cycle	Up to 5'000 pages per month
Recommended media weight	60 to 280 g/m²
Recommended media	Paper (plain, multipurpose, inkjet, photo, banner), envelopes, transparencies, labels, greeting cards, professional brochure (matte and glossy), iron-on transfers
Media sizes	Standard: A3 (297 x 420 mm), A3+ (330 x 482 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B4 (250 x 353 mm), B5 (176 x 250 mm), B6 (125 x 178 mm), C6 (114 x 162 mm), 100 x 150 mm, 130 x 180 mm, Custom: 76 x 127 to 330 x 1270 mm
Media handling/input	Sheets: Up to 150, Envelopes: Up to 15 Cards: Up to 45, Transparencies: Up to 45
Paper input tray	Standard: 1 plus straight through paper path
Media handling/output	Up to 100
Duplex printing	Automatic (optional)
Power consumption	60 watts maximum
Interface and connectivity	Hi-Speed USB - compatible with USB 2.0 specification
Control panel	3 front-panel buttons (Cancel, Resume, Power)
Software included	HP Photosmart Essential Software on CD-ROM, scrapbooking software
Dimensions (w x d x h)	Out of package: 574.5 x 408.5 x 186.1 mm, With two-sided printing module: 574.5 x 622 x 310 mm, packaged: 680 x 523.2 x 330 mm
Weight	Out of package: 12 kg, packaged: 15 kg
Energy star	Yes
Supplies life	For information on cartridge page and photo yields, visit http://www.hp.com/go/pageyield
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
Q8492B	HP Photosmart Pro B8350 EMEA Printer Prints photos from 3.5 up to 13x19 inch photos, red-eye removal with HP Real Life Technologies	465	500		

HP Photosmart Pro B8350 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			B8350
HP Accessories						
C2950A	HP IEEE-1284 A-B parallel cable, (2m)	17	18			X
C2951A	HP IEEE-1284 A-B parallel cable, (3m)	22	24			X
C8258A	HP Automatic 2-sided Printing Accessory	64	69			X

HP Photosmart Pro B8350 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			B8350
Inkjet Cartridges						
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart Pro B9180

	HP Photosmart Pro B9180
Print technology	HP Thermal Inkjet
Print head nozzles	1056 ink nozzles per colour, 24 kHz maximum firing frequency
Print speed	Document type / Draft / Normal / Best Black text A4 / Up to 28 ppm / Up to 4.5 ppm / Up to 2.5 ppm Mixed text/colour graphics A4 / Up to 26 ppm / Up to 4 ppm 10 x 15 cm colour photo (photo paper) / As fast as 10 sec / As fast as 60 sec / As fast as 90 sec A3 colour photo (photo paper) / As fast as 90 sec / As fast as 270 sec / As fast as 400 sec Dependent upon type, print mode and approximate figures. Exact speed will vary depending on the system configuration, software program and document complexity.
Print quality	Black: Up to 4800 x 1200 optimised dpi and 1200 x 1200 input dpi when printing from a computer in gray only in maximum-dpi-mode Colour: Up to 4800 optimised dpi colour (up to 4800 x 1200 dpi colour when printing from a computer and 1200 input dpi)
Colour technology	Colorsmart /sRGB, Adobe RGB, ICM, Managed by application
Memory	64 MB
Printer languages	HP PCL 3 Enhanced
Cartridge alignment	+/- 0.05 mm
Duty cycle	Up to 1'000 pages per month
Recommended media weight	80 to 800 g/m^2 (1,5 mm thickness)
Recommended media	Photo paper (glossy, satin, matte, digital fine art media), plain paper, coated paper, brochure paper and film, transparencies, banners, iron-on transfer media
Media sizes	Standard: Paper: A3 297 x 420 mm, A4 210 x 297 mm, B5 176 x 250 mm, envelopes: DL 220 x 110 mm, C6 114 x 162 mm, photo paper: A4 210 x 297 mm, 10 x 15 cm (with or without tear-off/cut-off tab), Custom: Main tray: 89 x 127 mm to 330 x 482 mm; Specialty Media Tray: 100 x 150 mm to 330 x 482 mm
Media handling/input	Sheets: Up to 200, Envelopes: Up to 50, Cards: Up to 60
Paper input tray	Standard: 2, optional: 1 plus single-sheet specialty media tray
Media handling/output	Up to 50
Duplex printing	None
Power consumption	35 watts maximum
Interface and connectivity	Hi-Speed USB - compatible with USB 2.0 specifications, Ethernet 802.3 10/100 Base-TX
Control panel	LCD (2-line text) with backlight, qualitative fill levels of cartridges, menu button, delete button, OK button, select buttons
Software included	HP Photosmart Premier Software
Dimensions (w x d x h)	Out of package: 673 x 429 x 241 mm, With two-sided printing module: 673.1 x 711 x 241.3 mm, packaged: 785 x 598 x 330 mm
Weight	Out of package: 17.1 kg, packaged: 22.5 kg
Energy star	
Supplies life	For information on cartridge page and photo yields, visit http://www.hp.com/go/pageyield
Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

Prod-No.	Description	VAT excl.	VAT incl.		
Q5736A	HP Photosmart Pro B9180 Photo Printer With 8 high capacity individual pigment ink cartridges,prints up to 13x19 inch photos,waterproof photos resist fading for over 200 years.	934	1'005		
Q5743A	HP Photosmart Pro B9180gp Bundle award winning A3+/B-size professional photo printer including the colorimeter for screen calibration from GretacMacBeth/X-write	1'104	1'188		

HP Photosmart Pro B9180 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			B9180
HP Accessories						
Q6641D	EFI Designer 5.1 Edition Intl Software HP "EFI DESIGNER EDITION 5.1 for HP"M International. Software RIP for the HP DesignJet printer series smaller than 24"	515	554			X
Q6643D	HP XL International 5.1 RIP Software Software RIP for the HP Designjet Z Photo Printer series.	1'120	1'205			X

HP Photosmart Pro B9180 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			B9180
Inkjet Cartridges						
C9412A	HP 38 Matte Black Pigment Ink Cartridge For use in selected HP PhotoSmart professional printers	46	50		↗	X
C9413A	HP 38 Photo Black Pigment Ink Cartridge For use in selected HP PhotoSmart professional printers	46	50		↗	X
C9414A	HP 38 Light Gray Pigment Ink Cartridge For use in selected HP PhotoSmart professional printers	46	50		↗	X
C9415A	HP 38 Cyan Pigment Ink Cartridge For use in selected HP PhotoSmart professional printers	46	50		↗	X
C9416A	HP 38 Magenta Pigment Ink Cartridge For use in selected HP PhotoSmart professional printers	46	50		↗	X
C9417A	HP 38 Yellow Pigment Ink Cartridge For use in selected HP PhotoSmart professional printers	46	50		↗	X
C9418A	HP 38 Light Cyan Pigment Ink Cartridge For use in selected HP PhotoSmart professional printers	46	50		↗	X
C9419A	HP 38 Lt Magenta Pigment Ink Cartridge For use in selected HP PhotoSmart professional printers	46	50		↗	X
Paper						
Q5461A	HP Advanced Gloss Photo Paper 13 x19 Contains 25 sheets of HP Advanced glossy photo paper in 13 x 19 size	62	67		↘	X
Q5462A	HP Advanced Satin Matt Photo Paper 13x19 Contains 25 sheets of HP Advanced satin matte photo paper in 13 x 19 size	62	67		↘	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart 145

HP Photosmart 145 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			145
Inkjet Cartridges						
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗	X
C9359AE	HP 59 Grey Photo Inkjet Print Crtg,EUR Use with the PhotoSmart 7960,7660 and PhotoSmart 145 and 245.	37	40		↗	X
Paper						
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X

HP Photosmart 325

HP Photosmart 325 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			325
Inkjet Cartridges						
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
Paper						
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X

HP Photosmart 335 Printer

HP Photosmart 335 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			PS335
HP Accessories						
Q5599A	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart 300 Series Compact Photo Printers	93	100			X

HP Photosmart 335 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			PS335
Inkjet Cartridges						
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
Paper						
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X

HP Photosmart 375

HP Photosmart 375 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			375
Inkjet Cartridges						
C9363HE	HP 134 Tricolor Print Cartridge Use in selected HP DeskJet printers, HP OfficeJet, HP Printer/Scanner/Copiers and HP PhotoSmart Printers	54	58		↘	X
C8766HE	HP 135 Tricolor Print Crtg Use in selected HP DeskJet printers, HP OfficeJet, HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↘	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
Paper						
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart 385 Printer

HP Photosmart 385 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			PS385
HP Accessories						
Q5599A	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart 300 Series Compact Photo Printers	93	100			X

HP Photosmart 385 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			PS385
Inkjet Cartridges						
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
Paper						
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X

HP Photosmart 428 Portable Photo Studio

HP Photosmart 428 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			PS 428
HP Accessories						
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q5599A	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart 300 Series Compact Photo Printers	93	100			X

HP Photosmart 428 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			PS 428
Inkjet Cartridges						
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
Paper						
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart 475 printer

HP Photosmart 475 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			PS 475
HP Accessories						
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q5599A	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart 300 Series Compact Photo Printers	93	100			X

HP Photosmart 475 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			PS 475
Inkjet Cartridges						
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
Paper						
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

HP Photosmart A516

HP Photosmart A516 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A516
HP Accessories						
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q5599B	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart Compact Photo Printers which is RoHs compliant.	93	100			X

HP Photosmart A516 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A516
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X

HP Photosmart A612

HP Photosmart A612 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A612
HP Accessories						
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q5599B	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart Compact Photo Printers which is RoHs compliant.	93	100			X

HP Photosmart A612 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A612
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X
Paper						
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart A618

HP Photosmart A618 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A618
HP Accessories						
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q5599A	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart 300 Series Compact Photo Printers	93	100			X

HP Photosmart A618 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A618
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X

HP Photosmart A626

HP Photosmart A626 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A626
HP Accessories						
Q6273A	HP Bluetooth USB 2.0 Wireless Adapter wireless print and transfer documents, photos, messages, and graphics from your Bluetooth-enabled device.fast secure connection w/latest Bluetooth technology	37	40			X
Q5599B	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart Compact Photo Printers which is RoHs compliant.	93	100			X
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q8504B	HP Photosmart Metro Green Carry Bag	29	31			X
CC698A	HP Photosmart Metro Blue Carry Bag	29	31			X
C6520A	USB Cable 2.0, A to B, 3 meter	12	13			X

HP Photosmart A626 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A626
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X
Paper						
Q8008A	HP Advanced Gloss Photo Paper, 60 Sht Contains 60 sheets of HP Advanced glossy photo paper in 10 x 15 cm.	12	13		↗	X
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q8696A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of 250 g/m,13 x 18 cm HP Advanced glossy photo paper.	10	11		↗	X

HP Photosmart A717

HP Photosmart A717 - Accessories

Prod-No.	Description	VAT excl.	VAT incl.			A717
HP Accessories						
Q6410A	HP Compact Photo Printer Carrying Case	35	38			X
Q5599B	HP Battery 300 Series Photo Printer HP Internal Battery for Photosmart Compact Photo Printers which is RoHs compliant.	93	100			X

HP Photosmart A717 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			A717
Inkjet Cartridges						
CB304AE	HP 110 Tricolor Vivera Ink Cartridge Contains one HP 110 tricolor inkjet print cartridge with Vivera inks	30	32		↗	X
Paper						
Q8691A	HP Advanced Gloss Photo Paper 25 Sht Contains 25 sheets of HP Advanced photo paper in 10 x 15 cm size.	9	10		↗	X
Q8692A	HP Advanced Gloss Photo Paper 100 Sht Contains 100 sheets of HP Advanced glossy photo paper in 10 x15 cm.	17	18		↗	X

HP Photosmart 7450 Printer

HP Photosmart 7450 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			7450
Inkjet Cartridges						
C6656AE	HP No. 56 ink cartridge, black	32	34		↗	X
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart 7459 Printer

HP Photosmart 7459 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			7459
Inkjet Cartridges						
C6656AE	HP No. 56 ink cartridge, black	32	34		↗	X
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
Paper						
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X

HP Photosmart 7760

HP Photosmart 7760 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			7760
Inkjet Cartridges						
C6656AE	HP No. 56 ink cartridge, black	32	34		↗	X
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X
C9359AE	HP 59 Grey Photo Inkjet Print Crtg,EUR Use with the PhotoSmart 7960,7660 and PhotoSmart 145 and 245.	37	40		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2510A	HP Everyday Photo Paper,100 Shts,EU HP lowest priced glossy inkjet photo paper. Semi-gloss alternative to plain paper for printing everyday photos. One sided,A4-size.	20	22		↘	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X

HP PhotoSmart Printer 7000 Series - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			7150	7260	7350	7550	7660	7960
Inkjet Cartridges											
C6656AE	HP No. 56 ink cartridge, black	32	34		↗	X		X	X		X
C6657AE	HP No. 57 3 color ink cartridge	52	56		↗	X	X	X	X	X	X
C6658AE	HP No. 58 photo ink cartridge	37	40		↗	X	X	X	X	X	X
C9359AE	HP 59 Grey Photo Inkjet Print Crtg,EUR Use with the PhotoSmart 7960,7660 and PhotoSmart 145 and 245.	37	40		↗						X
Paper											
C6050A	HP iron-on transfers, A4, 12 sheets	28	31		↗	X	X	X	X	X	
C6818A	HP professional brochure & flyer paper, single pack	23	25		↗	X	X	X	X	X	
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X	X	X	X	X	
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X	X	X	X	X	
C7040A	HP premium photo paper A4 value pack	32	35		↗	X	X	X	X	X	
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗					X	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗					X	X

HP Photosmart 8050 printer

HP Photosmart 8050 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			8050
Inkjet Cartridges						
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9364EE	HP 337 Black Inkjet Cartridge Use in selected HP DeskJet printers, HP OfficeJet,HP Printer / Scanner / Copiers and HP PhotoSmart Printers	31	33		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photosmart 815x Printer Series

HP Photosmart 8150 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			815x
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

HP Photosmart 845x Printer Series

HP Photosmart 8450 - Supplies

Prod-No.	Description	VAT excl.	VAT incl.			845x
Inkjet Cartridges						
C8765EE	HP 338 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	31	33		↗	X
C8766EE	HP 343 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	36	39		↗	X
C8767EE	HP 339 Europe Black Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	47	50		↗	X
C9363EE	HP 344 Europe Tricolor Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	52	56		↗	X
C9368AE	HP 100 Grey Photo Print Crtg Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	37	40		↗	X
C9369EE	HP 348 Europe Photo Print Cartridge Use in selected HP DeskJet printers,HP OfficeJet,HP Printer/Scanner/Copiers and HP PhotoSmart Printers	38	41		↗	X
Paper						
C6832A	HP premium plus photo paper, high gloss, A4, single pack	22	24		↗	X
C6951A	HP premium plus photo paper, matte, A4, single pack	22	24		↗	X
C7040A	HP premium photo paper A4 value pack	32	35		↗	X
Q1786A	HP Premium Plus Photo Paper, A4, 50 Shts	44	48		↗	X
Q1991A	HP Premium Photo Paper Glossy, 20 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	9	10		↗	X
Q1992A	HP Premium Photo Paper Glossy 60 Sht Premium Inkjet photo paper for digital photos that look and feel like a traditionally processed 10 x 15 photos	13	14		↗	X
Q2519A	HP Premium Photo Paper Glossy A4, 20 Sht Premium Inkjet photo paper, A4 size for digital photos that look and feel like a traditional processed photos in a glossy finish	19	20		↗	X
Q5433A	HP Premium Photo Paper Satin Matte 20 Sh Premium Inkjet photo paper, A4 size, for digital photos that like and feel like a traditional processed photos in a satin matte finish. 20 Sheets	18	20		↗	X
Q6572A	HP Prem Plus Glossy Photo Paper 20 sheets of 13x 18 cm HP Premium Plus borderless glossy photo paper	13	14		↗	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Photobooks

Prod-No.	Description	VAT excl.	VAT incl.		
Q8794A	HP 13x18 Blue Photo Book Easily make a professional-quality photo book of any occasion: wedding, vacation or everyday events. Everything you need is included	13	14		
Q8795A	HP 13x18 Grey Photo Book Easily make a professional-quality photo book of any occasion: wedding, vacation or everyday events. Everything you need is included	13	14		
Q8796A	HP 13x18 Green Photo Book Easily make a professional-quality photo book of any occasion: wedding, vacation or everyday events. Everything you need is included	13	14		
Q8797A	HP 13x18 Purple Photo Book Easily make a professional-quality photo book of any occasion: wedding, vacation or everyday events. Everything you need is included	13	14		
Q8798A	HP 13x18 Mauve Photo Book Easily make a professional-quality photo book of any occasion: wedding, vacation or everyday events. Everything you need is included	13	14		
Q8799A	HP A4 Blue Photo Book Easily make a professional-quality photo book of any occasion: wedding, vacation or everyday events. Everything you need is included	17	18		
Q8800A	HP A4 Grey Photo Book Easily make a professional-quality photo book of any occasion: wedding, vacation or everyday events. Everything you need is included	17	18		

HP ProCurve Networking Business

HP ProCurve Switches

Edge Switches - Unmanaged

HP Layer 2 Switches - Unmanaged Stackables

HP ProCurve Switch 408

ProCurve Switch 408	
	 ProCurve Switch 408
Ports	8 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) All ports ProCurve Auto-MDIX
Physical characteristics Dimensions (D x W x H) Weight	 19.81 x 12.19 x 4.06 cm (1U height) 0.68 kg
Memory Packet buffer size RAM/ROM capacity	 64 KB per port 512 MB
Mounting	Mounts in a standard 19 in. rack with optional four-way mounting kit
Performance Routing table size	 1'000 entries
Standards and protocols	IEEE 802.3X Flow Control

Prod-No.	Description	VAT excl.	VAT incl.		
J4097C	ProCurve Switch 408 Unmanaged 8 port 1/100 switch that offers half/full-deplex 10/100 auto- sensing on every port and ProCurve Auto-MDIX on all ports for easy expansion	118	127		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Switch 2124

ProCurve Switch 2124	
	 ProCurve Switch 2124
Ports	24 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 1 open transceiver slot
Physical characteristics Dimensions (D x W x H) Weight	 44.2 x 20.32 x 4.57 cm (1U height) 3.74 kg
Memory Packet buffer size	 768 KB
Mounting	Mounts in a standard 19 in. rack (hardware included)
Performance Latency Switching capacity Routing table size	 <8.5 µs (LIFO) 2.6 Gbps 4'096 entries
Standards and protocols	IEEE 802.3X Flow Control

Prod-No.	Description	VAT excl.	VAT incl.		
J4868A	HP ProCurve Switch 2124	298	321		

HP ProCurve Switch 2300 Series

ProCurve Switch 2300 Series		
	ProCurve Switch 2312 (J4817A)	**ProCurve Switch 2324 (J4818A)**
Ports	12 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 open transceiver slots 1 RS-232C DB-9 console port	24 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 open transceiver slots 1 RS-232C DB-9 console port
Physical characteristics		
Dimensions (D x W x H)	44.2 x 20.32 x 4.45 cm (1U height)	44.2 x 20.32 x 4.45 cm (1U height)
Weight (fully loaded)	2.7 kg	2.7 kg
Memory and processor		
Processor type and speed	ARM7TDMI @ 62.5 MHz	ARM7TDMI @ 62.5 MHz
Packet buffer size	6 MB	6 MB
RAM/ROM capacity	26 MB	26 MB
Flash capacity	2 MB	2 MB
Mounting	Mounts in a standard 19 in. rack (hardware included)	Mounts in a standard 19 in. rack (hardware included)
Performance		
Latency	<10 µs (LIFO)	<10 µs (LIFO)
Throughput	4.8 million pps	6.6 million pps
Switching capacity	9.6 Gbps	9.6 Gbps
Routing table size	4'096 entries	4'096 entries
Standards and protocols	IEEE 802.3X Flow Control	

Prod-No.	Description	VAT excl.	VAT incl.		
J4817A	HP ProCurve Switch 2312	464	499		
J4818A	HP ProCurve Switch 2324	549	591		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Switch 1400 Series

ProCurve Switch 1400 Series		
	ProCurve Switch 1400-24G (J9078A)	**ProCurve Switch 1400-8G (J9077A)**
Ports	22 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 2 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; IEEE 802.3u Type 100Base-TX; IEEE 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)	8 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet)
Physical characteristics		
Dimensions (D x W x H)	17.12 x 44.25 x 4.39 cm (1U height)	11.63 x 19.63 x 4.39 cm (1U height)
Weight	1.99 kg	0.54 kg
Memory and processor		
Packet buffer size	500 KB	144 KB
RAM/ROM capacity	128 KB	128 KB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included)	Horizontal surface mounting only
Performance		
Latency	100 Mb <4.7 µs (64-byte packets) 1000 Mb <3.0 µs (64-byte packets)	100 Mb <3.9 µs (64-byte packets) 1000 Mb <2.1 µs (64-byte packets)
Throughput	Up to 35.7 million pps	Up to 11.9 million pps
Switching capacity	48 Gbps	16 Gbps
MAC address table size	8'000 entries	8'000 entries
Standards and protocols	IEEE 802.3x Flow Control; IEEE 802.1p Priority	

Prod-No.	Description	VAT excl.	VAT incl.		
J9078A	24-port Gigabit Unmanaged Switch with 22 10/100/1000 ports and 2 dual personality ports for 10/100/1000 or mini-GBIC connectivity; fan-less for silent operation	498	536		↘
J9077A	Small form factor Gigabit Unmanaged stackable switch with 8 ports of 10/100/1000; fan-less for silent operation	109	117		↘

HP Layer 2 Switches - Unmanaged Stackables Switches - HP Accessories

Prod-No.	Description	VAT excl.	VAT incl.			2124	2300 Series
HP Accessories							
J4853A	HP ProCurve 100-FX SC Transceiver Has a single IEEE 802.3u compliant port with an SC connector. It plugs into the recessed slots on the HP ProCurve 2500 and 2300 series switches.	392	422			X	X
J4116A	HP ProCurve Switch Gig. Stacking kit	272	293				X
J4131B	HP ProCurve Gigabit-SX Transceiver	524	564				X
J4132A	HP ProCurve Gigabit-LX Transceiver	1'153	1'241				X
J4834A	HP ProCurve 100/1000-T Transceiver	456	491				X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Edge Switches - Web Managed

HP ProCurve Switch 1700 Series

ProCurve Switch 1700 Series		
	ProCurve Switch 1700-24 (J9080A)	**ProCurve Switch 1700-8 (J9079A)**
Ports **Transceiver**	22 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; IEEE 802.3u Type 100Base-TX; IEEE 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)	7 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 1 10/100/1000 port (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet)
Physical characteristics Dimensions (D x W x H) Weight	 17.12 x 44.25 x 4.39 cm (1U height) 1.99 kg	 11.63 x 19.63 x 4.39 cm (1U height) 0.54 kg
Memory and processor Packet buffer size RAM/ROM capacity Flash capacity	 500 KB 2 MB 2 MB	 144 KB 1 MB 1 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included)	Horizontal surface mounting only
Performance Latency Throughput Switching capacity MAC address table size	 100 Mb <4.7 µs (64-byte packets) 1000 Mb <3.0 µs (64-byte packets) Up to 6.25 million pps (64-byte packets) 8.4 Gbps 8'000 entries	 100 Mb <3.9 µs (64-byte packets) 1000 Mb <2.1 µs (64-byte packets) Up to 2.08 million pps (64-byte packets) 3.4 Gbps 8'000 entries
Management	ProCurve Manager; Web browser	
Standards and protocols	IEEE 802.3x Flow Control; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; IEEE 802.1Q VLANs; IEEE 802.1p Priority; RFC 1534 DHCP/BootP	

Prod-No.	Description	VAT excl.	VAT incl.		
J9079A	Small form factor 8-port 10/100 Web Managed Switch with 7 10/100 ports and 1 10/100/1000 port; fan-less for silet operations	119	128		↘
J9080A	24-port 10/100 Web Managed Switch with 22 10/100 ports and 2 dual personality ports for 10/100/1000 or mini-GBIC connectivity; fan-less for silent operation	268	288		↘

HP ProCurve Switch 1800 Series

ProCurve Switch 1800 Series		
	ProCurve Switch 1800-24G (J9028A)	**ProCurve Switch 1800-8G (J9029A)**
Ports	22 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 2 dual-personality ports - each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)	8 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet)
Physical characteristics		
Dimensions (D x W x H)	17.12 x 44.25 x 4.39 cm (1U height)	11.63 x 19.63 x 4.39 cm (1U height)
Weight (fully loaded)	(1.96 kg)	(0.54 kg)
Memory and processor		
Packet buffer size	500 KB	144 KB
RAM/ROM capacity	2 MB	
RAM/ROM capacity		64 KB
Flash capacity	2 MB	1 MB
SDRAM	64 KB	64 KB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinent (hardware included); horizontal surface mounting only	Horizontal surface mounting only
Performance		
Latency	100 Mb <4.7 µs (64-byte packets) 1000 Mb <3.0 µs (64-byte packets)	100 Mb <3.9 µs (64-byte packets) 1000 Mb <2.1 µs (64-byte packets)
Throughput	Up to 1.4 million pps (64-byte packets)	Up to 1.4 million pps (64-byte packets)
Switching capacity	48 Gbps	16 Gbps
MAC address table size	8,000 entries	8,000 entries
Management	ProCurve Manager; Web browser	
Standards and protocols	IEEE 802.3x Flow Control; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; IEEE 802.1Q VLANs; IEEE 802.1p Priority; RFC1534 DHCP/BootP	

Prod-No.	Description	VAT excl.	VAT incl.		
J9029A	Small form factor Gigabit Web Managed stackable switch with 8 ports of 10/1000/1000	231	249		↘
J9028B	24-port Gigabit Web Managed Switch with 22 10/100/1000 ports and 2 dual personality ports for either 10/100/1000 or mini-GBIC connectivity	582	626		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Edge Switches - Managed

HP Layer 2 Switches - Managed Stackables and Chassis

HP ProCurve Switch 2500 Series

ProCurve Switch 2510		
	ProCurve Switch 2510-24 (J9019B)	**ProCurve Switch 2510-48 (J9020A)**
Ports	24 RJ-45 auto-sensing 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) Media type: ProCurve Auto-MDIX Duplex: half or full 2 dual-personality ports; each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; IEEE 802.3u Type 100Base-TX; IEEE 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 RJ-45 serial console port	48 RJ-45 auto-sensing 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) Media type: ProCurve Auto-MDIX Duplex: half or full 2 RJ-45 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T) Media type: IEEE Auto-MDI/MDIX Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full only 2 open mini-GBIC (SFP) slots 1 RJ-45 serial console port
Physical characteristics Dimensions (D x W x H) Weight	 23.62 x 44.25 x 4.39 cm (1U height) 2.22 kg Fully loaded	 23.62 x 44.25 x 4.39 cm (1U height) 2.74 kg, fully loaded
Memory and processor Processor type and speed Flash capacity SDRAM	 MIPS 32 @ 264 MHz 8 MB 64 MB	 MIPS 32 @ 300 MHz 16 MB 128 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance Latency 100 Mb latency 1000 Mb latency Throughput Switching capacity MAC address table size	 <4.9 µs (64-byte packets) <2.6 µs (64-byte packets) Up to 6.5 million pps (64-byte packets) 8.8 Gbps 8'000 entries	 <4.9 µs (64-byte packets) <2.9 µs (64-byte packets) Up to 13 million pps (64-byte packets) 17.6 Gbps 8'000 entries
Management	ProCurve Manager Plus; ProCurve Manager; command-line interface; Web browser; out-of-band management (serial RJ-45)	
Notes	When using mini-GBICs with this product, mini-GBICs with revision "B" or later (product number ends with the letter "B" or later, e.g., J4858B, J4859C) are required.	
Standards and protocols	**General protocols** IEEE 802.1p Priority IEEE 802.1Q VLANs IEEE 802.1s Multiple Spanning Trees IEEE 802.3ad Link Aggregation Control Protocol (LACP) IEEE 802.3x Flow Control **IP multicast** RFC 3376 IGMPv3	**MIBs** RFC 1213 MIB II RFC 1493 Bridge MIB RFC 1573 SNMP MIB II **Network management** IEEE 802.1AB Link Layer Discovery Protocol (LLDP) SNMPv1/v2c/v3	**Security** IEEE 802.1X Port Based Network Access Control RFC 1492 TACACS+ RFC 2138 RADIUS Authentication RFC 2866 RADIUS Accounting Secure Sockets Layer (SSL) SSHv1/SSHv2 Secure Shell

Prod-No.	Description	VAT excl.	VAT incl.		
J9019B	ProCurve Switch 2510-24 24 port Layer 2 stackable 10/100 switch with 2 dual personality ports for either 10/100/1000 or mini-GBIC connectivity	506	544		↘
J9020A	ProCurve Switch 2510-48 is a layer 2, managed switch with 48 autosensing 10-100 ports & 4 Gigabit ports 2 10-100-1000 and 2 mini-GBIC	858	923		↘

ProCurve Switch 2510		
	ProCurve Switch 2510G-24 (J9279A)	**ProCurve Switch 2510G-48 (J9280A)**
Ports	20 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-TX) Media type: Auto-MDIX Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full only 4 dual-personality ports; each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; IEEE 802.3u Type 100Base-TX; IEEE 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 RJ-45 serial console port	44 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-TX) Media type: Auto-MDIX Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full only 4 dual-personality ports; each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; IEEE 802.3u Type 100Base-TX; IEEE 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 RJ-45 serial console port
Physical characteristics Dimensions (D x W x H) Weight	 32.26 x 44.2 x 4.32 cm (1U height) 3.27 kg	 3.27 kg (1U height) 3.9 kg
Memory and processor Processor type and speed Flash capacity SDRAM Packet buffer size	 MIPS 32 @ 264 MHz 16 MB 64 MB 0.75 MB	 MIPS 32 @ 300 MHz 16 MB 64 MB 1.5 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance Latency Throughput Switching capacity MAC address table size	 <5.6 µs (FIFO 64-byte packets) Up to 35.7 million pps 48 Gbps 8'000 entries	 <5.4 µs (FIFO 64-byte packets) Up to 71.4 million pps 96 Gbps 8'000 entries
Management	ProCurve Manager Plus; ProCurve Manager; command-line interface; Web browser; out-of-band management	
Notes	When using mini-GBICs with this product, mini-GBICs with revision "B" or later (product number ends with the letter "B" or later, e.g., J4858B, J4859C) are required.	
Standards and protocols	**Device management** **HTML and telnet management** **General protocols** IEEE 802.1p Priority IEEE 802.1Q VLANs IEEE 802.1s Multiple Spanning Trees IEEE 802.3ad Link Aggregation Control Protocol (LACP) IEEE 802.3x Flow Control RFC 768 UDP RFC 783 TFTP Protocol (revision 2) RFC 792 ICMP RFC 793 TCP RFC 826 ARP RFC 854 TELNET RFC 951 BOOTP RFC 1542 BOOTP Extensions RFC 2030 Simple Network Time Protocol (SNTP) v4	**IP multicast** RFC 3376 IGMPv3 **MIBs** RFC 1213 MIB II RFC 1493 Bridge MIB RFC 1573 SNMP MIB II RFC 2021 RMONv2 MIB RFC 2096 IP Forwarding Table MIB RFC 2613 SMON MIB RFC 2618 RADIUS Client MIB RFC 2620 RADIUS Accounting MIB RFC 2665 Ethernet-Like-MIB RFC 2668 802.3 MAU MIB RFC 2674 802.1p and IEEE 802.1Q Bridge MIB RFC 2737 Entity MIB (Version 2) RFC 2863 The Interfaces Group MIB	**Network management** IEEE 802.1AB Link Layer Discovery Protocol (LLDP) RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm) and 9 (events) SNMPv1/v2c/v3 **Security** IEEE 802.1X Port Based Network Access Control RFC 1492 TACACS+ RFC 2138 RADIUS Authentication RFC 2866 RADIUS Accounting Secure Sockets Layer (SSL) SSHv1/SSHv2 Secure Shell

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
J9279A	ProCurve Switch 2510G-24 24-port Layer 2 Gigabit stackable switch with 20 10/100/1000 ports and 4 dual personality ports for either 10/100/1000 or mini-GBIC connectivity	1'103	1'187		
J9280A	ProCurve Switch 2510G-48 48-port Layer 2 stackable Gigabit switch with 44 10/100/1000 ports and 4 dual personality ports for either 10/100/1000 or mini-GBIC connectivity	2'208	2'376		

ProCurve Switch 2500 Series		
	ProCurve Switch 2512 (J4812A)	**ProCurve Switch 2524 (J4813A)**
Ports	12 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 open transceiver slots 1 RS-232C DB-9 console port	24 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 open transceiver slots 1 RS-232C DB-9 console port
Physical characteristics Dimensions (D x W x H) Weight (fully loaded)	 44.2 x 20.32 x 4.57 cm (1U height) 2.7 kg	 44.2 x 20.32 x 4.57 cm (1U height) 2.7 kg
Memory and processor Processor type and speed Packet buffer size RAM/ROM capacity Flash capacity	 ARM7TDMI @ 62.5 MHz 6 MB 26 MB 2 MB	 ARM7TDMI @ 62.5 MHz 6 MB 26 MB 2 MB
Mounting	Mounts in a standard 19 in. rack (hardware included)	Mounts in a standard 19 in. rack (hardware included)
Performance Latency Throughput Switching capacity Routing table size	 <10 µs (LIFO) 4.8 million pps (64-byte packets) 9.6 Gbps 4'096 entries	 <10 µs (LIFO) 6.6 million pps (64-byte packets) 9.6 Gbps 4'096 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)
Standards and protocols	IEEE 802.3X Flow Control; RFC 3376 IGMPv1/v2/v3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.3ad Link Aggregation Control Protocol; Cisco Fast EtherChannel® (FEC); RFC 1492 TACACS+; IEEE 802.1X Network Login; IEEE 802.1Q VLANs; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c; Cisco Discovery Protocol (CDP); RFC 1493 Bridge MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); RFC 3164 Syslog; XRMON; RFC 2613 SMON; RFC 2674 802.1p and I EEE 802.1Q Bridge MIB	

Prod-No.	Description	VAT excl.	VAT incl.		
J4812A	HP ProCurve Switch 2512	661	711		
J4813A	HP ProCurve Switch 2524	668	719		

HP Layer 2 Switches - Managed Stackables and Chassis - HP Accessories

Prod-No.	Description	VAT excl.	VAT incl.			2500 Series
HP Layer 2 Switches - Managed Stackables						
J4116A	HP ProCurve Switch Gig. Stacking kit	272	293			X
J4131B	HP ProCurve Gigabit-SX Transceiver	524	564			X
J4132A	HP ProCurve Gigabit-LX Transceiver	1'153	1'241			X
J4834A	HP ProCurve 100/1000-T Transceiver	456	491			X
J4853A	HP ProCurve 100-FX SC Transceiver Has a single IEEE 802.3u compliant port with an SC connector. It plugs into the recessed slots on the HP ProCurve 2500 and 2300 series switches.	392	422			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Layer 2 and 3 Switches - Managed Stackables and Chassis

HP ProCurve Switch 2600 Series

ProCurve Switch 2610		
	ProCurve Switch 2610-24 (J9085A)	**ProCurve Switch 2610-48 (J9088A)**
Ports	24 auto-sensing 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) Media type: Auto-MDIX Duplex: half or full 1 RJ-45 serial console port 2 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T) Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full only 2 open mini-GBIC (SFP) slots	48 auto-sensing 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) Media type: Auto-MDIX Duplex: half or full 1 RJ-45 serial console port 2 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T) Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full only 2 open mini-GBIC (SFP) slots
Physical characteristics Dimensions (D x W x H) Weight (fully loaded)	 23.62 x 44.2 x 4.39 cm 4.63 kg	 23.62 x 44.2 x 4.39 cm 4.88 kg
Memory and processor Processor Flash SDRAM Packet buffer size	 MIPS @ 300 MHz 16 MB 128 MB 1 MB	 MIPS @ 300 MHz 16 MB 128 MB 2 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance Latency 100 Mb latency 1000 Mb latency Throughput Routing/Switching capacity MAC address table size	 <4.1 µs (LIFO) <2.9 µs (LIFO) Up to 9.5 million pps 12.8 Gbps 8'000 entries	 <6.2 µs (LIFO) <4.4 µs (LIFO) Up to 13.0 million pps 17.6 Gbps 8'000 entries
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	
Standards and protocols	**Device management** HTML and telnet management **General protocols** IEEE 802.1D MAC Bridges IEEE 802.1p Priority IEEE 802.1Q VLANs IEEE 802.1v VLAN classification by Protocol and Port IEEE 802.1w Rapid Reconfiguration of Spanning Tree IEEE 802.3ad Link Aggregation Control Protocol (LACP) IEEE 802.3af Power over Ethernet IEEE 802.3x Flow Control RFC 768 UDP RFC 783 TFTP Protocol (revision 2) RFC 792 ICMP RFC 793 TCP RFC 826 ARP RFC 854 TELNET RFC 951 BOOTP RFC 1542 BOOTP Extensions	RFC 2030 Simple Network Time Protocol (SNTP) v4 RFC 2131 DHCP RFC 3046 DHCP Relay Agent Information Option **IP multicast** RFC 3376 IGMPv3 **MIBs** RFC 1213 MIB II RFC 1493 Bridge MIB RFC 2021 RMONv2 MIB RFC 2096 IP Forwarding Table MIB RFC 2613 SMON MIB RFC 2618 RADIUS Client MIB RFC 2665 Ethernet-Like-MIB RFC 2668 802.3 MAU MIB RFC 2674 802.1p and IEEE 802.1Q Bridge MIB RFC 2737 Entity MIB (Version 2) RFC 2863 The Interfaces Group MIB	**Network management** IEEE 802.1AB Link Layer Discovery Protocol (LLDP) RFC 3164 BSD syslog Protocol RFC 3176 sFlow ANSI/TIA-1057 LLDP Media Endpoint Discovery (LLDP-MED) SNMPv1/v2c/v3 **Security** IEEE 802.1X Port Based Network Access Control RFC 1492 TACACS+ Secure Sockets Layer (SSL) SSHv1/SSHv2 Secure Shell

ProCurve Switch 2610			
	ProCurve Switch 2610-24/12PWR (J9086A)	**ProCurve Switch 2610-24-PWR (J9087A)**	**ProCurve Switch 2610-24-PWR (J9087A)**
Ports	24 auto-sensing 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) Media type: Auto-MDIX Duplex: half or full 1 RJ-45 serial console port 2 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T) Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full only 2 open mini-GBIC (SFP) slots	24 auto-sensing 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) Media type: Auto-MDIX Duplex: half or full 1 RJ-45 serial console port 2 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T) Duplex: 10Base-T/100Base-TX: half or full; 1000Base-T: full only 2 open mini-GBIC (SFP) slots	48 auto-sensing 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) Media type: Auto-MDIX Duplex: half or full 1 RJ-45 serial console port 2 auto-sensing 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T) Duplex:10Base-T/100Base-TX: half or full; 1000Base-T: full only 2 open mini-GBIC (SFP) slots
Physical characteristics Dimensions (D x W x H) Weight (fully loaded)	 23.62 x 44.2 x 4.39 cm 3.4 kg	 31.75 x 44.2 x 4.39 cm 6.83 kg	 34.29 x 44.2 x 4.39 cm 7.58 kg
Memory and processor Processor Flash SDRAM Packet buffer size	 MIPS @ 300 MHz 16 MB 128 MB 1 MB	 MIPS @ 300 MHz 16 MB 128 MB 1 MB	 MIPS @ 300 MHz 16 MB 128 MB 1 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only		
Performance Latency 100 Mb latency 1000 Mb latency Throughput Routing/Switching capacity MAC address table size	 <4.1 µs (LIFO) <2.9 µs (LIFO) Up to 9.5 million pps 12.8 Gbps 8'000 entries	 <4.1 µs (LIFO) <2.9 µs (LIFO) Up to 9.5 million pps 12.8 Gbps 8'000 entries	 <6.2 µs (LIFO) <4.4 µs (LIFO) Up to 13.0 million pps 17.6 Gbps 8'000 entries
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)		
Standards and protocols (applies to all products)	**Device management** HTML and telnet management **General protocols** IEEE 802.1D MAC Bridges IEEE 802.1p Priority IEEE 802.1Q VLANs IEEE 802.1v VLAN classification by Protocol and Port IEEE 802.1w Rapid Reconfiguration of Spanning Tree IEEE 802.3ad Link Aggregation Control Protocol (LACP) IEEE 802.3af Power over Ethernet IEEE 802.3x Flow Control RFC 768 UDP RFC 783 TFTP Protocol (revision 2) RFC 792 ICMP RFC 793 TCP RFC 826 ARP RFC 854 TELNET RFC 951 BOOTP RFC 1542 BOOTP Extensions	RFC 2030 Simple Network Time Protocol (SNTP) v4 RFC 2131 DHCP RFC 3046 DHCP Relay Agent Information Option **IP multicast** RFC 3376 IGMPv3 **MIBs** RFC 1213 MIB II RFC 1493 Bridge MIB RFC 2021 RMONv2 MIB RFC 2096 IP Forwarding Table MIB RFC 2613 SMON MIB RFC 2618 RADIUS Client MIB RFC 2665 Ethernet-Like-MIB RFC 2668 802.3 MAU MIB RFC 2674 802.1p and IEEE 802.1Q Bridge MIB RFC 2737 Entity MIB (Version 2) RFC 2863 The Interfaces Group MIB	**Network management** IEEE 802.1AB Link Layer Discovery Protocol (LLDP) RFC 3164 BSD syslog Protocol RFC 3176 sFlow ANSI/TIA-1057 LLDP Media Endpoint Discovery (LLDP-MED) SNMPv1/v2c/v3 **Security** IEEE 802.1X Port Based Network Access Control RFC 1492 TACACS+ Secure Sockets Layer (SSL) SSHv1/SSHv2 Secure Shell

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
J9085A	ProCurve Switch 2610-24 is a multi layer,managed switch with 24 autosensing 10-100 ports and 4 Gigabit ports 2 10-100-1000BASE-T and 2 mini- GBIC "	690	742		
J9086A	ProCurve Switch 2610-24/12PWR Is a multi layer,managed switch with 24 autosensing 10-100 ports 12 ports provide 802.3af compliant PoE & 4 Gigabit ports 2 10-100-1000BASE-T & 2 mini-GBIC	1'066	1'147		↘
J9087A	ProCurve Switch 2610-24-PWR Is a multi layer,managed switch with 24 autosensing 10-100 ports providing 802.3af compliant PoE & 4 Gigabit ports 2 10-100-1000BASE-T & 2 mini-GBIC	1'592	1'713		↘
J9088A	ProCurve Switch 2610-48 is a multi layer,managed switch with 48 autosensing 10-100 ports & 4 Gigabit ports 2 10-100-1000BASE-T and 2 mini- GBIC	1'272	1'369		
J9089A	ProCurve Switch 2610-48-PWR is a multi layer,managed switch with 48 autosensing 10-100 ports providing 802.3af compliant PoE & 4 Gigabit ports 2 10-100-1000BASE-T & 2 mini-GBIC	3'025	3'255		↘

ProCurve Switch 2600 Series		
	ProCurve Switch 2626 (J4900B)	**ProCurve Switch 2626-PWR (J8164A)**
Ports	24 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 RS-232C DB-9 console port	24 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 RS-232C DB-9 console port
Physical characteristics Dimensions (D x W x H) Weight (fully loaded)	 43.99 x 32.51 x 4.39 cm (1U height) 4.15 kg	 45.8 x 44.25 x 4.45 cm (1U height) 5.22 kg
Memory and processor Processor type and speed Flash capacity SDRAM	 Motorola PowerPC MPC8245 @ 266 MHz 8 MB 32 MB	 Motorola PowerPC MPC8245 @ 266 MHz 8 MB 32 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only
Performance Latency Throughput Switching capacity Routing table size	 <13.3 µs (LIFO) Up to 6.6 million pps 9.6 Gbps 8'000 entries	 <12 µs (LIFO) Up to 6.6 million pps 9.6 Gbps 8'000 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 SNTP; IEEE 802.3X Flow Control; RFC 2236 IGMP v1/v2/v3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.3ad Link Aggregation Control Protocol; Cisco Fast EtherChannel® (FEC); RFC 1492 TACACS+; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; 802.3af Power over Ethernet; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; Cisco Discovery Protocol (CDP); HTML and telnet management; RFC 1493 Bridge MIB; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 2618 RADIUS Client MIB	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

ProCurve Switch 2600 Series		
	ProCurve Switch 2650 (J4899B)	**ProCurve Switch 2650-PWR (J8165A)**
Ports	48 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 RS-232C DB-9 console port	48 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 2 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 RS-232C DB-9 console port
Physical characteristics Dimensions (D x W x H) Weight (fully loaded)	 43.99 x 32.51 x 4.45 cm (1U height) 4.4 kg	 45.8 x 44.25 x 4.45 cm (1U height) 7.4 kg
Memory and processor Processor type and speed Flash capacity SDRAM	 Motorola PowerPC MPC8245 @ 266 MHz 8 MB 32 MB	 Motorola PowerPC MPC8245 @ 266 MHz 8 MB 32 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only
Performance Latency Throughput Switching capacity Routing table size	 <13.3 µs (LIFO) Up to 10.1 million pps 13.6 Gbps 8'000 entries	 <12 µs (LIFO) 10.1 million pps 13.6 Gbps 8'000 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 SNTP; IEEE 802.3X Flow Control; RFC 2236 IGMP v1/v2/v3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.3ad Link Aggregation Control Protocol; Cisco Fast EtherChannel® (FEC); RFC 1492 TACACS+; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; 802.3af Power over Ethernet; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; Cisco Discovery Protocol (CDP); HTML and telnet management; RFC 1493 Bridge MIB; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 2618 RADIUS Client MIB	

Prod-No.	Description	VAT excl.	VAT incl.		
J4900C	ProCurve Switch 2626 24 10/100 ports and 2 dual personality ports	690	742		
J8164A	HP ProCurve Switch 2626-PWR	2'555	2'749		
J4899C	ProCurve Switch 2650 48 ports 10/100 and 2 dual personaility ports each port can be used as either and RJ-45 10/100/1000port or an open mini-GBIC slot	1'272	1'369		
J8165A	HP ProCurve Switch 2650-PWR	4'813	5'179		
J8762A	ProCurve Swtich 2600-8PWR w/Gig Uplink Managed stackable with 8 10/100 PoE ports and one dual personality uplink; simplifies WLAN AP deployment, supports standard and many pre-standard PoE devices	1'008	1'085		

HP Procurve Switch 2800 Series

ProCurve Switch 2800 Series		
	ProCurve Switch 2824 (J4903A)	**ProCurve Switch 2848 (J4904A)**
Ports	20 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 1 RS-232C DB-9 console port 4 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port or an open mini-GBIC slot (for use with mini-GBIC 1000 bps transceivers)	44 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 1 RS-232C DB-9 console port 4 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port or an open mini-GBIC slot (for use with mini-GBIC transceivers)
Physical characteristics Dimensions (D x W x H) Weight (fully loaded)	 43.99 x 36.58 x 4.45 cm (1U height) 4.63 kg	 43.99 x 36.58 x 4.45 cm (1U height) 4.88 kg
Memory and processor Processor type and speed Flash capacity SDRAM	 Motorola PowerPC MPC8245 @ 266 MHz 8 MB 64 MB	 Motorola PowerPC MPC8245 @ 266 MHz 8 MB 64 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only
Performance Latency Throughput Switching capacity Routing table size	 <5.4 µs (64-byte packets) Up to 34.65 million pps (64-byte packets) 48 Gbps 16'000 entries	 <5.4 µs (FIFO 64-byte packets) Up to 69.3 million pps (64-byte packets) 96 Gbps 16'000 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3X Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.3ad Link Aggregation Control Protocol; Cisco Fast EtherChannel® (FEC); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; IEEE 802.1Q VLANs; IEEE 802.1Q VLAN tagging; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; Cisco Discovery Protocol (CDP); HTML and telnet management; RFC 1493 Bridge MIB; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); XRMON; RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB	

Prod-No.	Description	VAT excl.	VAT incl.		
J4903A	HP ProCurve Switch 2824	2'942	3'166		
J4904A	HP ProCurve Switch 2848	5'350	5'757		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP Procurve Switch 2810 Series

ProCurve Switch 2810 Series		
	ProCurve Switch 2810-24G (J9021A)	**ProCurve Switch 2810-48G (J9022A)**
Ports	24 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 1 RJ-45 serial console port 4 dual-personality ports - each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T, 802.3u Type 100Base-TX, 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)	48 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 1 RJ-45 serial console port 4 dual-personality ports - each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T, 802.3u Type 100Base-TX, 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)
Physical characteristics		
Dimensions (D x W x H)	32.26 x 44.2 x 4.32 cm (1U height)	32.26 x 44.2 x 4.32 cm (1U height)
Weight (fully loaded)	3.27 kg	3.9 kg
Memory and processor		
Processor type and speed	MIPS BCM5836 @ 264 MHz	MIPS BCM5836 @ 264 MHz
Packet buffer size	0.75 MB	1.5 MB
Flash capacity	16 MB	16 MB
SDRAM	64 MB	64 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance		
Latency	<5.6 µs (FIFO 64-byte packets)	<5.4 µs (FIFO 64-byte packets)
Throughput	Up to 34.7 million pps	Up to 69.3 million pps
Switching capacity	48 Gbps	96 Gbps
MAC address table size	8,000 entries	8,000 entries
Management	ProCurve Manager Plus; ProCurve Manager; command-line interface; Web browser; configuration menu; out-of-band management	
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3x Flow Control; RFC 3376 IGMPv1/v2/v3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; IEEE 802.1Q VLANs; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; HTML and telnet management; RFC 1493 Bridge MIB; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm) and 9 (events); RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB; RFC 3176 sFlow	

Prod-No.	Description	VAT excl.	VAT incl.		
J9021A	ProCurve Switch 2810-24 G 24 port Layer 2 Gigabit stackable switch with 20 10/100/1000 ports and 4 dual personality ports for either 10/100/1000 or mini GBIC connectivity	2'062	2'219		↘
J9022A	ProCurve Switch 2810-48 G 48 port Layer 2 stackable Gigabit switch with 40 10/100/1000 ports and 4 dual personality ports for eith 10/100/1000 or mini GBIC connectivity	3'807	4'096		↘

HP Procurve Switch 2900 Series

ProCurve Switch 2900 Series		
	ProCurve Switch 2900-24G (J9049A)	**ProCurve Switch 2900-48G (J9050A)**
Ports	20 auto-sensing 10/100/1000(IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T); Media Type: IEEE Auto-MDIX; Duplex: 10Base-T/100Base-TX: half or full; 1000Base-TX: full only 2 CX4 10-GbE(IEEE 802.3ak Type 10Gbase-CX4); Duplex: full only 2 X2 1 RS-232C DB-9 console 4 dual-personality; each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; IEEE 802.3u Type 100Base-TX; IEEE 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)	44 auto-sensing 10/100/1000(IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T); Media Type: IEEE Auto-MDIX; Duplex: 10Base-T/100Base-TX: half or full; 1000Base-TX: full only 2 CX4 10-GbE(IEEE 802.3ak Type 10Gbase-CX4); Duplex: full only 2 X2 1 RS-232C DB-9 console 4 dual-personality; each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; IEEE 802.3u Type 100Base-TX; IEEE 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)
Physical characteristics Dimensions (D x W x H) Weight (fully loaded)	 39.2 x 44.3 x 4.4 cm (1U height) 6.3 kg	 43.0 x 44.3 x 4.4 cm (1U height) 7 kg
Memory and processor Processor	 Freescale PowerPC 8540 @ 667 MHz, 4 MB flash; packet buffer size: 13.5 MB	 Freescale PowerPC 8540 @ 667 MHz, 4 MB flash; packet buffer size: 22.5 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only.	
Performance 1000 Mb 10 Gbps Throughput Routing/Switching capacity Switching capacity Routing table size MAC address table size	 < 3.7 µs (FIFO 64-byte packets) < 2.1 µs (FIFO 64-byte packets) up to 74 million pps (64-byte packets) 101 Gbps 115 Gbps 2'000 entries 64'000 entries	 < 3.7 µs (FIFO 64-byte packets) < 2.1 µs (FIFO 64-byte packets) up to 110 million pps 148 Gbps 173 Gbps 2'000 entries 64'000 entries
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management(serial RS-232C)	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Standards and protocols	Device Management HTML and telnet management **General Protocols** IEEE 802.1D MAC Bridges IEEE 802.1p Priority IEEE 802.1Q VLANs IEEE 802.1s Multiple Spanning Trees IEEE 802.1w Rapid Reconfiguration of Spanning Tree IEEE 802.3ad Link Aggregation Control Protocol (LACP) IEEE 802.3x Flow Control RFC 768 UDP RFC 783 TFTP Protocol (revision 2) RFC 792 ICMP RFC 793 TCP RFC 826 ARP RFC 854 TELNET RFC 951 BOOTP RFC 1058 RIP v1 RFC 2030 Simple Network Time Protocol (SNTP) v4 RFC 2131 DHCP RFC 2453 RIPv2 RFC 3046 DHCP Relay Agent Information Option	**IP Multicast** RFC 3376 IGMPv3 **MIBs** RFC 1213 MIB II RFC 1493 Bridge MIB RFC 1724 RIPv2 MIB RFC 2021 RMONv2 MIB RFC 2613 SMON MIB RFC 2618 RADIUS Client MIB RFC 2620 RADIUS Accounting MIB RFC 2665 Ethernet-Like-MIB RFC 2668 802.3 MAU MIB RFC 2674 802.1p and IEEE 802.1Q Bridge MIB RFC 2737 Entity MIB (Version 2) RFC 2863 The Interfaces Group MIB **Network Management** IEEE 802.1AB Link Layer Discovery Protocol (LLDP) RFC 1724 RIPv2 MIB RFC 3176 sFlow ANSI/TIA-1057 LLDP Media Endpoint Discovery (LLDP-MED) SNMPv1/v2c/v3 XRMON	**QoS/Cos** RFC 2474 DiffServ Precedence, including 8 queues/port RFC 2597 DiffServ Assured Forwarding (AF) RFC 2598 DiffServ Expedited Forwarding (EF) **Security** IEEE 802.1X Port Based Network Access Control RFC 1492 TACACS+ RFC 2138 RADIUS Authentication Secure Sockets Layer (SSL) SSHv2 Secure Shell RFC 2866 RADIUS Accounting

Prod-No.	Description	VAT excl.	VAT incl.		
J9049A	ProCurve Switch 2900- 24G 20 10/100/1000, 4 dual-personality, 4 10 Gigabit, basic layer 3 stackable switch	3'990	4'293		
J9050A	ProCurve Switch 2900 48G 44 10/100/1000, 4 dual-personality, 4 10 Gigabit, basic layer 3 stackable switch	6'096	6'559		

HP ProCurve Switch 6108

ProCurve Switch 6108	
	 ProCurve Switch 6108
Ports	6 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 2 dual-personality ports—each port can be used as either 2 additional RJ-45 10/100/1000 ports (IEEE 802.3 Type 10Base-T;802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet), 2 open mini-GBIC slots (for use with mini-GBIC transceivers), or one of each 1 RS-232C DB-9 console port
Physical characteristics Dimensions (D x W x H) Weight	 44.25 x 23.62 x 4.39 cm (1U height) 3.16 kg
Memory and processor Flash capacity Processor	 16 MB Motorola PowerPC MPC8245
Mounting	Mounts in a standard 19 in. rack (hardware included)
Performance Latency Throughput Switching capacity Routing table size	 <12.5 µs (LIFO 64-byte packets) Throughput: 11.9 million pps (64-byte packets) 16 Gbps 8'000 entries
Management	ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; FC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3X Flow Control; RFC 2236 IGMP v1/v2/v3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.3ad Link Aggregation Control Protocol;Cisco Fast EtherChannel®(FEC); RFC 1492 TACACS+; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; Cisco Discovery Protocol (CDP); HTML and telnet management; RFC 1493 Bridge MIB; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB

Prod-No.	Description	VAT excl.	VAT incl.		
J4902A	HP ProCurve Switch 6108 A managed 8 port switch with 6 auto- sensing 10/100/1000 ports and 2 dual personality ports for 10/100/1000 or mini-GBIC connectivity.	1'709	1'839		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Switch 4200vl Series

ProCurve Switch 4200vl Series			
	ProCurve Switch 4204vl (J8770A)	**ProCurve Switch 4202vl-72 (J8772A)**	**ProCurve Switch 4208vl (J8773A)**
Ports	4 open module slots 1 RS-232C DB-9 console port Supports a maximum of 96 auto-sensing 10/100 ports, or a combination 96 auto-sensing 10/100/1000 ports 16 mini-GBICs	2 open module slots 1 RS-232C DB-9 console port Supports a maximum of 120 auto-sensing 10/100 ports, or a combination 48 Gigabit ports 8 mini-GBICs 72 auto-sensing 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX); Media Type: ProCurve Auto-MDIX; Duplex: half or full	8 open module slots 1 RS-232C DB-9 console port Supports a maximum of 192 auto-sensing 10/100 ports, or a combination 192 auto-sensing 10/100/1000 ports 32 mini-GBICs
Power Supplies	1 x J4839A 1	1 x J4839A 1	1 x J4839A 1
Physical characteristics Dimensions (D x W x H) Weight	38.86 x 44.2 x 13.34 cm (3Uheight) 9.41 kg, Fully loaded	38.86 x 44.2 x 13.34 cm (3U height) 10.8 kg, Fully loaded	38.86 x 44.2 x 22.23 cm (5U height) 12.18 kg, Fully loaded
Memory and processor Fabric	Motorola PowerPC MPC8245 @ 330 MHz, 24 MB flash, 64 MB SDRAM; packet buffer size: 36 MB		
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only		
Performance Latency Throughput Switch fabric speed	<6 µs (FIFO) Up to 24 million pps 38.4 Gbps	<6 µs (FIFO) Up to 22.4 million pps 33.6 Gbps	<6 µs (FIFO) Up to 48 million pps 76.8 Gbps
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; configuration menu; 802.3 Ethernet MIB; Repeater MIB; Ethernet Interface MIB		
Notes	When using mini-GBICs with this product, mini-GBICs with revision "B" or later (product number ends with the letter "B" or later, e.g. J4858B, J4859B) are required.		
Standards and protocols	**General Protocols** IEEE 802.1D MAC Bridges IEEE 802.1p Priority IEEE 802.1Q VLANs IEEE 802.1s Multiple Spanning Trees IEEE 802.1w Rapid Reconfiguration of Spanning Tree IEEE 802.3ad Link Aggregation Control Protocol (LACP) IEEE 802.3x Flow Control RFC 768 UDP RFC 783 TFTP Protocol (revision 2) RFC 791 IP RFC 792 ICMP RFC 793 TCP RFC 826 ARP RFC 1542 BOOTP Extensions RFC 2030 Simple Network Time Protocol (SNTP) v4 RFC 2131 DHCP	RFC 3046 DHCP Relay Agent Information Option **IP Multicast** RFC 3376 IGMPv3 **MIBs** RFC 1213 MIB II RFC 1493 Bridge MIB RFC 2613 SMON MIB RFC 2618 RADIUS Client MIB RFC 2665 Ethernet-Like-MIB RFC 2668 802.3 MAU MIB RFC 2737 Entity MIB (Version 2) **Network Management** IEEE 802.1AB Link Layer Discovery Protocol (LLDP) RFC 1757 RMON 4 groups: Stats, History, Alarms and Events RFC 3164 BSD syslog Protocol	RFC 3176 sFlow RFC 2668 802.3 MAU MIB ANSI/TIA-1057 LLDP Media Endpoint Discovery (LLDP-MED) SNMPv1/v2c/v3 XRMON **QoS/Cos** RFC 2474 DiffServ Precedence, including 8 queues/port RFC 2597 DiffServ Assured Forwarding (AF) RFC 2598 DiffServ Expedited Forwarding (EF) **Security** IEEE 802.1X Port Based Network Access Control RFC 2138 RADIUS Authentication Secure Sockets Layer (SSL) SSHv2 Secure Shell

ProCurve Switch 4200vl Series			
	ProCurve Switch 4208vl-96 (J8775A)	**ProCurve Switch 4204vl-48GS (J9064A)**	**ProCurve Switch 4208vl-72GS (J9030A)**
Included Accessories	4 ProCurve Switch vl 24-Port 10/100-TX Module (J8765A)	1 ProCurve Switch vl 24-Port Gig-T Module (J8768A) 1 ProCurve Switch vl 20-Port Gig-T + 4-Port SFP Module (J9033A)	2 ProCurve Switch vl 24-Port Gig-T Module (J8768A) 1 ProCurve Switch vl 20-Port Gig-T + 4-Port SFP Module (J9033A)
Ports	4 open module slots 96 auto-sensing 10/100 ports(IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX); Media Type: ProCurve Auto-MDIX; Duplex: half or full 1 RS-232C DB-9 console port Supports a maximum of 192 auto-sensing 10/100 ports, or a combination 96 auto-sensing 10/100/1000 ports 16 mini-GBICs	2 open module slots 1 RS-232C DB-9 console port Supports a maximum of 48 auto-sensing 10/100 ports, or a combination 92 auto-sensing 10/100/1000 ports 12 mini-GBICs 44 auto-sensing 10/100/1000 ports(IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T); Media Type: IEEE Auto-MDIX; Duplex: 10Base-T/100Base-TX: half or full; 1000Base-TX: full only 4 open mini-GBIC (SFP) slots	5 open module slots 1 RS-232C DB-9 console port Supports a maximum of 120 auto-sensing 10/100 ports, or a combination 188 auto-sensing 10/100/1000 ports 24 mini-GBICs 68 auto-sensing 10/100/1000 ports(IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T); Media Type: IEEE Auto-MDIX; Duplex: 10Base-T/100Base-TX: half or full; 1000Base-TX: full only 4 open mini-GBIC (SFP) slots
Power Supplies	1 x J4839A 1	1 x J4839A 1	1 x J4839A 1
Physical characteristics Dimensions (D x W x H) Weight	 38.86 x 44.2 x 22.23 cm (5U height) 14.65 kg, Fully loaded	 38.86 x 44.2 x 13.34 cm (3U height) 11.09 kg, Fully loaded	 38.86 x 44.2 x 22.23 cm (5U height) 14.01 kg, Fully loaded
Memory and processor Fabric	Motorola PowerPC MPC8245 @ 330 MHz, 24 MB flash, 64 MB SDRAM; packet buffer size: 36 MB		
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only		
Performance Latency Throughput Switch fabric speed	 <6 µs (FIFO) Up to 48 million pps 76.8 Gbps	 <6 µs (FIFO) Up to 24 million pps 38.4 Gbps	 <6 µs (FIFO) Up to 48 million pps 76.8 Gbps
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; configuration menu; 802.3 Ethernet MIB; Repeater MIB; Ethernet Interface MIB		
Notes	When using mini-GBICs with this product, mini-GBICs with revision "B" or later (product number ends with the letter "B" or later, e.g. J4858B, J4859B) are required.		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Standards and protocols	**General Protocols** IEEE 802.1D MAC Bridges IEEE 802.1p Priority IEEE 802.1Q VLANs IEEE 802.1s Multiple Spanning Trees IEEE 802.1w Rapid Reconfiguration of Spanning Tree IEEE 802.3ad Link Aggregation Control Protocol (LACP) IEEE 802.3x Flow Control RFC 768 UDP RFC 783 TFTP Protocol (revision 2) RFC 791 IP RFC 792 ICMP RFC 793 TCP RFC 826 ARP RFC 1542 BOOTP Extensions RFC 2030 Simple Network Time Protocol (SNTP) v4 RFC 2131 DHCP	RFC 3046 DHCP Relay Agent Information Option **IP Multicast** RFC 3376 IGMPv3 **MIBs** RFC 1213 MIB II RFC 1493 Bridge MIB RFC 2613 SMON MIB RFC 2618 RADIUS Client MIB RFC 2665 Ethernet-Like-MIB RFC 2668 802.3 MAU MIB RFC 2737 Entity MIB (Version 2) **Network Management** IEEE 802.1AB Link Layer Discovery Protocol (LLDP) RFC 1757 RMON 4 groups: Stats, History, Alarms and Events RFC 3164 BSD syslog Protocol	RFC 3176 sFlow RFC 2668 802.3 MAU MIB ANSI/TIA-1057 LLDP Media Endpoint Discovery (LLDP-MED) SNMPv1/v2c/v3 XRMON **QoS/Cos** RFC 2474 DiffServ Precedence, including 8 queues/port RFC 2597 DiffServ Assured Forwarding (AF) RFC 2598 DiffServ Expedited Forwarding (EF) **Security** IEEE 802.1X Port Based Network Access Control RFC 2138 RADIUS Authentication Secure Sockets Layer (SSL) SSHv2 Secure Shell

Prod-No.	Description	VAT excl.	VAT incl.		
J8770A	ProCurve Switch 4204 vl 3U size 4 slot chassis with support for 4200 modules and optional RPS slot	1'709	1'839		
J8772A	ProCurve Switch 4202 vl-72 72 Fixed 10/100 ports 3U chassis with two option slots and optional RPS slots	4'216	4'536		
J8773A	ProCurve Switch 4208vl 5U size 8 slot chassis with support for 4200 vl modules and optional RPS slot	2'507	2'698		
J8775A	ProCurve Switch 4208 vl-96 96 Port 5U 10/100 Bundle with four optional slots and optional redundant power supply slot	5'470	5'886		
J9030A	ProCurve Switch 4208vl-72GS 68 ports of 10/100/1000-T and 4 ports of SFP in a 5U chassis with five open module slots and one open optional redundant power supply slot	5'214	5'610		↘
J9064A	ProCurve Switch 4204vl-48GS 44 ports of 10/100/1000-T and 4 ports of SFP in a 3U chassis with two open modules slots and one open optional redundant power supply slot	3'364	3'620		↘

HP Modules&Power Supplies for Series 4200vl

Prod-No.	Description	VAT excl.	VAT incl.		
J8763A	ProCurve Switch vl 100FX MTRJ Module 12 port 100-FX MTRJ Module	3'202	3'445		
J8765A	ProCurve Switch vl 10/100-TX Module 24 port 10/100 auto-sensing RJ-45 module	1'424	1'532		
J8776A	ProCurve Switch vl 4-Port Mini-GBIC 4-Port mini-GBIC Gigabit module with support for SX, LX, LH mini-GBIC	1'139	1'226		
J4839A	HP ProCurve Switch RPS redundant power supply	1'442	1'552		
J8768A	ProCurve Switch vl 24-Port Gig T module Provides 24-Ports of 10/100/1000-T for use in the ProCurve Switch 4200 vl Series	1'847	1'987		↘
J9033A	ProCurve Switch vl 20-P Gig-T+4 SFP Mod Provides 20-Ports of 10/100/100-T and 4 ports of SFT for use in the ProCurve Switch 4200vl series	1'515	1'630		↘
J8766A	ProCurve Switch vl 1-P 10-GbE X2 Module ProCurve Switch vl 1-Port 10GbE X2 Module provides one X2 10G port for use in the ProCurve Switch 4200vl Series.	1'432	1'541		↘

HP Layer 2 and 3 Switches - Managed Stackables and Chassis - HP Accessories

Prod-No.	Description	VAT excl.	VAT incl.			4100gl Series	4200vl Series
HP Accessories							
J4863A	HP ProCurve Switch gl 10/100/1000-T Module	1'215	1'307			X	
J4864A	HP ProCurve Switch gl Transceiver Module	991	1'066			X	
J4892A	HP ProCurve Switch gl 100-FX MTRJ Module	3'282	3'531			X	
J4893A	HP ProCurve gl Mini-GBIC Module	1'378	1'483			X	
J4839A	HP ProCurve Switch RPS redundant power supply	1'442	1'552			X	X
J8763A	ProCurve Switch vl 100FX MTRJ Module 12 port 100-FX MTRJ Module	3'202	3'445				X
J8765A	ProCurve Switch vl 10/100-TX Module 24 port 10/100 auto-sensing RJ-45 module	1'424	1'532				X
J8776A	ProCurve Switch vl 4-Port Mini-GBIC 4-Port mini-GBIC Gigabit module with support for SX, LX, LH mini-GBIC	1'139	1'226				X
J9012A	ProCurve Ident Drv Mgr 2.0 SW Identity Driven Manager 2.0 base product provides 500 user license	7'141	7'684		↘		X
J9013A	ProCurve Ident Drv Mgr 2.0 (1.0 upgd)SW Identity Driven Manager 2.0 - Upgrade from IDM 1.0 to IDM 2.0 base product with 500 user license	1'744	1'877		↘		X
J9014A	ProCurve Ident Drv Mgr 2.0 (+2000) SW Identity Driven Manager 2.0 - additional 2000 user license,requires IDM 2.0 base product	1'586	1'707		↘		X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Intelligent Edge Switches

HP 2, 3 and 4 Switches - Managed Stackables and Chassis

HP ProCurve Switch 3400cl Series

ProCurve Switch 3400cl Series		
	ProCurve Switch 3400cl-24G (J4905A)	**ProCurve Switch 3400cl-48G (J4906A)**
Ports Maximum ports	20 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 4 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 open module slot 1 RS-232C DB-9 console port Supports a maximum of 2 10-GbE and 24 10/100/1000 ports	44 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 4 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers) 1 open module slot 1 RS-232C DB-9 console port Supports a maximum of 2 10-GbE and 48 10/100/1000 ports
Physical characteristics Dimensions (D x W x H) Weight	 36.7 x 44.0 x 4.4 cm (1U height) 4.66 kg	 43 x 44.0 x 4.4 cm (1U height) 4.91 kg
Memory and processor Processor type and speed Packet buffer size Flash capacity SDRAM	 Motorola PowerPC MPC8245 @ 266 MHz 2 MB (1 MB per 12 ports) 16 MB, dual flash 128 MB	 Motorola PowerPC MPC8245 @ 266 MHz 4 MB (1 MB per 12 ports) 16 MB, dual flash 128 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only
Performance 1000 MB 10 Gbps Throughput Routing/Switching capacity Routing table size	 <6 µs <10 µs Up to 64 million pps 88 Gbps 64'000 entries	 <6 µs <10 µs Up to 99.5 million pps 136 Gbps 64'000 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3X Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; RFC 2453 RI Pv2; RFC 2328 OSPFv2 (includes route authentication); IGMPv3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; RFC 2474 DiffServ Precedence; RFC 2597 DiffServ Expedited Forwarding (EF); RFC 2598 DiffServ Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; IEEE 802.1Q VLANs; IEEE 802.1Q VLAN tagging; IEEE 802.1v VLAN Classification by Protocol and Port; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; HTML and telnet management; RFC 1493 Bridge MIB; PIM Dense; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 1058 RIP; RFC 1724 RIPv2 MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); RFC 3164 Syslog; XRMON; sFlow; RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 1850 OSPF MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB	

Prod-No.	Description	VAT excl.	VAT incl.		
J4905A	HP ProCurve Switch 3400cl-24G	4'363	4'695		
J4906A	HP ProCurve Switch 3400cl-48G	8'267	8'895		

HP ProCurve Switch 6400cl Series

ProCurve Switch 6400cl Series		
	ProCurve Switch 6400cl (J8433A)	**ProCurve Switch 6410cl (J8474A)**
Ports Maximum ports	6 CX4 10-GbE ports; 1 RS-232C DB-9 console port Supports a maximum of 8 10-GbE ports	6 10-GbE ports; 1 RS-232C DB-9 console port Supports a maximum of 8 10-GbE ports
Cabling	**CX4 ports** Maximum distance: 0.5 m to 15 m using CX4 cable Up to 300 m using J8439A media converter using MMF	**X2 transceiver slots** ProCurve 10-GbE X2-SC LR Optic: Maximum distance: 9/125 µm single-mode cable = 2–10 km ProCurve 10-GbE X2-SC SR Optic: Maximum distance: • 62.5 µm multimode cable @ 160 MHz/km = 2–26 meters • 62.5 µm multimode cable @ 200 MHz/km = 2–33 meters • 50 µm multimode cable @ 400 MHz/km = 2–66 meters • 50 µm multimode cable @ 500 MHz/km = 2–82 meters • 50 µm multimode cable @ 2000 MHz/km = 2–300 meters ProCurve 10-GbE X2-SC ER Optic: Maximum distance: 30 km (40 km using engineered link) Available Summer 2005 ProCurve 10-GbE X2-CX4 Transceiver: 0.5 m to 15 m using CX4 cable Up to 300 m using J8439A media converter using MMF
Physical characteristics Dimensions (D x W x H) Weight	 42.93 x 44.2 x 4.32 cm (16.9 x 17.4 x 1.7 in.) (1U height) 5.60 kg (12.35 lb.)	 42.93 x 44.2 x 4.32 cm (16.9 x 17.4 x 1.7 in.) (1U height) 6.1 kg (13.56 lb.)
Memory and processor Fabric processor type and speed SRAM Flash ROM Packet buffer size Flash Flash capacity	 Motorola PowerPC MPC8245 @ 266 MHz 128 MB 128 MB 4 MB 16 MB Dual flash	 Motorola PowerPC MPC8245 @ 266 MHz 128 MB 128 MB 4 MB 16 MB Dual flash
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance Latency Throughput Routing/Switching capacity Address table size	 <11.7 µs (LIFO 64-byte packets) Up to 119 million pps (64-byte packets) 160 Gbps 16'000 entries	 <11.7 µs (LIFO 64-byte packets) Up to 119 million pps (64-byte packets) 160 Gbps 16'000 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3X Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; RFC 2453 RIPv2; RFC 2328 OSPFv2 (includes route authentication); IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; RFC 2474 DiffServ Precedence; RFC 2598 DiffServc Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; IEEE 802.1Q VLANs; IEEE 802.1Q VLAN tagging; IEEE 802.1v VLAN Classification by Protocol and Port; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; HTML and telnet management; RFC 1493 Bridge MIB; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 1058 RIP; RFC 1724 RIPv2 MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); RFC 3164 Syslog; XRMON; sFlow; RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 1850 OSPF MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB; IEEE 802.3ae 10-Gigabit Ethernet; IEEE 802.3ak 10-Gigabit Ethernet	

Prod-No.	Description	VAT excl.	VAT incl.		
J8433A	HP ProCurve Switch 6400cl-6XG	6'139	6'606		
J8474A	HP ProCurve Switch 6410CL-6XG	8'908	9'585		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Switch 6200yl

ProCurve Switch 6200yl	
	 ProCurve Switch 6200yl-24G-mGBIC (J8992A)
Ports	24 mini-GBIC slots
Physical characteristics Dimensions (D x W x H) Weight	 39.2 x 44.3 x 4.4 cm (1U height) 6.4 kg
Memory and processor Processor	 Freescale PowerPC 8540 @ 666 MHz
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only
Performance Latency Throughput Routing/Switching capacity Switching capacity Routing table size	 1000 MB: <3.7 µs (FIFO 64-byte packets); 10 Gbps: <2.1 µs (FIFO 64-byte packets) Up to 74 million pps 101 Gbps 115 Gbps 10,000 entries
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3x Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; RFC 2453 RIPv2; RFC 2328 OSPFv2 (includes route authentication); IGMPv3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; ANSI/TIA-1057 LLDP Media Endpoint Discovery (MED); RFC 2474 DiffServ Precedence; RFC 2597 DiffServ Expedited Forwarding (EF); RFC 2598 DiffServ Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; 802.3af Power over Ethernet; IEEE 802.1Q VLAN tagging; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; HTML and telnet management; RFC 1493 Bridge MIB; PIM Dense; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 1058 RIP; RFC 1724 RIPv2 MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm) and 9 (events); XRMON; sFlow; RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 1850 OSPF MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB;RFC 3046 DHCP Relay Agent Information Option

Prod-No.	Description	VAT excl.	VAT incl.		
J8992A	ProCurve Switch 6200yl-24G-mGBIC An advaned Layer 3/4 stackable in 1U height. It has 24 mini-GBIC slots and an expansion slot for an option 4 por 10-GbE module	10'263	11'043		

HP ProCurve Switch 5300xl Series

ProCurve Secure Router 5300xl Series		
	ProCurve Switch 5304xl (J4850A)	**ProCurve Switch 5348xl (J4849B)**
Ports	4 open module slots	2 open module slots
		48 10/100 ports
Maximum ports	Supports a maximum of 96 10/100 or 64 Gigabit ports	Supports a maximum of 96 10/100 or 64 Gigabit ports
Physical characteristics		
Dimensions (D x W x H)	44.2 x 38.86 x 13.34 cm (3U height)	44.2 x 38.86 x 13.34 cm (3U height)
Weight	9.35 kg, fully loaded	11.2 kg, fully loaded
Memory and processor		
Fabric processor type and speed	Motorola PowerPC @ 200 MHz, 12 MB flash, 32 MB SDRAM	Motorola PowerPC @ 200 MHz, 12 MB flash, 32 MB SDRAM
Module processor type and speed	N/A	ARM7 @ 66 MHz
Flash	N/A	128 KB
SRAM	N/A	128 KB
RDRAM	N/A	18 MB
Packet buffer size	36 MB	36 MB
Flash capacity	Dual flash	Dual flash
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance		
Latency	<6 µs (FIFO)	<6 µs (FIFO)
Throughput	Up to 24 million pps	Up to 24 million pps
Switch fabric speed	38.4 Gbps	38.4 Gbps
Routing table size	10'000 entries	10'000 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3X Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; RFC 2453 RIPv2; RFC 2328 OSPFv2 (includes route authentication); IGMPv3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; Cisco Fast EtherChannel®(FEC); RFC 2474 DiffServ Precedence; RFC 2597 DiffServ Expedited Forwarding (EF); RFC 2598 DiffServc Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; 802.3af Power over Ethernet; IEEE 802.1Q VLAN tagging; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; Cisco Discovery Protocol (CDP); HTML and telnet management; RFC 1493 Bridge MIB; PIM Dense; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 1058 RIP; RFC 1724 RIPv2 MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); XRMON; sFlow; RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 1850 OSPF MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

ProCurve Secure Router 5300xl Series		
	ProCurve Switch 5308xl (J4819A)	**ProCurve Switch 5372xl (J4848B)**
Ports	8 open module slots	5 open module slots 72 10/100 ports
Maximum ports	Supports a maximum of 192	Supports a maximum of 192 10/100 or 128 Gigabit ports
Physical characteristics		
Dimensions (D x W x H)	44.2 x 38.86 x 22.23 cm (5U height)	44.2 x 38.86 x 22.23 cm (5U height)
Weight	12.0 kg, fully loaded	14.08 kg, fully loaded
Memory and processor		
Fabric processor type and speed	Motorola PowerPC @ 200 MHz, 12 MB flash, 32 MB SDRAM	Motorola PowerPC @ 200 MHz, 12 MB flash, 32 MB SDRAM
Module processor type and speed	N/A	ARM7 @ 66 MHz
Flash	N/A	128 KB
SRAM	N/A	128 KB
RDRAM	N/A	18 MB
Packet buffer size	36 MB	36 MB
Flash capacity	Dual flash	Dual flash
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance		
Latency	<6 µs (FIFO)	<6 µs (FIFO)
Throughput	Up to 48 million pps	Up to 48 million pps
Switch fabric speed	76.8 Gbps	76.8 Gbps
Routing table size	10'000 entries	10'000 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3X Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; RFC 2453 RIPv2; RFC 2328 OSPFv2 (includes route authentication); IGMPv3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; Cisco Fast EtherChannel®(FEC); RFC 2474 DiffServ Precedence; RFC 2597 DiffServ Expedited Forwarding (EF); RFC 2598 DiffServc Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; 802.3af Power over Ethernet; IEEE 802.1Q VLAN tagging; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; Cisco Discovery Protocol (CDP); HTML and telnet management; RFC 1493 Bridge MIB; PIM Dense; RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 1058 RIP; RFC 1724 RIPv2 MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events); XRMON; sFlow; RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 1850 OSPF MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB	

Prod-No.	Description	VAT excl.	VAT incl.		
J4850A	HP ProCurve Switch 5304XL A four slot Layer 2-4 chassis with a single power supply and pre-installed switching engine	2'277	2'450		
J4849B	HP ProCurve Switch 5348XL	5'421	5'833		
J4819A	HP ProCurve Switch 5308XL An eight slot Layer 2-4 chassis with a single power supply and pre-installed switching engine	3'416	3'676		
J4848B	HP ProCurve Switch 5372XL	8'120	8'737		

HP Modules & Power Supplies for Series 5300xl

Prod-No.	Description	VAT excl.	VAT incl.		
J4820B	HP ProCurve Switch xl 10/100-TX Module 24 RJ-45 10/100-TX ports	2'709	2'915		
J4821B	HP ProCurve Switch xl 100/1000-T Module 4 RJ-45 100/1000T ports	1'251	1'346		
J4839A	HP ProCurve Switch RPS redundant power supply	1'442	1'552		
J4852A	HP ProCurve Switch xl 100-FX MTRJ module Provides 12 MTRJ 100-FX Ethernet connections in a single high port density wire-speed xl module for the HP ProCurve Switch 5300 series	5'387	5'796		
J4878B	HP ProCurve Switch XL Mini-GBIC Module 4 empty mini-GBIC transceiver slots	1'480	1'592		
J8161A	HP ProCurve Switch xl 10/100-TX PoE Mod	3'226	3'471		
J4907A	HP ProCurve Switch xl 16-Port 10/100/1000 Module	2'981	3'208		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Switch 3500yl Series

ProCurve Switch 3500yl		
	ProCurve Switch 3500yl-24G-PWR Intelligent Edge (J8692A)	**ProCurve Switch 3500yl-48G-PWR Intelligent Edge (J8693A)**
Ports	1 open module slot 20 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T) 1 RS-232C DB-9 console port 4 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)	1 open module slot 44 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T) 1 RS-232C DB-9 console port 4 dual-personality ports—each port can be used as either an RJ-45 10/100/1000 port (IEEE 802.3 Type 10Base-T; 802.3u Type 100Base-TX; 802.3ab 1000Base-T Gigabit Ethernet) or an open mini-GBIC slot (for use with mini-GBIC transceivers)
Maximum ports	Supports a maximum of 4 10-GbE ports	Supports a maximum of 4 10-GbE ports
Physical characteristics		
Dimensions (D x W x H)	39.2 x 44.3 x 4.4 cm (1U height)	43.0 x 44.3 x 4.4 cm (1U height)
Weight	6.4 kg	7.3 kg
Memory and processor		
10G module	ARM9 @ 200 MHz; packet buffer size: 36 Mb QDR SDRAM	ARM9 @ 200 MHz; packet buffer size: 36 Mb QDR SDRAM
Exceptions	Stackable memory and processor: Freescale PowerPC 8540 @ 666 MHz, 4 MB flash, 128 MB compact flash, 256 MB DDR SDRAM	Stackable memory and processor: Freescale PowerPC 8540 @ 666 MHz, 4 MB flash, 128 MB compact flash, 256 MB DDR SDRAM
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance		
Latency	1000 MB < 3.7 µs (FIFO 64-byte packets; 10 Gbps < 2.1 µs (FIFO 64-byte packets)	1000 MB < 3.7 µs (FIFO 64-byte packets; 10 Gbps < 2.1 µs (FIFO 64-byte packets)
Throughput	Up to 74 million pps (64-byte packets)	Up to 110 million pps (64-byte packets)
Routing/Switching capacity	101 Gbps	148 Gbps
Switch fabric speed	115 Gbps	173 Gbps
Routing table size	10,000 entries	10,000 entries
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3x Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; RFC 2453 RIPv2; RFC 2328 OSPFv2 (Premium Edge License); IGMPv3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; ANSI/TIA-1057 LLDP Media Endpoint Discovery (MED); RFC 2474 DiffServ Precedence; RFC 2597 DiffServ Expedited Forwarding (EF); RFC 2598 DiffServ Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; 802.3af Power over Ethernet; IEEE 802.1Q VLAN tagging; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; HTML and telnet management; RFC 1493 Bridge MIB; PIM Dense Mode (Premium Edge License); PIM Sparse Mode (Premium Edge License); RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 3768 VRRP (Premium Edge License); RFC 2787 VRRP MIB; RFC 1058 RIP; RFC 1724 RIPv2 MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm) and 9 (events); XRMON; sFlow; RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 1850 OSPF MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB; RFC 3046 DHCP Relay Agent Information Option	

Prod-No.	Description	VAT excl.	VAT incl.		
J8693A	ProCurve Switch 3500 yl 48G PWR Intel Ed Switch 3500 ys 48G PWR offeres comprehensive Layer 2/3/4 features, 44 10/100/1000, 4 dual persnality, PoE on all 10/100/1000 and optional 10 Gbe	10'360	11'147		
J8692A	ProCurve Switch 3500 yl 24G PWR Intel Ed Switch 3500 yl 24G PWR offers comprehensive Layer 2/3/4 features, 20 10/100/1000 4 dual personality, PoE on all 10/100/1000 and optional 10 GbE	5'468	5'884		

HP ProCurve Switch 3500yl Series Licenses

Prod-No.	Description	VAT excl.	VAT incl.		
J8993A	ProCurve Switch 3500yl Premium License The 3500yl premium License adds advance aggregation layer features such as OSFP, PIM-DM, PIM-SM, and VRRP to the ProCurve Switch 3500yl Series	2'720	2'927		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Switch 5400zl Series

ProCurve Switch 5400zl Series		
	ProCurve Switch 5406zl Intelligent Edge (J8697A)	**ProCurve Switch 5406zl-48G Intelligent Edge (J8699A)**
What's included	N/A	2 ProCurve Switch 5400zl 24p 10/100/1000 PoE Module (J8702A) 1 ProCurve Switch zl 875W Power Supply (J8712A)
Ports	6 open module slots 1 RS-232C DB-9 console port	4 open module slots 48 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T)
Maximum ports	Supports a maximum of 24 10-GbE ports or 144 10/100/1000 ports or 144 mini-GBICs, or a combination	Supports a maximum of 16 10-GbE ports or 144 10/100/1000 ports or 96 mini-GBICs, or a combination
Power supplies	2 open power-supply slots	Includes 1 x J8712A 1 open power-supply slot
Physical characteristics		
Dimensions (D x W x H)	45.09 x 44.45 x 17.53 cm (4U height)	45.09 x 44.45 x 17.53 cm (4U height)
Weight	10.68 kg	15.54 kg
Memory and processor		
Gigabit module	ARM9 @ 200 MHz; packet buffer size: 144 Mb QDR SDRAM	ARM9 @ 200 MHz; packet buffer size: 144 Mb QDR SDRAM
10G module	ARM9 @ 200 MHz; packet buffer size: 36 Mb QDR SDRAM	ARM9 @ 200 MHz; packet buffer size: 36 Mb QDR SDRAM
Management module	Freescale PowerPC 8540 @ 666 MHz, 4 MB flash, 128 MB compact flash, 256 MB DDR SDRAM	Freescale PowerPC 8540 @ 666 MHz, 4 MB flash, 128 MB compact flash, 256 MB DDR SDRAM
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance		
Latency	1000 Mb: <3.7 µs (FIFO 64-byte packets); 10 Gbps: <2.1 µs (FIFO 64-byte packets)	1000 Mb: <3.7 µs (FIFO 64-byte packets); 10 Gbps: <2.1 µs (FIFO 64-byte packets)
Throughput	Up to 214 million pps (64-byte packets)	Up to 214 million pps (64-byte packets)
Routing/Switching capacity	288 Gbps	288 Gbps
Switch fabric speed	346 Gbps	346 Gbps
Routing table size	10,000 entries	10,000 entries
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management(serial RS-232C)	
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3x Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; RFC 2453 RIPv2; RFC 2328 OSPFv2 (Premium Edge License); IGMPv3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; ANSI/TIA-1057 LLDP Media Endpoint Discovery (MED); RFC 2474 DiffServ Precedence; RFC 2597 DiffServ Expedited Forwarding (EF); RFC 2598 DiffServ Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; 802.3af Power over Ethernet; IEEE 802.1Q VLAN tagging; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; HTML and telnet management; RFC 1493 Bridge MIB; PIM Dense Mode (Premium Edge License); PIM Sparse Mode (Premium Edge License); RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 3768 VRRP (Premium Edge License); RFC 2787 VRRP MIB; RFC 1058 RIP; RFC 1724 RIPv2 MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm) and 9 (events); XRMON; sFlow; RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 1850 OSPF MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB; RFC 3046 DHCP Relay Agent Information Option	

ProCurve Switch 5400zl Series		
		
	ProCurve Switch 5412zl Intelligent Edge (J8698A)	**ProCurve Switch 5412zl-96G Intelligent Edge (J8700A)**
What's included	N/A	4 ProCurve Switch 5400zl 24p 10/100/1000 PoE Module (J8702A) 2 ProCurve Switch zl 875W Power Supply (J8712A)
Ports	12 open module slots 1 RS-232C DB-9 console port	8 open module slots 96 10/100/1000 ports 1 RS-232C DB-9 console port
Maximum ports	Supports a maximum of 48 10-GbE ports or 288 10/100/1000 ports or 288 mini-GBICs, or a combination	Supports a maximum of 32 10-GbE ports or 288 10/100/1000 ports or 192 mini-GBICs, or a combination
Power supplies	4 open power-supply slots	Includes 2 x J8712A 2 open power-supply slots
Physical characteristics		
Dimensions (D x W x H)	45.09 x 44.45 x 30.73 cm (7U height)	45.09 x 44.45 x 30.73 cm (7U height)
Weight	15.85 kg	26.31 kg
Memory and processor		
Gigabit module	ARM9 @ 200 MHz; packet buffer size: 144 Mb QDR SDRAM	ARM9 @ 200 MHz; packet buffer size: 144 Mb QDR SDRAM
10G module	ARM9 @ 200 MHz; packet buffer size: 36 Mb QDR SDRAM	ARM9 @ 200 MHz; packet buffer size: 144 Mb QDR SDRAM
Management module	Freescale PowerPC 8540 @ 666 MHz, 4 MB flash, 128 MB compact flash, 256 MB DDR SDRAM	Freescale PowerPC 8540 @ 666 MHz, 4 MB flash, 128 MB compact flash, 256 MB DDR SDRAM
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	
Performance		
Latency	1000 Mb: <3.7 µs (FIFO 64-byte packets); 10 Gbps: <2.1 µs (FIFO 64-byte packets)	1000 Mb: <3.7 µs (FIFO 64-byte packets); 10 Gbps: <2.1 µs (FIFO 64-byte packets)
Throughput	Up to 428 million pps (64-byte packets)	Up to 428 million pps (64-byte packets)
Routing/Switching capacity	576 Gbps	576 Gbps
Switch fabric speed	692 Gbps	692 Gbps
Routing table size	10,000 entries	10,000 entries
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management (serial RS-232C)	
Standards and protocols	RFC 783 TFTP; RFC 951 BootP; RFC 1542 BootP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.3x Flow Control; DHCP Relay; RFC 3376 IGMPv1/v2/v3; RFC 2453 RIPv2; RFC 2328 OSPFv2 (Premium Edge License); IGMPv3; IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; IEEE 802.1AB Link Layer Discovery Protocol; ANSI/TIA-1057 LLDP Media Endpoint Discovery (MED); RFC 2474 DiffServ Precedence; RFC 2597 DiffServ Expedited Forwarding (EF); RFC 2598 DiffServ Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; 802.3af Power over Ethernet; IEEE 802.1Q VLAN tagging; IEEE 802.1Q GVRP; IEEE 802.1p Priority; SNMPv1/v2c/v3; HTML and telnet management; RFC 1493 Bridge MIB; PIM Dense Mode (Premium Edge License); PIM Sparse Mode (Premium Edge License); RFC 1213 MIB II; RFC 2096 IP Forwarding Table MIB; RFC 2737 Entity MIB; RFC 2863 Evolution of Interface; RFC 2665 Ethernet MIB; RFC 3768 VRRP (Premium Edge License); RFC 2787 VRRP MIB; RFC 1058 RIP; RFC 1724 RIPv2 MIB; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm) and 9 (events); XRMON; sFlow; RFC 2021 RMON probe configuration (RMON v2); RFC 2668 802.3 MAU MIB; RFC 2613 SMON; RFC 2674 802.1p and IEEE 802.1Q Bridge MIB; RFC 1850 OSPF MIB; RFC 2618 RADIUS Client MIB; RFC 2620 RADIUS Accounting MIB; RFC 3046 DHCP Relay Agent Information Option	

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Prod-No.	Description	VAT excl.	VAT incl.		
J8697A	ProCurve Switch 5406 zl Intelligent Edge The 5406 chassis offers intelligent edge Layer 2/3/4 capability in a modular 6 slot for factor. Power supplies sold separately	3'127	3'365		
J8699A	ProCurve Switch 5406 zl 48G Intell Edge The 5406 zl 48G Intelligent Edge switch: two 24 port 10/100/1000 PoE modules, one 875W power supploy in a ProCurve 5406 chassis w/four open slots	9'521	10'245		
J8698A	ProCurve Switch 5412zl Intelligent Edge 5412 chassis offers intelligent edge layer 2/3/4 capability in a modular 12 slot form factor. Power supplies must be ordered separately.	6'214	6'686		
J8706A	Procurve Switch zl 24-P Mini-GBIC Module 24-Port Mini-GBIC zl module for the ProCurve 5400zl series switches	5'932	6'383		
J8708A	ProCurve Switch zl 4-P 10 GbE CX4 Module 4-Port 10 GbE CX4 module for the ProCurve 5400 series switches. No CX4 cables supplied with this module	6'937	7'464		
J8700A	ProCurve Switch 5412zl-96G Intell Edge 5412zl-96G Intelligent Edge has four 24-port 10/100/1000PoE modules and two 875W pwr supplies in a ProCurve Switch 5412 chassis. 8 open slots	19'220	20'681		

HP ProCurve Switch 5400zl Series Modules

Prod-No.	Description	VAT excl.	VAT incl.		
J8702A	ProCurve Switchzl 24 10/100/1000 PoE Mo Module that provides 24 10/100/1000 PoE ports for the 5400 series switches	4'760	5'122		
J8705A	ProCurve Switch zl 20 Gig-T 4 mGBIC Mo Module that provides 20 ports of 10/100/1000 PoE and 4 mini GBIC ports for the 5400 series switches	4'760	5'122		
J8707A	ProCurve Switch 5400 zl 4-P 10 GbE X2 Mod Module that provides 4 10 GbE X2 ports for the 5400 series switches	6'937	7'464		
J8712A	ProCurve Switch zl 875W Power Supply Standard 875 W power supply for 5400 series switches. Supplies 273 W for PoE power plus 600 W for switch system power	1'087	1'170		
J8713A	ProCurve Switch zl 1500W Power Supply High power 1500 W power supploy for 5400 series switches, supplies 900 W for PoE power plus 600 W for switch system power 220 V only	1'768	1'902		

HP ProCurve Switch 5400zl Series Licenses

Prod-No.	Description	VAT excl.	VAT incl.		
J8994A	ProCurve Switch 5400zl Premium License adds advance aggregation layer features such as OSFP, PIM-DM, PIM-SM, and VRRP to the ProCurve Switch 5400zl Series	4'080	4'390		

HP Layer 2, 3 and 4 Switches - Managed Stackables Switches and Chassis - HP Accessories

Prod-No.	Description	VAT excl.	VAT incl.			3400cl Series	6400cl Series	5300xl Series	3500yl	5400zl
HP Accessories										
J4820B	HP ProCurve Switch xl 10/100-TX Module 24 RJ-45 10/100-TX ports	2'709	2'915					X		
J4821B	HP ProCurve Switch xl 100/1000-T Module 4 RJ-45 100/1000T ports	1'251	1'346					X		
J4852A	HP ProCurve Switch xl 100-FX MTRJ module Provides 12 MTRJ 100-FX Ethernet connections in a single high port density wire-speed xl module for the HP ProCurve Switch 5300 series	5'387	5'796					X		
J4878B	HP ProCurve Switch XL Mini-GBIC Module 4 empty mini-GBIC transceiver slots	1'480	1'592					X		
J4907A	HP ProCurve Switch xl 16-Port 10/100/1000 Module	2'981	3'208					X		
J8161A	HP ProCurve Switch xl 10/100-TX PoE Mod	3'226	3'471					X		
J8162A	HP ProCurve Switch xl Access Controller Module	5'093	5'480					X		
J8439A	HP ProCurve 10 GbE CX4 Media Converter	1'259	1'355			X	X		X	X
J8434A	HP ProCurve cl 10GbE CX4 Copper Module	2'062	2'219			X	X		X	X
J8436A	HP ProCurve 10 GbE X2-SC SR	3'371	3'627				X		X	X
J8435A	HP ProCurve cl 10-GIG Media Flex Module	3'094	3'329			X	X		X	X
J8437A	HP ProCurve cl 10-GbE X2-SC LR Optic	4'584	4'932			X	X		X	X
J8702A	ProCurve Switchzl 24 10/100/1000 PoE Mo Module that provides 24 10/100/1000 PoE ports for the 5400 series switches	4'760	5'122							X
J8705A	ProCurve Switch zl 20 Gig-T 4 mGBIC Mo Module that provides 20 ports of 10/100/1000 PoE and 4 mini GBIC ports for the 5400 series switches	4'760	5'122							X
J8707A	ProCurve Switch 5400 zl 4-P 10 GbE X2 Mod Module that provides 4 10 GbE X2 ports for the 5400 series switches	6'937	7'464							X
J8712A	ProCurve Switch zl 875W Power Supply Standard 875 W power supply for 5400 series switches. Supplies 273 W for PoE power plus 600 W for switch system power	1'087	1'170							X
J8713A	ProCurve Switch zl 1500W Power Supply High power 1500 W power supploy for 5400 series switches, supplies 900 W for PoE power plus 600 W for switch system power 220 V only	1'768	1'902							X
J8993A	ProCurve Switch 3500yl Premium License The 3500yl premium License adds advance aggregation layer features such as OSFP, PIM-DM, PIM-SM, and VRRP to the ProCurve Switch 3500yl Series	2'720	2'927						X	
J8994A	ProCurve Switch 5400zl Premium License adds advance aggregation layer features such as OSFP, PIM-DM, PIM-SM, and VRRP to the ProCurve Switch 5400zl Series	4'080	4'390							X
J9012A	ProCurve Ident Drv Mgr 2.0 SW Identity Driven Manager 2.0 base product provides 500 user license	7'141	7'684		↘				X	X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Traditional Core Switches

HP ProCurve Routing Switch 9300m Series

ProCurve Secure Router 9300m Series			
	ProCurve Routing Switch 9304m (J4139A)	**ProCurve Routing Switch 9308m (J4138A)**	**ProCurve Routing Switch 9315m (J4874A)**
Ports Maximum ports	4 open module slots Supports a maximum of 6 10-GbE, 56 10/100/1000, or 144 10/100 ports	8 open module slots Supports a maximum of 14 10-GbE, 120 10/100/1000, or 336 10/100 ports	15 open module slots Supports a maximum of 28 10-GbE, 232 10/100/1000, or 672 10/100 ports
Physical characteristics Dimensions (D x W x H) Weight (fully loaded)	 38.1 x 44.45 x 22.23 cm (5U height) 27.2 kg	 38.1 x 44.45 x 52.71 cm (12U height) 53.1 kg	 38.1 x 48.26 x 75.57 cm (17U height) 116.1 kg
Memory and processor EP management (J4885A) Packet buffer size Processor type and speed RAM/ROM capacity Flash capacity Standard management (J4857A) Packet buffer size Processor type and speed RAM/ROM capacity Flash capacity	 4 MB per module Motorola PowerPC @ 466 MHz 512 MB per module 16 MB 8 MB per module Motorola PowerPC @ 466 MHz 256 MB per module 8 MB	 4 MB per module Motorola PowerPC @ 466 MHz 512 MB per module 16 MB 8 MB per module Motorola PowerPC @ 466 MHz 256 MB per module 8 MB	 4 MB per module Motorola PowerPC @ 466 MHz 512 MB per module 16 MB 8 MB per module Motorola PowerPC @ 466 MHz 256 MB per module 8 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only		
Performance Latency Throughput Routing/Switching capacity Routing table size	 <7 µs (FIFO) 83 million pps (64-byte packets) 128 Gbps 64'000 entries	 <7 µs (FIFO) 178 million pps (64-byte packets) 256 Gbps 64'000 entries	 <7 µs (FIFO) 345 million pps (64-byte packets) 480 Gbps 64'000 entries
Management	ProCurve Manager (included); ProCurve Manager Plus; 802.3 Ethernet MIB; Repeater MIB; Ethernet Interface MIB		
Standards and protocols	IEEE 802.3X Flow Control; RFC 2236 IGMP v1/v2/v3; RFC 1583 OSPFv2; IEEE 802.1D Spanning Tree; SSHv1/SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1Q VLANs; IEEE 802.1Q VLAN tagging; IEEE 802.1p Priority; SNMPv1/v2c/v3; RFC 1493 Bridge MIB; RFC 1075 DVMRP; PIM dense, PIM sparse, and PIM snooping mode; RFC 2338 VRRP; RFC 1058 RIP; RFC 1723 RIPv2; RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events)		

HP Modules & Power Supplies for Series 9300m

Prod-No.	Description	VAT excl.	VAT incl.		
J4885A	HP ProCurve 9300 EP 8p mini-GBIC mgmt 8 port, single slot mini-GBIC module with built in management provides Gigabit- SX, Gigabit-LX, or Gigabit-LH capability for HP ProCurve 9300 Routing Switches	22'198	23'885		
J8174A	HP ProCurve 9300 2-Port 10 GbE Module	25'684	27'636		
J4894A	HP ProCurve 9300 EP 16p mini-GBIC module 16 port single slot unmanged mini-GBIC module provides Gigabit-SX, Gigabit-LX, Gigabit-LH capability for HP ProCurve Routing Switch 9300M series.	27'421	29'505		
J4895A	HP ProCurve 9300 EP 16p 100/1000-T mod 16 port single slot unmanged 100/1000-T module for 9300 routing switches. Enhanced Performance (EP) technology.	13'763	14'809		
J4147A	HP ProCurve 9300 redundant power supply	3'466	3'729		
J4875A	HP ProCurve 9315 Redundant Power Supply Provides redundant power for the HP ProCurve Switch 9315 product family	7'610	8'188		
J4881B	HP ProCurve 9300 EP 48p 10/100-TX RJ45 48 port dual slot unmanaged 10/100-TX module using RJ-45 connectors for HP ProCurve Routing Switch 9300M series. Enhanced Performance (EP) technology	16'975	18'265		

HP Layer 3 and 4 Switches - Managed Chassis - HP Accessories

Prod-No.	Description	VAT excl.	VAT incl.			9300m
HP Accessories						
J4147A	HP ProCurve 9300 redundant power supply	3'466	3'729			X
J4875A	HP ProCurve 9315 Redundant Power Supply Provides redundant power for the HP ProCurve Switch 9315 product family	7'610	8'188			X
J4885A	HP ProCurve 9300 EP 8p mini-GBIC mgmt 8 port, single slot mini-GBIC module with built in management provides Gigabit- SX, Gigabit-LX, or Gigabit-LH capability for HP ProCurve 9300 Routing Switches	22'198	23'885			X
J4894A	HP ProCurve 9300 EP 16p mini-GBIC module 16 port single slot unmanged mini-GBIC module provides Gigabit-SX, Gigabit-LX, Gigabit-LH capability for HP ProCurve Routing Switch 9300M series.	27'421	29'505			X
J4895A	HP ProCurve 9300 EP 16p 100/1000-T mod 16 port single slot unmanged 100/1000-T module for 9300 routing switches. Enhanced Performance (EP) technology.	13'763	14'809			X
J8173A	HP ProCurve 9300 10 GbE LR Optic	5'098	5'485			X
J8174A	HP ProCurve 9300 2-Port 10 GbE Module	25'684	27'636			X

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Interconnect Fabric Switches

HP Layer 3 and 4 Switches - Managed Chassis

HP ProCurve Switch 8100fl Series

ProCurve Switch 8100fl Series		
	ProCurve Switch 8108fl (J8727A)	**ProCurve Switch 8116fl (J8728A)**
What's included	1 ProCurve Switch fl Redundant Management Module (J8731A) 1 ProCurve 8108fl Redundant Switch Fabric Module (J8729A) 1 ProCurve Switch fl Redundant Power Supply (J8732A)	1 ProCurve Switch fl Redundant Management Module (J8731A) 1 ProCurve 8116fl Redundant Switch Fabric Module (J8730A) 2 ProCurve Switch fl Redundant Power Supply (J8732A)
Ports Maximum ports	8 open module slots Supports a maximum of 8 10-GbE ports, 80 100/1000 ports, or 80 mini-GBICs, or a combination	16 open module slots Supports a maximum of 16 10-GbE ports, 160 100/1000 ports, or160 mini-GBICs, or a combination
Power supplies	Includes 1 x J8732A 2 open power-supply slots	Includes 1 x J8732A 2 open power-supply slots
Physical characteristics Dimensions (D x W x H) Weight	 54.61 x 43.94 x 57.66 cm (21.5 x 17.3 x 22.7 in.) (13U height) 98.87 kg (219.7 lb.), including 1 8-slot chassis, 2 switch fabric modules, 2 mgmt. modules, 2 fan trays, 3 p/s, 8 int. modules, fully loaded	 54.61 x 43.94 x 88.39 cm (21.5 x 17.3 x 34.8 in.) (20U height) 153 kg (340 lb.), including 1 16-slot chassis, 2 switch fabric modules, 2 mgmt. modules, 2 fan trays, 3 p/s, 16 int. modules, fully loaded
Memory and processor Fabric module Interface module Management module	 PowerPC IBM405 @ 266 MHz, 16 MB flash, 16 MB SRAM, 256 MB SDRAM PowerPC IBM405 @ 266 MHz, 16 MB flash, 256 MB SDRAM; Packet buffer size: 128 MB RL-DRAM per module PowerPC MPC7410 @ 400 MHz, 16 MB flash, 1 GB SDRAM, 512 MB compact flash	 PowerPC IBM405 @ 266 MHz, 16 MB flash, 16 MB SRAM, 256 MB SDRAM PowerPC IBM405 @ 266 MHz, 16 MB flash, 256 MB SDRAM; Packet buffer size: 128 MB RL-DRAM per module PowerPC MPC7410 @ 400 MHz, 16 MB flash, 1 GB SDRAM, 512 MB compact flash
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only. Requires 2 or more people or lift-jack assistance.	
Performance Latency Throughput Routing/Switching capacity Routing table size	 <25 µs (FIFO 64-byte packets) Up to 119 million pps 160 Gbps 100'000 entries	 <25 µs (FIFO 64-byte packets) Up to 238 million pps 320 Gbps 100'000 entries
Standards and protocols	RFC 783 TFTP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 1305 NTPv3; IEEE 802.3x Flow Control; DHCP Relay; RFC 2236 IGMP v2/v3; RFC 2453 RIPv2; RFC 2328 OSPFv2 (includes route authentication); IEEE 802.1D Spanning Tree; IEEE 802.1w Rapid Convergence Spanning Tree; IEEE 802.1s Multiple Spanning Trees; IEEE 802.3ad Link Aggregation Control Protocol; RFC 2474 DiffServ Precedence; RFC 2597 DiffServ Expedited Forwarding (EF); RFC 2598 DiffServ Assured Forwarding (AF); RFC 1492 TACACS+; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv2 Secure Shell; IEEE 802.1Q VLANs; IEEE 802.1Q VLAN tagging; IEEE 802.1p Priority; SNMPv1/v2; SNMPv1/v2c; PIM Dense*; RFC 2096 IP Forwarding Table MIB (read only); RFC 2737 Entity MIB (read only); RFC 2863 Evolution of Interface (read only); RFC 2338 VRRP; RFC 1058 RIP; RFC 3164 Syslog; IEEE 802.3ae 10-Gigabit Ethernet; RFC 1587 OSPF NSSA; RFC 1765 OSPF Database Overflow; RFC 1812 RIP Requirements; RFC 791 IP; RFC 1256 ICMP Router Discovery Protocol; RFC 894 IP over Ethernet; RFC 1027 Proxy ARP; RFC 1122 Host Requirements; RFC 1256 IRDP; RFC 1519 CIDR; RFC 1591 DNS (client); RFC 1812 General Routing; RFC 2082 RIP MD5 Authentication; RFC 2011 IP-MIB (read only); RFC 2012 TCP-MIB (read only); RFC 2013 UDP-MIB (read only)	

Prod-No.	Description	VAT excl.	VAT incl.		
J8727A	ProCurve Switch 8108fl 8 slot 8100fl chassis with one switch fabric module, one management module, and one power supply. For use with Switch fl modules	37'039	39'854		
J8728A	ProCurve Switch 8116fl 16 slot 8100fl chassis with one switch fabric module, one management module, and two power supplies. For use with Switch fl modules	51'703	55'632		

HP Modules & Power Supplies for Series 8100fl

Prod-No.	Description	VAT excl.	VAT incl.		
J8729A	ProCurve 8108fl Red. Switch Fabric Mod 320 Gbps Redundant Switch Fabric Module for Switch 8108fl	14'502	15'604		
J8730A	ProCurve 8116fl Red. Switch Fabric Mod 640 Gbps Redundant Switch Fabric Module for Switch 8116fl	26'542	28'559		
J8731A	ProCurve Switch fl Redundant Mgmt. Mod Redundant Management Module for use with Switch fl series	17'281	18'594		
J8732A	ProCurve Switch fl Red. Power Supply Redundant 1500W AC power supply for use with the Switch fl series	3'967	4'268		
J8734A	ProCurve Switch fl 10-P 100/1000-T Mod Single slot, 10-Port fixed 100/1000-T module for use with the Switch fl series	9'408	10'123		
J8735A	ProCurve Switch fl 10p Mini-GBIC Module Single slot, 10 port fixed Mini-GBIC module for use with the Switch fl series	11'106	11'950		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Switch 8212

ProCurve Switch 8212zl	
	 ProCurve Switch 8212zl (J8715A)
Included accessories	1 ProCurve Switch 8200zl Management Module (J9092A) 2 ProCurve Switch 8200zl Fabric Module (J9093A) 1 ProCurve Switch 8200zl System Support Module (J9095A) 1 ProCurve Switch 8212zl Fan Tray (J9094A) 1 ProCurve Switch 8212zl Chassis/Fan Tray (J9091A) Interface/Service modules, power supplies, and redundant management module ordered separately
Ports	12 open module slots RS-232C console port via an RJ-45 connector Supports a maximum of 288 auto-sensing 10/100/1000 ports with PoE or 48 10-GbE ports or 288 mini-GBICs, or a combination
Power supplies	4 open power-supply slots, minimum of 2 required (ordered separately)
Physical characteristics	
Dimensions (D x W x H)	47.49 x 44.45 x 39.62 cm (9U height)
Weight	22.88 kg
Memory and processor	
Gigabit module	ARM9 @ 200 MHz; packet buffer size: 144 MB QDR SDRAM
10g module	ARM9 @ 200 MHz; packet buffer size: 36 MB QDR SDRAM
Management module	Freescale PowerPC 8540 @ 666 MHz, 4 MB flash, 128 MB compact flash, 256 MB DDR SDRAM
Mounting	
Performance	
Latency	
1000 Mb	<3.7 µs (FIFO 64
10 Gbps	<2.1 µs (FIFO 64
Throughput	Up to 428 million pps
Routing/Switching capacity	576 Gbps
Switch fabric speed	692 Gbps
Routing table size	10'000 entries
Management	ProCurve Manager Plus; ProCurve Manager (included); command-line interface; Web browser; configuration menu; out-of-band management(serial RS-232C)
Notes	When using mini-GBICs with this product, mini-GBICs with revision "B" or later (product number ends with the letter "B" or later, e.g. J4858B,J4859C) are required.

Standards and protocols	Device management	IP multicast	
	RFC 1591 DNS (client) HTML and telnet management **General protocols** IEEE 802.1ad Q-in-Q IEEE 802.1D MAC Bridges IEEE 802.1p Priority IEEE 802.1Q VLANs IEEE 802.1s Multiple Spanning Trees IEEE 802.1v VLAN classification by Protocoland Port IEEE 802.1w Rapid Reconfiguration ofSpanning Tree IEEE 802.3ad Link Aggregation ControlProtocol (LACP) IEEE 802.3af Power over Ethernet IEEE 802.3x Flow Control RFC 768 UDP RFC 783 TFTP Protocol (revision 2) RFC 792 ICMP RFC 793 TCP RFC 826 ARP RFC 854 TELNET RFC 868 Time Protocol RFC 951 BOOTP RFC 1058 RIPv1 RFC 1350 TFTP Protocol (revision 2) RFC 1519 CIDR RFC 1542 BOOTP Extensions RFC 2030 Simple Network Time Protocol (SNTP) v4 RFC 2131 DHCP RFC 2453 RIPv2 RFC 2548 (MS-RAS-Vendor only) RFC 3046 DHCP Relay Agent Information Option RFC 3576 Ext to RADIUS (CoA only) RFC 3768 VRRP RFC 4675 RADIUS VLAN & Priority UDLD (Uni-directional Link Detection)	RFC 2362 PIM Sparse Mode RFC 3376 IGMPv3 (host joins only) RFC 3973 PIM Dense Mode **IPv6** RFC 1981 IPv6 Path MTU Discovery RFC 2460 IPv6 Specification RFC 2461 IPv6 Neighbor Discovery RFC 2462 IPv6 Stateless Address Auto-configuration RFC 2463 ICMPv6 RFC 2710 Multicast Listener Discovery (MLD) for IPv6 RFC 2925 Remote Operations MIB (Ping only) RFC 3019 MLDv1 MIB RFC 3315 DHCPv6 (client only) RFC 3513 IPv6 Addressing Architecture RFC 3596 DNS Extension for IPv6 RFC 3810 MLDv2 (host joins only) RFC 4022 MIB for TCP RFC 4113 MIB for UDP RFC 4251 SSHv6 Architecture RFC 4252 SSHv6 Authentication RFC 4253 SSHv6 Transport Layer RFC 4254 SSHv6 Connection RFC 4293 MIB for IP RFC 4419 Key Exchange for SSH RFC 4541 IGMP & MLD Snooping Switch **MIBs** RFC 1213 MIB II RFC 1493 Bridge MIB RFC 1724 RIPv2 MIB RFC 1850 OSPFv2 MIB RFC 2021 RMONv2 MIB RFC 2096 IP Forwarding Table MIB RFC 2613 SMON MIB RFC 2618 RADIUS Client MIB RFC 2620 RADIUS Accounting MIB RFC 2665 Ethernet-Like-MIB	RFC 2668 802.3 MAU MIB RFC 2674 802.1p and IEEE 802.1Q Bridge MIB RFC 2737 Entity MIB (Version 2) RFC 2787 VRRP MIB RFC 2863 The Interfaces Group MIB RFC 2925 Ping MIB **Network management** IEEE 802.1AB Link Layer Discovery Protocol (LLDP) RFC 2819 Four groups of RMON: 1 (statistics), 2 (history), 3 (alarm), and 9 (events) RFC 3176 sFlow ANSI/TIA-1057 LLDP Media Endpoint Discovery (LLDP-MED) SNMPv1/v2c/v3 XRMON **OSPF** RFC 2328 OSPFv2 RFC 3101 OSPF NSSA **QoS/Cos** RFC 2474 DiffServ Precedence, including 8 queues/port RFC 2597 DiffServ Assured Forwarding (AF) RFC 2598 DiffServ Expedited Forwarding (EF) **Security** IEEE 802.1X Port Based Network Access Control RFC 1492 TACACS+ RFC 2865 RADIUS (client only) RFC 2866 RADIUS Accounting Secure Sockets Layer (SSL) SSHv2 Secure Shell

Prod-No.	Description	VAT excl.	VAT incl.		
J8715A	ProCurve Switch 8212zl Base System includes one chassis, one fan tray, one management module, one system support module, two fabric modules, rack ears and DB-9-to-RJ-45 console cable.	31'743	34'155		↘

HP Modules & Power Supplies for Series 8200

Prod-No.	Description	VAT excl.	VAT incl.		
J9091A	ProCurve Switch 8212zl Chassis&Fan Tray for onsite sparing only (J8715A Base System comes with one chassis and one fan tray). Does not include mgmt,fabric, system support or interface modules	15'077	16'223		↘
J9092A	ProCurve Switch 8200zl Mnagement Module For redundant management module configurations (J8715A Base System comes with one managment module) and for onsite sparing.	7'934	8'537		↘
J9093A	ProCurve Switch 8200zl Fabric Module For onsite sparing only (J8715A Base System comes with two required fabric modules)	4'601	4'951		↘
J9094A	ProCurve Switch 8212zl Fan Tray For onsite sparing only (J8715A Base System comes with one fan tray)	824	887		↘
J9095A	ProCurve Switch 8200zl System Sprt Mod For onsite sparing only (J8715A Base System comes with one system support module).	634	682		↘

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

Layer 3 and 4 Switches - Managed Chassis - HP Accessories

Prod-No.	Description	VAT excl.	VAT incl.			8100fl Series
J8436A	HP ProCurve 10 GbE X2-SC SR	3'371	3'627			X
J8437A	HP ProCurve cl 10-GbE X2-SC LR Optic	4'584	4'932			X
J8439A	HP ProCurve 10 GbE CX4 Media Converter	1'259	1'355			X
J8729A	ProCurve 8108fl Red. Switch Fabric Mod 320 Gbps Redundant Switch Fabric Module for Switch 8108fl	14'502	15'604			X
J8730A	ProCurve 8116fl Red. Switch Fabric Mod 640 Gbps Redundant Switch Fabric Module for Switch 8116fl	26'542	28'559			X
J8731A	ProCurve Switch fl Redundant Mgmt. Mod Redundant Management Module for use with Switch fl series	17'281	18'594			X
J8732A	ProCurve Switch fl Red. Power Supply Redundant 1500W AC power supply for use with the Switch fl series	3'967	4'268			X
J8734A	ProCurve Switch fl 10-P 100/1000-T Mod Single slot, 10-Port fixed 100/1000-T module for use with the Switch fl series	9'408	10'123			X
J8735A	ProCurve Switch fl 10p Mini-GBIC Module Single slot, 10 port fixed Mini-GBIC module for use with the Switch fl series	11'106	11'950			X

HP ProCurve Secure Mobility

HP ProCurve Mobile LAN Products

HP ProCurve Wireless Edge Services Modules

Prod-No.	Description	VAT excl.	VAT incl.		
J9001A	ProCurve Wireless EDGE Services xl Mod Delivers advance wireless services that easily integrates into the ProCurve intelligent edge switch 5300 xl series	5'701	6'134		
J9002A	ProCurve Wireless Services Mod 12 RP Lic Increases Radio port capacity on the ProCurve Wireless Edge Services xl module in increments of 12	4'561	4'908		
J9003A	ProCurve Redundant Wireless Serv xl Mod Provides redundant/failover support for the ProCurve Wireless Edges Services xl Module	3'990	4'293		
J9051A	ProCurve Wireless Edge Services Mod Enables advance wireless services that easily integrate into the ProCurve series 5400 switches and switch 8212	7'141	7'684		↘
J9052A	ProCurve Redundant Wireless Serv Mod Provides redundant/failover support for the ProCurve Wireless Edges Services Module	6'348	6'830		↘
J9053A	ProCurve Wireless Services 12 RP Lic 12 Radio Port License increases Radio Port capacity on the ProCurve Wireless Edge Services module in increments of 12	5'077	5'463		↘
J9090A	48 Radio Port License increases Radio Port capacity on the ProCurve Wireless Edge Services module in increments of 48	16'823	18'102		↘

HP ProCurve Radio port

Prod-No.	Description	VAT excl.	VAT incl.		
J9004A	ProCurve Radio Port 210 Working in conjunction with the ProCurve Wireless Edge Services xl Module, provides secure 802.11 g wireless LAN services	399	429		
J9005A	ProCurve Radio Port 220 Working in conjunction with the ProCurve Wireless Edge Services xl Module, provides 802.11 a and 802.11b/g wirless LAN services	569	612		
J9006A	ProCurve Radio Port 230 Working in conjunction with the ProCurve Wireless Edge Services xl Module, provides 802.11 a and 802.11b/g wireless LAN services	569	612		

HP ProCurve Antennas

HP ProCurve External Acces Point Antennas

Prod-No.	Description	VAT excl.	VAT incl.		
J8441A	HP ProCurve ext AP 5 dBi omni antenna	202	217		
J8444A	HP ProCurve ext AP 8 dBi omni antenna	236	254		
J8448B	ProCurve 14 dBi Yagi, ant The ProCurve 14 dBi Yagi antenna provides 14 dBi, 2.4 GHz directional wireless LAN coverage. Certified for use on ProCurve Radio Port 220	474	510		
J8996A	ProCurve antenna lightning arrester Protects access points from damage upon lightning strike to an outdoor access point antenna	183	197		
J8997A	ProCurve dBi dual band diversity ant Provides 3 dBi, omnidirectional, multi band wireless LAN coverage. Certified for use on ProCUrve Access Points	368	396		
J8998A	ProCurve 6 dBi 5GHz omni ant Provides 6 dBi, omnidirectional, 5GHz wireless LAN coverage. Certified for use on ProCurve Access Points	230	247		
J8999A	ProCurve 7 dBi dual band directional ant Provides 7 dBi, directional, multi band wireless LAN coverage. Certified for use on ProCurve Access Points	307	330		
J9000A	ProCurve 14 dBi 5GHz directional ant Provides 14 dBi 5GHz directional wireless LAN coverage. Certified for use on ProCurve Access Points	292	314		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

ProCurve Access Points

HP Wireless Access Points

ProCurve Wireless Access Point 10ag			
	 ProCurve Wireless Access Point 10ag (J9141A)		
Ports	1 RJ-45 auto-sensing 10/100 port (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) Duplex: half or full		
Physical characteristics Dimensions (D x W x H) Weight	 10.3 x 17.8 x 3.4 cm 0.28 kg		
Memory and processor Processor type and speed SDRAM Flash ROM	 MIPS 4000 @ 220 MHz 16 MB 2 MB		
Antennas (integral)	2.4 GHz 1.8 dBi diversity antennas; 5 GHz 1.8 dBi diversity antennas		
Standards and protocols	**General protocols** IEEE 802.3 Type 10BASE-T IEEE 802.3u 100BASE-TX IEEE 802.3af Power over Ethernet	**Mobility** IEEE 802.11a High Speed Physical Layer in the 5 GHz Band IEEE 802.11b Higher-Speed Physical Layer Extension in the 2.4 GHz Band IEEE 802.11g Further Higher Data Rate Extension in the 2.4 GHz Band	**Security** IEEE 802.1X Port Based Network Access Control WPA (Wi-Fi Protected Access)

Prod-No.	Description	VAT excl.	VAT incl.		
J9141A	ProCurve Wireless Access Point 10ag WW The ProCurve Wireless Access Point 10ag provides secure,reliable 802.11a and 802.11b/g wireless connectivity for small enterprise networks	237	255		↘

ProCurve Wireless Access Point 420	
	 ProCurve Wireless Access Point 420
Ports	1 10/100 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 1 RS-232C DB-9 console port
Physical characteristics Dimensions (D x W x H) Weight	 13.74 x 21.82 x 3.28 cm 1.02 kg, including mounting bracket
Memory Flash capacity	 4 MB
Mounting	Includes wall mounting bracket and related hardware
Web interface	Microsoft Internet Explorer 5.5 or higher; Netscape Navigator 6.0 or higher
Management	ProCurve Manager (included); ProCurve Manager Plus; command-line interface (CLI); Web browser; out-of-band management (DB-9 serial port console)
Standards and protocols	RFC 783 TFTP; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 2030 Simple Network Time Protocol; IEEE 802.11b Higher-Speed Physical Layer Extension in the 2.4 GHz Band; IEEE 802.11g Further Higher Data Rate Extension in the 2.4 GHz Band; RFC 2138 RADIUS; RFC 2866 RADIUS accounting; SSHv2 Secure Shell; Secure Sockets Layer (SSL); IEEE 802.1X Network Login; IEEE 802.11i Medium Access Control (MAC) Security Enhancements; IEEE 802.1Q VLANs; 802.3af Power over Ethernet; IEEE 802.1Q VLAN tagging; SNMPv1/v2c/v3; HTML and telnet management; RFC 1493 Bridge MIB; RFC 1213 MIB II; RFC 3164 Syslog; RFC 791 IP; RFC 894 IP over Ethernet; RFC 1541 DHCP; RFC 2068 HTTP; RFC 2011 IP-MIB (read only); RFC 2012 TCP-MIB (read only); RFC 2013 UDP-MIB (read only)

Prod-No.	Description	VAT excl.	VAT incl.		
J8131B	HP ProCurve Wireless Access Point 420 WW is a full featured single radio 802.11g Access point. 420 Access Point is configurable to support mixed wireless networks including 802.11 b & g.	557	599		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

ProCurve Access Point 530	
	 ProCurve Wireless Access Point 530 (J8987A)
Ports	1 10/100 port (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX) 1 RS-232C DB-9 console port
Physical characteristics Dimensions (D x W x H) Weight	 17.27 x 21.83 x 2.29 cm 0.73 kg, including mounting bracket
Memory and processor Processor type and speed SDRAM Flash ROM	 PowerPC MPC8248 @ 400 MHz 32 MB 16 MB
Mounting	Ceiling mount to suspended ceiling T-bar, or wall mount
Web interface	Microsoft Internet Explorer 5.5 or higher
Standards and protocols	RFC 1350 TFTP Protocol Revision 2; RFC 854 Telnet; RFC 768 UDP; RFC 792 ICMP; RFC 793 TCP; RFC 826 ARP; RFC 1305 NTPv3; RFC 1157 A Simple Network Management Protocol (SNMP); IEEE 802.1D Spanning Tree; IEEE 802.11a High Speed Physical Layer in the 5 GHz Band; IEEE 802.11b Higher-Speed Physical Layer Extension in the 2.4 GHz Band; IEEE 802.11g Further Higher Data Rate Extension in the 2.4 GHz Band; RFC 2138 RADIUS; RFC 2865 Remote Authentication Dial In User Service (RADIUS); RFC 2866 RADIUS accounting; SSHv2 Secure Shell; IEEE 802.1X Network Login; IEEE 802.11i Medium Access Control (MAC) Security Enhancements; RFC 2104 Keyed- Hashing for Message Authentication; RFC 2459 Internet X.509 Public Key Infrastructure Certificate and CRL Profile; RFC 2868 RADIUS Attributes for Tunnel Protocol Support; RFC 2548 Microsoft Vendor-specific RADIUS Attributes; RFC 2869 RADIUS Extensions; RFC 3579 RADIUS Support For Extensible Authentication Protocol (EAP); RFC 2716 PPP EAP TLS Authentication Protocol; RFC 3394 Advanced Encryption Standard (AES) Key Wrap Algorithm; 802.3af Power over Ethernet; IEEE 802.1Q VLAN tagging; SNMPv1/v2; RFC 2233 The Interfaces Group MIB using SMIv2; RFC 3418 MIB for SNMP; HTML and telnet management; RFC 1493 Bridge MIB; RFC 1213 MIB II; RFC 3164 Syslog; RFC 791 IP; RFC 894 IP over Ethernet; RFC 1042 Transmission of IP Datagrams over IEEE 802 Networks; RFC 1541 DHCP; RFC 1945 Hypertext Transfer Protocol— HTTP/1.0; RFC 2818 HTTP Over TLS; RFC 1321 The MD5 Message-Digest Algorithm

Prod-No.	Description	VAT excl.	VAT incl.		
J8987A	ProCurve Access Point 530 WW Offers 802.11a and 802.11g wireless connectivity, flexible antenna configurations, advance security ans user access control	858	923		

ProCurve Secure Access

HP ProCurve Secure Access 700wl Series

ProCurve Access Control Server 745wl	
	 ProCurve Access Controller Server 745wl (J9038A)
Ports	1 10/100/1000 ports (IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab 1000Base-T Gigabit Ethernet) 1 RS-232C DB-9 console port
Physical characteristics Dimensions (D x W x H) Weight	 57.48 x 43.82 x 8.89 cm (2U height) 12.2 kg
Management	ProCurve Manager Plus; command-line interface; Web browser; out-of-band management (DB-9 serial port console)
Web interface	Microsoft Internet Explorer 5.5 or higher Netscape Navigator 6.0 or higher

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Router

HP ProCurve Secure Router

HP ProCurve Secure Router 7000dl Series

ProCurve Secure Router 7000dl Series		
	ProCurve Secure Router 7102dl (J8752A)	**ProCurve Secure Router 7203dl (J8753A)**
Ports	2 10/100 ports (IEEE 802.3u Type 100Base-TX) 2 dl module slots 1 Compact Flash port	2 10/100 ports (IEEE 802.3u Type 100Base-TX) 2 dl module slots 1 dl wide module slot 1 Compact Flash port
RPS Option	N/A	Yes
VPN encryption module slot	Yes 500 Max VPN sessions	Yes 500 Max VPN sessions
	1 RS-232C DB-9 console port	1 RS-232C DB-9 console port
Physical characteristics		
Dimensions (D x W x H)	44.25 x 29.26 x 4.39 cm (1U height)	44.25 x 29.26 x 4.39 cm (1U height)
Weight	4.62 kg	4.93 kg
Memory		
Flash capacity	32 MB	32 MB
SDRAM	128 MB	256 MB
Mounting	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only	Mounts in an EIA-standard 19 in. telco rack or equipment cabinet (hardware included); horizontal surface mounting only
Performance		
WAN throughput	Up to 4xT1/E1 lines	Up to 8xT1/E1 lines
Telecom	TBR-1; TBR-2; TBR-3; TBR-12; TBR-13; TBR-21; ITU-T G.992.1 NZ PTC 200, PTC 270; AS/ACIF 5016. 5031. 5043; ETSI TS101 388; FCC CFR47 p.68, TIA 968-A; IC CS-03; JATE MPHPT; TEC IR/TCP-01/03; MIC; CHINA NAL; IDA TS PSTN1; SIRiM; DGT PSTN01; ICASA TE-0001/03/08 (except K21); NOM-151-SCT1	TBR-1; TBR-2; TBR-3; TBR-12; TBR-13; TBR-21; ITU-T G.992.1 NZ PTC 200, PTC 270; AS/ACIF 5016. 5031. 5043; ETSI TS101 388; FCC CFR47 p.68, TIA 968-A; IC CS-03; JATE MPHPT; TEC IR/TCP-01/03; MIC; CHINA NAL; IDA TS PSTN1; SIRiM; DGT PSTN01; ICASA TE-0001/03/08 (except K21); NOM-151-SCT1

Prod-No.	Description	VAT excl.	VAT incl.		
J8752A	Procurve Secure Router 7102dl Provides an affordable platform for medium and large enterprises to connect branch offices to their headquarter location	1'840	1'980		
J8753A	ProCurve Secure Router 7203dl Provides an affordable platform for medium and large enterprises to connect branch offices to their headquarter location	3'111	3'347		

HP Modules for Secure Router Series 7000dl

Prod-No.	Description	VAT excl.	VAT incl.		
J8454A	ProCurve SR dl 1xE1 Module 1 port E1/FrE1 dl module with integrated CSU/DSU. Includes (1) RJ48- RJ48 Telco straight through cables (5m).	995	1'071		
J8455A	HP ProCurve SR dl 1xE1 + G.703 Module	2'168	2'333		
J8456A	ProCurve SR dl 2xE1 Module 2-port E1/FrE1 dl module with integrated CSU/DSU. Includes (2) RJ48- RJ48 Telco straight through cables (5m).	1'987	2'138		
J8457A	ProCurve SR dl 2xISDN BRI S/T Module 2 port ISDN BRI S/T dl module supporting 128 kpbs for each port which includes (2) RJ11-RJ45 straight through cables (3m)	884	951		
J8458A	ProCurve SR dl 1x Serial Module "1-port Serial dl module supporting up to 10Mbps over V.35/X.21 DTE interfaces to an external CSU/DSU. Requires a V.35 or X.21 serial cable. "	551	593		
J8459A	ProCurve SR dl 1xADSL2 + Annex A Mod 1-port ADSL2+ Annex A dl module supports ADSL/ADSL2/ADSL2+ over POTS lines.	475	511		
J8759A	ProCurve SR dl 1xADSL2 + Annex B Module 1-port ADSL2+ Annex B dl module supports ADSL/ADSL2/ADSL2+ over ISDN lines.	475	511		
J8461A	ProCurve SR dl ISDN BRI S/T Backup "1-port ISDSN BRI S/T module attaches as a daughter card to dl modules to provide backup capability. Includes (1) RJ11-RJ45 straight through cable (3m)."	442	476		
J8462A	HP ProCurve SR dl Analog Modem backup	551	593		
J8463A	ProCurve SR dl Wide 8xT1/E1 Module 8-port T1/E1 dl wide module can support either T1 or E1 functionality via onboard dipswitch setting. Includes (8) RJ48-RJ48 Telco straight through cables (5m).	4'445	4'783		
J8471A	ProCurve SR 7100/7200 IPsec Module IPSec VPN encryption module for 7100dl/7200dl series routers enables VPN capability. Supports site-to-site and client VPN sessions via DES/3DES/AES encryption.	840	904		
J8755A	ProCurve SR Serial Cable X.21 DTE	174	187		
J9011A	ProCurve SR dl Wide 8xSerial Module 8 port serial dl wide module supporting up to 2 Mbps each by connecting V.35/X.21 DTE interfaces to a CSU/DSU. Requires a serial cable for each	2'317	2'493		
J8757A	ProCurve SR Serial Cable V.35 DTE V.35 DTE serial cable to be used with ProCurve Secure Router Serial dl module to connect to external CSU/DSU	174	187		
J9026A	ProCurve SR 7100/7200 IPSec Base Module IPSec VPN Base module for 7100/7200 series rounters enables up to 10 site to site VPN and/or client VPN sessions in software via DES/3DES/AES encryption	389	419		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Management Software

VPN Client Software

Prod-No.	Description	VAT excl.	VAT incl.		
J8758A	HP ProCurve VPN Client 100 User License	1'379	1'484		
J8750A	HP ProCurve VPN Client Unlimited License	3'451	3'713		

IDM Software

Prod-No.	Description	VAT excl.	VAT incl.		
J9012A	ProCurve Ident Drv Mgr 2.0 SW Identity Driven Manager 2.0 base product provides 500 user license	7'141	7'684		↘
J9013A	ProCurve Ident Drv Mgr 2.0 (1.0 upgd)SW Identity Driven Manager 2.0 - Upgrade from IDM 1.0 to IDM 2.0 base product with 500 user license	1'744	1'877		↘
J9014A	ProCurve Ident Drv Mgr 2.0 (+2000) SW Identity Driven Manager 2.0 - additional 2000 user license,requires IDM 2.0 base product	1'586	1'707		↘
J9056A	For customers previously on ProCurve Manager version 1.6. This version upgrade provides a 50 device license upgrade with support for Mobility Manager 2.0	870	936		↘
J9057A	Starter license for smaller network customers who only need to manager less than 50 devices that includes support for Mobility Manager 2.0	2'216	2'384		↘
J9058A	ProCurve Mgr Plus 2.3+100 device lic Incremental license grants an additional 100 device license for customers exceeding their current license total.	3'325	3'578		↘
J9059A	ProCurve Mgr Plus 2.3 unlm device lic Unrestricted device license for customes with larger netwroks with no device count requirements with support for mobility Manager 2.0	11'088	11'931		↘
J9060A	ProCurve Imm Mgr 1.0 50 device lic Licence product provides a rich toolset to manage intenal network threat detection and response in wired and wireless network environments	6'740	7'252		↘
J9061A	ProCurve Imm Mgr 1.0 + 100 device lic Licence product increases the number of devices covered by ProCurve Network Immunity Manager 1.0 by an additional 100 devices	7'837	8'433		↘
J9062A	ProCurve Imm Mgr 1.0 unlim device lic License product provides a rich toolset to manage internal network threat detection and respose in wired and wireless network environments	39'195	42'174		↘
J9074A	ProCurve Mobility Mgr 2.0 50-Dev Lic A plug-in software module for PCM +, provides a single point in which to plan, deploy, manage, monitor a wireless LAN of 50 or less devices	2'547	2'741		↘
J9075A	ProCurve Mobility Mgr 2.0 +100 Dev Lic Provides an additional 100 wireless device license to manage a wireless network greater than 50 devices	4'777	5'140		↘
J9076A	ProCurve Mobility Mgr 2.0 Unlim dev lic Provides an unlimited wireless device license for managing a ProCurve wireless network. Purchase of Mobility Manager 2.0 50-dev lic is not reqd	38'226	41'131		↘
J9081A	ProCurve Mobility Mgr 2.0 Upgde PMM 1.1 Upgrades Mobility Manager 1.1 to Mobility Manager 2.0 functionality, includes unlimited wireless device license for managing ProCurve wireless network	1'273	1'370		↘

HP ProCurve Network Security

ProCurve Network Access Controller

Prod-No.	Description	VAT excl.	VAT incl.		
J9065A	ProCurve Network Access Controller 800 Provides a secure authentication server to enable deployable and manageable network access control	4'284	4'610		↘

ProCurve NAC Endpoint Integrity Agent

Prod-No.	Description	VAT excl.	VAT incl.		
J9066A	ProCurve NAC El Agent 100 clients Enables the ProCurve NAC 800 to test 100 endpoints by evaluating the health and security posture of network endpoints before they are allowed onto the network	5'077	5'463		↘
J9067A	ProCurve NAC El Agent 250 clients Enables the ProCurve NAC 800 to test 250 endpoints by evaluating the health and security posture of network endpoints before they are allowed onto the network	11'109	11'953		↘
J9068A	ProCurve NAC El Agent 1000 clients Enables the ProCurve NAC 800 to test 1000 endpoints by evaluating the health and security posture of network endpoints befo	38'092	40'987		↘
J9069A	ProCurve NAC El Agent 5000 clients Enables the ProCurve NAC 800 to test 5000 endpoints by evaluating the health and security posture of network endpoints befo	174'595	187'864		↘
J9070A	ProCurve NAC El Agent 1yr Maint 100 cli Adds 1 year of endpoint test updates for 100 endpoints to the ProCurve NAC EI Agent software license	1'046	1'126		↘
J9071A	ProCurve NAC El Agent 1yr Maint 250 cli Adds 1 year of endpoint test updates for 250 endpoints to the ProCurve NAC EI Agent software license	2'220	2'389		↘
J9072A	ProCurve NAC El Agent 1yr Maint 1000 cli Adds 1 year of endpoint test updates for 1000 endpoints to the ProCurve NAC EI Agent software license	7'458	8'025		↘
J9073A	ProCurve NAC El Agent 1yr Maint 5000 cli Adds 1 year of endpoint test updates for 5000 endpoints to the ProCurve NAC EI Agent software license	34'918	37'572		↘

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.

HP ProCurve Switch Accessories

HP ProCurve Mini-GBICs

Prod-No.	Description	VAT excl.	VAT incl.		
J4858C	ProCurve Gigabit SX-LC Mini-GBIC A small form factor pluggable (SFP) gigabit SX transceiver that provides a full duplex gigabit solution up to 550 meters on multimode fiber	485	522		
J4859C	ProCurve Gigabit LX-LC Mini-GBIC A small form factor pluggable (SFP) gigabit LX transceiver that provides a full duplex gigabit solution up to 10km (singlemode) or 550 m (multimode)	1'044	1'123		
J4860C	ProCurve Gigabit LH-LC Mini-GBIC A small form factor pluggable (SFP) gigabit LH transceiver that provides a full duplex gigabit solution up to 70 km on singlemode fibler	6'077	6'539		
J8177C	ProCurve Gigabit 1000Base-T Mini-GBIC A small form-factor pluggable (SFP) gigabit copper transceiver that provides a full-duplex gigabit solution up to 100 meters on Category 5 or better cable.	317	341		

HP ProCurve Gigabit Transceivers

Prod-No.	Description	VAT excl.	VAT incl.		
J4131B	HP ProCurve Gigabit-SX Transceiver	524	564		
J4132A	HP ProCurve Gigabit-LX Transceiver	1'153	1'241		
J4834A	HP ProCurve 100/1000-T Transceiver	456	491		
J4116A	HP ProCurve Switch Gig. Stacking kit	272	293		

HP ProCurve 100FX Transceiver

Prod-No.	Description	VAT excl.	VAT incl.		
J4853A	HP ProCurve 100-FX SC Transceiver Has a single IEEE 802.3u compliant port with an SC connector. It plugs into the recessed slots on the HP ProCurve 2500 and 2300 series switches.	392	422		
J9054B	ProCurve 100-FX SFP-LC Transceiver 100-FX transceiver that fits in SFP (mini-GBIC) slots and provides 100 Mbps full-duplex connectivity up to 2 km distances over multimode fiber	283	305		↘

HP ProCurve 10-GbE Optics and Transceivers

Prod-No.	Description	VAT excl.	VAT incl.		
J8436A	HP ProCurve 10 GbE X2-SC SR	3'371	3'627		
J8437A	HP ProCurve cl 10-GbE X2-SC LR Optic	4'584	4'932		
J8438A	ProCurve 10GbE X2-SC ER Optic Can be used in ProCurve Switch 3400, 3500, 6200, 6400, 5400 and 8100 series with 10u SMF for a connection of up to 30 km	12'390	13'332		
J8439A	HP ProCurve 10 GbE CX4 Media Converter	1'259	1'355		
J8440B	ProCurve 10GbE X2-CX4 Xcver ProCurve 10GbE X2-CX4 Transceiver 10 GbE X2 transceiver that supports CX4 cabling up to 15m distance.	1'259	1'355		
J9144A	ProCurve 10-GbE X2-SC LRM Optic An X2 form-factor transceiver that supports the 10-Gigabit LRM standard, providing 10-Gigabit connectivity up to 220 meters on legacy multimode fiber.	2'365	2'545		

HP ProCurve Switch cl Modules

Prod-No.	Description	VAT excl.	VAT incl.		
J8434A	HP ProCurve cl 10GbE CX4 Copper Module	2'062	2'219		
J8435A	HP ProCurve cl 10-GIG Media Flex Module	3'094	3'329		

HP ProCurve Switch yl Modules

Prod-No.	Description	VAT excl.	VAT incl.		
J8694A	ProCurve Switch yl 10 2p X2 2p CX4 Mod The module adds 2 fixed 10 Gigabit CX4 ports and 2 X2 slots (fore 10 Gigabit X2 optics) to Switch 3500 and 6200 series	5'304	5'707		

HP ProCurve Switch xl Modules

Prod-No.	Description	VAT excl.	VAT incl.		
J8988A	ProCurve switch xl 1 P 10-GbE X2 Module Provides one X2 10G port for use in the ProCurve Switch 5300xl Series. This series offers scalable Layer 2,3 and 4 switching in compact modular form factors	2'382	2'563		↘

HP ProCurve Routing Switch 9408sl and 9300m Series Accessories

Prod-No.	Description	VAT excl.	VAT incl.		
J8173A	HP ProCurve 9300 10 GbE LR Optic	5'098	5'485		

HP ProCurve Redundant and External Power Supply

Prod-No.	Description	VAT excl.	VAT incl.		
J8168A	HP ProCurve Redundant/External Ethernet In -line Power Supply	2'035	2'190		
J8169A	HP ProCurve 610 External Power Supply	3'293	3'543		
J8696A	ProCurve 620 Redundant/External PS The ProCurve 620 Redundant Power Supply provides redundant system power plus an extra 398 watts PoE power for each of two supported switches.	3'158	3'398		

HP Modules & Transceivers for Series 3400/6400cl

Prod-No.	Description	VAT excl.	VAT incl.		
J8434A	HP ProCurve cl 10GbE CX4 Copper Module	2'062	2'219		
J8435A	HP ProCurve cl 10-GIG Media Flex Module	3'094	3'329		
J8437A	HP ProCurve cl 10-GbE X2-SC LR Optic	4'584	4'932		
J8436A	HP ProCurve 10 GbE X2-SC SR	3'371	3'627		
J8439A	HP ProCurve 10 GbE CX4 Media Converter	1'259	1'355		

Prices and conditions listed are for information purposes only, subject to change at any time without notice and do not constitute any offer to sell. Prices in CHF, valid from November 1, 2008.